

Table of Contents

Foreword xxvi

Introduction xxix

Chapter 1 Introduction to Building Cisco Multilayer Switched Networks 3

Hardware-Switching and Software-Switching Terminology 4

Multilayer Switching Overview 4

 Understanding Layers 2, 3, 4, and 7 Switching Terminology 5

 Layer 2 Switching 6

 Layer 3 Switching 7

 Layer 4 Switching 7

 Layer 7 Switching 8

 Layer 2 Switching In-Depth 9

 Layer 3 Switching In-Depth 10

 Multilayer Switching 12

Enterprise Composite Network Model for Building Cisco Multilayer Switched Networks 12

 The Cisco AVVID Framework 14

 Enterprise Composite Network Model 17

 Enterprise Campus 21

 Enterprise Campus Infrastructure 22

 How Enterprise Campus Modules Meet the Needs of Enterprise Networks 25

 Enterprise Edge 26

 E-Commerce Module 28

 Internet Connectivity Module 29

 Remote Access and VPN Module 30

 WAN Module 30

 Service Provider Edge 31

 ISP Module 32

 PSTN Module 32

 Frame Relay, ATM, and PPP Module 33

Introducing the Cisco Catalyst Switches 33

 Catalyst 6500 Family of Switches 34

 Catalyst 4500 Family of Switches 36

 Catalyst 3550 and 3750 Families of Switches 36

 Catalyst 2950 and 2955 Families of Switches 37

Summary 38

Review Questions 39

Chapter 2 The Roles of Switches in Designing Cisco Multilayer Switched Networks 45

Data-Link Technologies 45

10-Mbps Ethernet 45

Fast Ethernet 47

Gigabit Ethernet 48

Fast Ethernet and Gigabit Ethernet Auto-Negotiation 51

10 Gigabit Ethernet 52

Gigabit Interface Converters 53

Cisco Long-Reach Ethernet 54

Metro Ethernet 54

Designing Cisco Multilayer Switched Networks Using the Cisco Catalyst Switches and Data-Link Technologies 55

Using the Cisco Catalyst Switches and Data-Link Technologies 55

Reviewing the Campus Infrastructure Module of the Enterprise Composite Network Model 55

Selecting Layer 2 or Layer 3 Switches 56

Small Campus Network Design 57

Medium-Sized Campus Network Design 58

Large Campus Network Design 60

Server Farm Module 63

Server Farm Infrastructure Architecture 65

Enterprise Edge 68

Case Study: Designing a Cisco Multilayer Switched Network 69

Summary 71

Review Questions 72

Chapter 3 Initial Configuration and Troubleshooting of Cisco Multilayer Switches 79

Comparing Cisco CatOS and Cisco IOS (Native Mode) 80

Initial Configuration of Management Parameters of Cisco Catalyst Switches 83

System Name 84

Management IP Configuration 85

Clock and NTP Settings 86

Telnet and SSH 89

DNS 92

System Logging 92

Managing Catalyst Switch Configurations 93

Understanding the Cisco IOS File System and Software Images on Catalyst Switches 95

Determining the IFS Size and Contents 97

Cisco IOS Image Naming	97
Naming Conventions Used by Hybrid and Cisco IOS (Native Mode) Images on the Catalyst 6500 Family of Switches	98
Upgrading Software Versions on Catalyst Switches	99
Overview of Converting Cisco CatOS to Cisco Native IOS	103
Basic Troubleshooting Practices	104
show and debug Commands	105
Configurations and Commands Useful When Troubleshooting	106
The Impact of debug Commands and Recommended Use	106
Initial Configuration Troubleshooting Tips	108
What to Do When You Are Unable to Connect to Switch via Console Port	108
What to Do When You Are Unable to Establish IP Connectivity to or from the Switch Using Telnet or SSH	109
Summary	110
Configuration Exercise: Configuring a Cisco IOS–Based Catalyst Switch	111
Required Resources	111
Exercise Objective	111
Network Diagram	112
Command List	112
Task 1: Establish Console (Out-of-Band) Connectivity and Configure Switch Name	114
Task 2: Configure Switch for IP Connectivity	115
Task 3: Configure Switch Usernames and Passwords for Privileged and In-Band Access	116
Task 4: Configure Switch for SSH and Disable Telnet Access	116
Task 5: Configure the Switch Time Settings, NTP Configuration, and System Logging Configuration	117
Task 6: Upgrade Switch Cisco IOS Version to a Later Release	118
Review Questions	121

Chapter 4 Implementing and Configuring VLANs 125

VLANs	125
Implementing VLANs in Campus Networks	128
Understanding the Role and Benefits of VLANs in the Multilayer Switched Network Design	128
Benefits of End-to-End and Local VLANs in Campus Networks	129
Static and Dynamic VLANs	131
VLAN Ranges	132

Configuring VLANs	133
Verifying the VLAN Configuration	138
Troubleshooting VLANs	140
Troubleshooting Slow Throughput	141
Troubleshooting Communication Issues	141
Private VLANs	142
VLAN Trunking	148
Implementing Trunking in Multilayer Switched Networks	149
Trunking Protocols	150
ISL	150
IEEE 802.1Q	152
VLAN Ranges and Mappings	156
Service Provider–Managed VLAN Services	157
Cisco Trunking Modes and Methods	157
Configuring ISL and 802.1Q Trunking	159
Verifying Trunking Configurations	161
Troubleshooting Trunking	163
VLAN Trunking Protocol	163
VTP Pruning	167
VTP Versions	168
VTP Versions 1 and 2	168
VTP Version 3	169
VTP Authentication	171
Configuring VTP	171
Verifying the VTP Configuration	174
Troubleshooting VTP	175
Summary	175
Configuration Exercise: Configuring VLAN, Trunking, and VTP in Multilayer Switched Networks	176
Required Resources	176
Exercise Objective	177
Network Diagram	177
Command List	177
Task 1: Create a VTP Management Domain	179
Task 2: Configure Trunking	179
Task 3: Configure VLANs	180
Task 4: Assign VLANs with Ports on Your Switch	180
Task 5: Verify the VLAN and VTP Status	181
Review Questions	182

Chapter 5 Understanding and Configuring the 802.1D, 802.1s, and 802.1w

Spanning-Tree Protocols	187
Overview of the Spanning Tree Protocol	187
Bridging Loop	188
Preventing Bridging loops	190
STP (IEEE 802.1D)	191
Bridge Identifier	191
Spanning-Tree Path Cost	191
Bridge Protocol Data Units	192
Spanning-Tree Port States and BPDU Timers	195
STP Operation	197
Root Bridge Election	198
Planning Root Bridge Selection	198
Selection of Root and Designated Port on Nonroot Bridges	200
Sample Scenario of STP Election Process	201
STP Topology Changes	202
Per VLAN Spanning Tree Plus	205
MAC Address Allocation and Reduction	206
STP and IEEE 802.1Q Trunks	207
Configuring the Basic Parameters of PVST+	208
Configuring the Root Bridge	209
Configuring Port Cost	210
Verifying the STP Configuration	211
Rapid Spanning Tree Protocol	216
RSTP Port States	217
RSTP Port Roles	218
RSTP BPDU Format and BPDU Handling	219
Rapid Transition to Forwarding	220
RSTP Topology Change Mechanism	222
Compatibility with 802.1D	223
Multiple Spanning Tree	224
PVST+ Case	225
802.1Q Case	225
MST Case	226
MST Regions	226
IST Instances	228
MST Instances	229

Configuring Basic Parameters of MST	230
Summary	234
Configuration Exercise: Configuring and Verifying Spanning-Tree Bridge Priorities and Spanning-Tree Port Cost	234
Configuration Exercise: Configuring and Verifying Spanning-Tree Bridge Priorities	234
Required Resources	235
Exercise Objective	235
Network Diagram	235
Command List	236
Task 1: Configure and Verify Spanning-Tree Bridge Priorities	236
Task 2: Configure and Verify Spanning Tree Port Cost	239
Review Questions	242

Chapter 6 Understanding and Configuring Cisco-Specific Spanning Tree Protocol Features and Troubleshooting STP 245

Enhancements to 802.1D Spanning Tree Protocol	246
PortFast	246
Configuring the PortFast Feature	247
UplinkFast	248
Configuration and Verification of UplinkFast	249
BackboneFast	250
Configuration and Verification of BackboneFast	254
Improving Spanning-Tree Resiliency	255
BPDU Guard	255
BPDU Filtering	256
BPDU Skewing	257
Root Guard	258
Preventing Forwarding Loops and Black Holes	261
Loop Guard	261
Comparison Between Aggressive Mode UDLD and Loop Guard	265
Troubleshooting STP	266
Potential STP Problems	266
Duplex Mismatch	266
Unidirectional Link Failure	267
Frame Corruption	268
Resource Errors	268
PortFast Configuration Error	268
Inappropriate STP Diameter Parameter Tuning	269
Troubleshooting Methodology for STP Problems	269

Know the Network	270
Identify a Bridging Loop	270
Restore Connectivity	270
Check Port Status	272
Look for Resource Errors	272
Disable Unneeded Features	273

Summary	273
---------	-----

Configuration Exercise: Configuring BackboneFast, UplinkFast, and Root Guard	273
Required Resources	274
Exercise Objective	274
Network Diagram	274
Command List	275
Task 1: Configure and Verify BackboneFast	275
Task 2: Configure and Verify UplinkFast	277
Task 3: Configure and Verify Root Guard	277

Review Questions	278
------------------	-----

Chapter 7 Configuring Layer 2 and Layer 3 Features 281

EtherChannel	282
PAgP Modes	284
LACP Modes	285
EtherChannel Guidelines	286
EtherChannel Configuration Example	287
EtherChannel Load Balancing	290
CDP	293
Port Security	295
Allowing Traffic Based on Host MAC Addresses	295
Restricting Traffic Based on Host MAC Addresses	300
Blocking Unicast Flooding on Desired Ports	302
Port Security Summary	303
Multiple Default Gateways	303
MAC Address Notification	304
Layer 3 Protocol Filtering	306
DHCP for Management IP Configuration	307
Debounce Timer Feature	309
Broadcast and Multicast Suppression	311
DHCP Snooping	313

Baby Giants and Jumbo Frame	315
UDLD and Aggressive Mode UDLD	319
Case Study: Function of Aggressive Mode UDLD	322
Summary	327
Configuration Exercise	328
Required Resources	328
Exercise Objective	328
Network Diagram	328
Command List	329
Task 1: Configure and Verify EtherChannel	330
Task 2: Configure and Verify Aggressive Mode UDLD	333
Review Questions	335

Chapter 8 Understanding and Configuring Inter-VLAN Routing 339

Introduction to Inter-VLAN Routing	339
Connecting VLANs with Multilayer Catalyst Switches	341
Routed Ports	343
Switch Virtual Interface	345
Bridge Virtual Interface	347
Router on a Stick	347
Verifying the Inter-VLAN Routing Configuration	350
IP Broadcast Forwarding	352
DHCP Relay Agent	352
UDP Broadcast Forwarding	353
Summary	354
Configuration Exercise: Configuring Inter-VLAN Routing on Cisco IOS-Based Catalyst Switches	355
Required Resources	355
Exercise Objective	355
Network Diagram	355
Command List	356
Task 1: Configure Inter-VLAN Routing Using SVI on Building Distribution Switch	358
Task 2: Configure Inter-VLAN Routing Using Router on a Stick	358
Review Questions	359

Chapter 9 Understanding and Configuring Multilayer Switching 361

Understanding Traditional MLS	362
-------------------------------	-----

Understanding CEF-Based MLS	363
Centralized and Distributed Switching	365
Address Resolution Protocol Throttling	366
Switching Table Architectures	368
CAM	368
TCAM	369
Sample CEF-Based MLS Operation	372
CEF-Based MLS Load Sharing	374
CEF-Based MLS Configuration, Verification, and Troubleshooting	375
CEF-Based MLS Configuration	375
CEF-Based MLS Verification and Troubleshooting	375
Viewing the Layer 3 Engine CEF Table	376
Viewing the Layer 3 Engine Adjacency Table	378
Debugging CEF on the Layer 3 Engine	380
CEF-Based MLS Troubleshooting Methodology	381
Summary	382
Configuration Exercise: Troubleshooting CEF-Based MLS	382
Required Resources	382
Exercise Objective	383
Network Diagram	383
Command List	383
Task 1: Establish Console (Out-of-Band) Connectivity or Telnet or SSH Connectivity to the Switch	384
Task 2: Determine the IP Routing Entry or Subnet That Is Experiencing Connectivity Problems or a CEF-Based MLS Issue	384
Task 3: Verify the Cisco IOS IP Routing Table and ARP Entries for the Route	384
Task 4: Verify the IP CEF FIB and Adjacency Entries for the Route	385
Task 5: Debug the CEF FIB and Adjacency Table's Downloads to the Centralized Switching and Distributed Switching Engines, and Verify the TCAM Contents for FIB and Adjacency Tables	386
Review Questions	386

Chapter 10 Understanding and Implementing Quality of Service in Cisco Multilayer Switched Networks 389

The Need for QoS	390
Latency	392
Jitter	393
Packet Loss	393
QoS-Enabled Solutions	394
QoS Service Models	395

Integrated Services Architecture	395
Differentiated Services	396
Assured Forwarding and Expedited Forwarding	399
Assured Forwarding	399
Expedited Forwarding	400
Catalyst QoS Fundamentals	401
Classification	404
Trust Boundaries and Configurations	405
NBAR	410
Classification with Policy-Based Routing	412
Marking	413
Traffic Conditioning: Policing and Shaping	416
Shaping	416
Policing	417
Congestion Management	420
FIFO Queuing	421
Weighted Round Robin Queuing	422
Priority Queuing	425
Custom Queuing	426
Other Congestion-Management Features and Components	426
Congestion Avoidance	427
Tail Drop	427
Weighted Random Early Detection	428
WAN QoS	431
Weighted Fair Queuing	431
Low-Latency Queuing	432
IP RTP Priority	432
Link-Efficiency Mechanisms	434
Payload Compression	434
Header Compression	435
Link Fragmentation and Interleaving	435
QoS in the Multilayer Switched Network	436
QoS in the Building Access Submodule	437
QoS in the Building Distribution Submodule	438
QoS in the Campus Backbone	439
Summary	439
Configuration Exercise: Configuring QoS on Cisco IOS-Based Catalyst Switches	440
Required Resources	440
Exercise Objective	440
Network Diagram	441
Command List	441

Task 1: Globally Enable QoS	443
Task 2: Configure the Switch to Trust DSCP on Interfaces FastEthernet0/1 Through 0/10 If a Cisco IP Phone Is Attached	444
Task 3: Configure the Switch to Classify All Incoming Frames on Interface FastEthernet 0/11 with a CoS Value of 4 for Untagged Frames	444
Task 4: Configure a Policy Map, Class Map, and the Interface Such That All Ingress TCP Port 30000 Packets on FastEthernet0/11 Have Their DSCP Set to 16	445
Task 5: Configure All Egress Queues Such That CoS Values 4, 6, and 7 Use Queue 3 and a CoS Value of 5 Uses Queue 4	446
Task 6: Configure Queue 4 as a Strict-Priority Queue	446
Task 7: Configure WRR Weights Such That Queue 3 Receives Twice as Much Service as Any Other Single Queue	446
Task 8: Verify All Configurations by Viewing Interface Statistics	447

Review Questions	447
------------------	-----

Chapter 11 Deploying Multicast in the Multilayer Switched Network 453

Introduction to Multicast	453
Multicast IP Address Structure	457
Reserved Link Local Addresses	458
Globally Scoped Addresses	458
Source-Specific Multicast Addresses	458
GLOP Addresses	459
Limited-Scope Addresses	459
Multicast MAC Address Structure	459
Reverse Path Forwarding	460
Multicast Forwarding Tree	463
Source Trees	463
Shared Trees	464
Comparing Source Trees and Shared Trees	465
IP Multicast Protocol	466
PIM	466
PIM Dense Mode	467
PIM Sparse Mode	468
PIM Sparse-Dense Mode	469
Automating Distribution of RP	469
Comparison and Compatibility of PIM Version 1 and Version 2	472
IGMP	473
IGMPv1	473
IGMPv2	474
IGMPv3	476
IGMPv3 Lite	478

Multicast Hardware-Based Switching Methods	479
MMLS	480
CEF-Based MMLS	480
MFIB	481
Layer 2 Multicast Protocols	481
IGMP Snooping	482
Cisco Group Management Protocol	483
IP Multicast in the Multilayer Switched Network	484
Configuring Multicast	485
Monitoring and Verifying IP Multicast Traffic	489
Summary	494
Configuration Exercise: Configuring and Verifying Multicast in the Multilayer Switched Network	494
Required Resources	495
Exercise Objective	495
Network Diagram	495
Command List	496
Task 1: Configure Multicast Routing with Sparse-Dense Mode on Distribution Submodule Switches	497
Task 2: Configure the RP/Mapping Agent for Auto-RP on the Core Switches	498
Review Questions	498

Chapter 12 Implementing High Availability Options in Multilayer Switches 503

Achieving High Availability in Multilayer Switches	503
Implementing Redundant Supervisor Engines in Catalyst Switches	508
Route Processor Redundancy	510
Route Processor Redundancy Plus	512
Configuring and Verifying RPR+ Redundancy	515
Router Redundancy Using Single Router Mode on the Catalyst 6500 Series of Switches	516
SRM Failure Scenario with a Catalyst 6500 Supervisor Engine II and MSFC2	517
SRM Failure Scenario with Supervisor Engine IA	518
SRM Configuration	518
Implementing Redundant Supervisor Uplink Modules in Catalyst Switches	520
Implementing Redundant Power Supplies	521
Implementing Default Gateway Router Redundancy in Multilayer Switched Networks	523
Proxy ARP	524

IRDP	525
Static Default Gateway Configuration	526
Hot Standby Routing Protocol	527
HSRP States	529
HSRP Virtual MAC Address	530
HSRP Load Balancing	532
Configuring HSRP	534
Verifying HSRP	539
HSRP Debugging	540
Virtual Router Redundancy Protocol	543
VRRP Scenarios	543
VRRP Operation Details	545
Configuring and Verifying VRRP	545
Gateway Load Balancing Protocol	547
Cisco IOS Server Load Balancing	550
Cisco IOS SLB Modes of Operation	552
Configuring the Server Farm with Real Servers	552
Configuring Virtual Servers	554
Summary	556
Configuration Exercise: Configuring and Verifying RPR+ and HSRP	557
Required Resources	557
Exercise Objective	557
Network Diagram	557
Command List	558
Task 1: Configure and Verify RPR+	559
Task 2: Configure and Verify HSRP	560
Review Questions	562

Chapter 13 Introduction to Deploying Cisco IP Telephony 567

Network Design Recommendations for IP Telephony	567
QoS	568
Voice (Auxiliary) VLANs	569
Network Bandwidth Provisioning	571
Power Considerations	572
Network Management	573
IP Telephony High Availability	574
Security	574
Best Practices for Deploying IP Telephony in the Enterprise Composite Network Model	575
Summary	576

Configuration Exercise: Configuring Voice VLANs on a Catalyst Switch	577
Required Resources	577
Exercise Objective	577
Network Diagram	578
Command List	578
Task 1: Configure Access and Voice VLAN	579
Task 2: Configure Interfaces for Access and Voice VLANs	580
Task 3: Configure the Interface's Range for a Recommended QoS Configuration	580
Task 4: Verify the Voice VLAN Configuration	581
Review Questions	582

Chapter 14 Implementing Management and Data Plane Security Features on Cisco Catalyst Switches 585

Catalyst Switch Configurations for Security in Multilayer Switched Networks	585
Configuring Strong System Passwords	586
Restricting Management Access Using Access Control Lists	586
Securing Physical Access to the Console	587
Securing Access to VTYS	587
Configuring System Warning Banners	588
Disabling Unneeded or Unused Services	588
Trimming and Minimizing Use of CDP	588
Disabling the Integrated HTTP Daemon	589
Configuring Basic System Logging	590
Securing SNMP	590
Limiting Trunking Connections and Propagated VLANs	590
Securing the Spanning-Tree Topology	590
Configuring AAA	591
Authentication	591
Authorization	592
Accounting	593
Configuring AAA Authentication	593
Configuring AAA Authorization	594
Configuring AAA Accounting	596
Additional Resources for Understanding and Configuring AAA	598
Network Access Security Using IEEE 802.1X	598
Configuring IEEE 802.1X	599
Applying Security Using Access Control Lists	601
RACLs	602
VACLs	602
Understanding the Role of Private VLANs as a Security Feature	604

Understanding the Role of QoS as a Security Feature	605
Summary	606
Configuration Exercise: AAA, 802.1X, and VACLs	606
Required Resources	606
Exercise Objective	607
Network Diagram	607
Command List	607
Task 1: Enable AAA, Disable Telnet, and Enable SSH	608
Task 2: Configure AAA Authentication for VTY Access Using RADIUS and the Local Username and Password Database If the Radius Server Is Unavailable	609
Task 3: Configure 802.1X on a Per-Interface Basis	609
Task 4: Configure VACL to Drop All Ingress Frames on TCP Port 8889	610
Review Questions	610

Chapter 15 Introduction to the Catalyst Switching Architectures 613

Catalyst 6500	613
Catalyst 6500 Supervisor Engine I	616
Catalyst 6500 with Supervisor Engine II	617
Catalyst 6500 with Supervisor Engine 720	618
Catalyst 6500 Summary	619
Catalyst 4500	620
Catalyst 3750	623
Catalyst 3550	625
Catalyst 2950	627
Summary	628
Review Questions	629

Chapter 16 Introduction to Storage Networking 633

Storage Networking Overview	634
Storage Networking Protocols	636
Introduction to Fibre Channel	636
Fibre Channel Architecture	637
Fibre Channel Addressing	638
Fibre Channel Topologies and Port Types	639
Introduction to iSCSI	642
Introduction to FCIP	646
Campus Network Integration	647

Cisco Storage Solutions	648
Cisco MDS 9000 Multilayer Switches	648
VSAN	650
iSCSI/FCIP	651
SPAN	651
Trunking	651
Multipath Forwarding	652
Port Channel	652
Congestion Control and QoS	652
Zoning	653
Buffer-to-Buffer Credit	654
Cisco SN 542x iSCSI Routers	654
SN 5420	655
SN 5428 and SN 5428-2	655
Summary	655
Review Questions	656

Chapter 17 Designing, Building, and Connecting Cisco Multilayer Switched Networks Using Metro Solutions 659

Introduction to Cisco Metro Solutions	660
Cisco Optical Platforms	662
Metro Ethernet Switching Products	662
Catalyst 6500/Cisco 7600	663
Catalyst 4500	664
Catalyst 3750	664
Catalyst 3550	665
Metro Ethernet	665
Metro Ethernet Connectivity and Transport	666
Transparent LAN Services	668
Directed VLAN Service	669
Metro Ethernet over SONET	670
Metro Ethernet over Wave Division Multiplexing Optical Solutions	673
Metro Ethernet over DWDM	674
Metro Ethernet over CDWM	678
Optical Distance Challenges	680
Examining Metro Ethernet Tunneling	681
No Tunneling	682
IEEE 802.1Q Packet Tagging	683
Tag Stacking (Q-in-Q Tunneling)	684
Q-in-Q Spanning Tree Protocol	687
Q-in-Q Catalyst Configuration	689

EoMPLS Implementation	691
Ethernet over MPLS Functionality	694
MPLS Characteristics	694
EoMPLS: Life of a Frame	696
EoMPLS Multipoint	698
Summary	699
Review Questions	699
Chapter 18	Performance and Connectivity Troubleshooting Tools for Multilayer Switches
Techniques to Enhance Performance	703
Monitoring Performance with SPAN and VSPAN	705
Using SPAN to Monitor the CPU Interface of Switches	711
Case Study: Troubleshooting a Catalyst 6500 Using a SPAN Session to Monitor the sc0 Interface	713
Monitoring Performance with RSPAN	714
Monitoring Performance Using VACLs with the Capture Option	721
Troubleshooting Using L2 Traceroute	724
Performance Monitoring Using the Network Analysis Module in the Catalyst 6500 Family of Switches	727
Verification of the NAM Configuration	734
Troubleshooting Common Problems with the NAM	735
Summary	736
Review Questions	736
Appendix A	In-Depth Review of 802.3u and 802.3ad Auto-Negotiation
Purpose of Auto-Negotiation	741
10/100/1000-Mbps Auto-Negotiation Architecture	742
Mixing Manual Configurations with Auto-Negotiation	744
Summary	745
Appendix B	Answers to Review Questions
Index	763