## Contents

|   | Dunfa   | 4.0                    |   | :  |  |
|---|---|------------------------|---|----|--|
|   | Preface   |                        |   | хi |  |
| 1 | Introduction  |                        |   | 1  |  |
|   | 1.1   | Overvie                | ew 1  |    |  |
|   | 1.2   | Backgro                | ound 2  |    |  |
|   | 1.3   | Closed-                | form solutions 3                                    |    |  |
|   | 1.4   | Enginee                | ngineering judgement 4<br>Fround model 5            |    |  |
|   | 1.5   | Ground model 5         |   |    |  |
|   | 1.6   | Status quo 5           |   |    |  |
|   |   | Ground investigation 8 |   |    |  |
|   |   | Design parameters 9    |   |    |  |
|   | 1.9   | Groundwater regime 9   |   |    |  |
|   |   |                        | methodology 9                                       |    |  |
|   | 1.11  | Case his               | stories 10  |    |  |
| 2 | Basic   | slope st               | tability analysis methods                           | 17 |  |
|   | 2.1   | Introduction 17        |   |    |  |
|   |   | 2.1.1                  | Types of stability analyses 17                      |    |  |
|   |   |                        | Definition of the factor of safety 17               |    |  |
|   | 2.2 Slope stability analysis: limit equilibrium method 20 |                        |   |    |  |
|   |   | 2.2.1                  | Limit equilibrium formulation of                    |    |  |
|   |   |                        | slope stability analysis methods 23                 |    |  |
|   |   |                        | 2.2.1.1 Force equilibrium 25                        |    |  |
|   |   |                        | 2.2.1.2 Moment equilibrium equation 27              |    |  |
|   |   | 2.2.2                  | Interslice force function 28                        |    |  |
|   |   |                        | Reduction to various methods and discussion 30      |    |  |
|   |   | 2.2.4                  | Solution of non-linear factor of safety equation 35 |    |  |
|   |   | 2.2.5                  | Examples of slope stability analysis 38             |    |  |
|   |   |                        |   |    |  |

3.1

3.2

|   | 2.3  | Miscell  | laneous considerations on slope stability analysis 41  |  |  |
|---|------|--|--|--|--|
|   |      | 2.3.1  | Acceptability of the failure surfaces                  |  |  |
|   |      |  | and results of the analysis 41                         |  |  |
|   |      | 2.3.2  | Tension crack 42                                       |  |  |
|   |      | 2.3.3  | Earthquake 42  |  |  |
|   |      | 2.3.4  | Water 43   |  |  |
|   |      | 2.3.5  | Saturated density of soil 45                           |  |  |
|   |      | 2.3.6  | Moment point 45  |  |  |
|   |      | 2.3.7  | Use of soil nail/reinforcement 46                      |  |  |
|   |      |  | 2.3.7.1 Advantages of soil nailing 46                  |  |  |
|   |      | 2.3.8  | Failure to converge 50                                 |  |  |
|   |      | 2.3.9  | Location of the critical failure surface 51            |  |  |
|   |      | 2.3.10   | Three-dimensional analysis 51                          |  |  |
|   | 2.4  | Limit a  | analysis method 52                                     |  |  |
|   |      | 2.4.1  | Lower bound approach 53                                |  |  |
|   |      | 2.4.2  | Upper bound approach 54                                |  |  |
|   | 2.5  | Rigid e  | element method 58                                      |  |  |
|   |      | 2.5.1  | Displacements of the rigid elements 59                 |  |  |
|   |      |  | Contact stresses between rigid elements 61             |  |  |
|   |      |  | Principle of virtual work 62                           |  |  |
|   |      | 2.5.4  | Governing equations 64                                 |  |  |
|   |      | 2.5.5  | General procedure of REM computation 65                |  |  |
|   | 2.6  |  | on between the REM and the slice-based approach 65     |  |  |
|   | 2.7  | Uses of design figures and tables for simple problems 70 |  |  |  |
|   | 2.8  | Finite e   | nite element method 72                                 |  |  |
|   | 2.9  | 2.9 Distinct element method 78                           |  |  |  |
|   |      | 2.9.1  | Force displacement law and the law of motion 82        |  |  |
|   |      | 2.9.2  | Limitations of the distinct element method 83          |  |  |
|   |      | 2.9.3  | Case studies for slope stability analysis using PFC 84 |  |  |
|   |      | 2.9.4  | Three-dimensional model and distinct                   |  |  |
|   |      |  | element studies of a slope under a patch load 89       |  |  |
|   |      |  | 2.9.4.1 Laboratory test on a model slope 90            |  |  |
|   |      |  | 2.9.4.2 Three-dimensional distinct numerical           |  |  |
|   |      |  | modelling of slope under local surcharge 93            |  |  |
| 3 |      |  | critical failure surface, convergence and              |  |  |
|   | adva | nced fo  | ormulations 99   |  |  |

Difficulties in locating the critical failure surface 99

Generation of trial failure surface 103

| 3.3        | Global optimization methods 108                           |  |  |  |
|------------|---|--|--|--|
|            | 3.3.1 Simulated annealing algorithm 108                   |  |  |  |
|            | 3.3.2 Genetic algorithms 109                              |  |  |  |
|            | 3.3.3 Particle swarm optimization algorithm 112           |  |  |  |
|            | 3.3.4 Simple harmony search algorithm 114                 |  |  |  |
|            | 3.3.5 Modified harmony search algorithm 118               |  |  |  |
|            | 3.3.6 Tabu search algorithm 120                           |  |  |  |
|            | 3.3.7 Ant colony algorithm 121                            |  |  |  |
|            | 3.3.8 Hybrid optimization algorithm 124                   |  |  |  |
| 3.4        | Verification of the global minimization algorithms 128    |  |  |  |
| 3.5        | Presence of Dirac function 131                            |  |  |  |
| 3.6        | Numerical studies of the efficiency and                   |  |  |  |
|            | effectiveness of various optimization algorithms 132      |  |  |  |
| <i>3.7</i> | Sensitivity of global optimization parameters in the      |  |  |  |
|            | performance of the global optimization methods 140        |  |  |  |
| <i>3.8</i> | Convexity of critical failure surface 145                 |  |  |  |
| 3.9        | Lateral earth pressure determination                      |  |  |  |
|            | from slope stability analysis 146                         |  |  |  |
| 3.10       | Convergence problem due to iterative solution of FOS 148  |  |  |  |
|            | 3.10.1 Parametric study of convergence 153                |  |  |  |
|            | 3.10.2 Combined impact of optimization                    |  |  |  |
|            | and double QR analysis 158                                |  |  |  |
|            | 3.10.3 Reasons for failure to converge 159                |  |  |  |
|            | Importance of the methods of analysis 162                 |  |  |  |
| 3.12       | Solution of the inter-slice force function                |  |  |  |
|            | and fundamental investigation into                        |  |  |  |
|            | the problem of convergence 163                            |  |  |  |
|            | 3.12.1 Determination of bounds on FOS and $f(x)$ 165      |  |  |  |
|            | 3.12.2 Numerical studies and comparisons                  |  |  |  |
|            | with classical methods of analysis 168                    |  |  |  |
|            | 3.12.3 Study of convergence by varying $f(x)$ 171         |  |  |  |
|            | 3.12.4 Validation of maximum extremum principle 175       |  |  |  |
| 3.13       | Variable FOS formulation in LEM 177                       |  |  |  |
|            | 3.13.1 Basic formulation for variable FOS formulation 178 |  |  |  |
|            | 3.13.2 Analysis of variable FOS approach 184              |  |  |  |
|            | 3.13.3 Discussion on variable FOS approach 185            |  |  |  |
| 3.14       | Use of internal/external variables in slope               |  |  |  |
|            | stability analysis and relation of slope stability        |  |  |  |
|            | problem to other geotechnical problems 187                |  |  |  |

|     | 3.14.1   | Basic methods in formulation 187   |     |
|-----|----------|--|-----|
|     | 3.14.2   | Inter-slice force function $f(x)$ and thrust   |     |
|     |          | line for horizontal slope problem 190  |     |
|     | 3.14.3   | Boundary forces in LEM 202   |     |
|     | 3.14.4   | Lower bound solution and the maximum   |     |
|     |          | extremum from limit equilibrium analysis 203   |     |
|     |          | ent methods for slope stability analysis and s with limit equilibrium analysis           | 209 |
| 4.1 | Compa    | arisons between SRM and LEM 209  |     |
| 4.2 |          | ty analysis for a simple and homogeneous   |     |
|     |          | pe using LEM and SRM 210   |     |
| 4.3 |          | ty analysis of a slope with a soft band 217  |     |
| 4.4 | Local    | minimum in LEM 224   |     |
| 4.5 | Effect   | of water on slope stability analysis 227   |     |
| 4.6 | Soil na  | iled slopes by SRM and LEM 229   |     |
|     | 4.6.1    | Distribution of the nail tension force   |     |
|     |          | and the critical slip surface by SRM 235   |     |
| 4.7 | Stabilia | zation of slope with piles using SRM 239   |     |
| 4.8 | Discus   | sion and conclusion 251  |     |
| Thr | ee-dime  | nsional slope stability analysis   | 255 |
| 5.1 | Limita   | tions of the classical three-  |     |
|     | dimens   | sional limit equilibrium methods 255   |     |
| 5.2 | New fo   | ormulation for 3D slope stability  |     |
|     | analysi  | is in Bishop, Janbu and Morgenstern-   |     |
|     | Price n  | nethods by Cheng and Yip 259   |     |
|     | 5.2.1    | Basic formulation with consideration of  |     |
|     |          | sliding direction 259  |     |
|     | 5.2.2    | Reduction to 3D Bishop and Janbu   |     |
|     |          | simplified methods 267   |     |
|     | 5.2.3    | Numerical implementation of  |     |
|     |          | Bishop, Janbu and MP methods 269   |     |
|     | 5.2.4    | Numerical examples and verification 270  |     |
|     | 5.2.5    | Comparison between Huang's method and the present methods for transverse earthquake load | 274 |
|     | 5.2.6    | Relation of proposed 3D slope stability<br>method with classical 3D methods 278          |     |
|     | 5.2.7    | Problem of cross-section force/moment equilibrium for MP method 278                      |     |
|     |          |  |     |

333

|  |                  | 5.2.8                                | Discussi   | on on $\lambda_{xy}$ for MP analysis 284 |  |  |
|--|------------------|--------------------------------------|--|--|--|--|
|  |                  | 5.2.9                                |  | on on 3D limit equilibrium               |  |  |
|  |                  |                                      |  | formulation 284                          |  |  |
|  | 5.3              | Three-dimensional limit analysis 286 |  |  |  |  |
|  |                  | 5.3.1                                | Three-di   | mensional bearing capacity               |  |  |
|  |                  |                                      | problem with an inclined slope 290   |  |  |  |
|  |                  |                                      | 5.3.1.1  | Failure mechanism of the                 |  |  |
|  |                  |                                      |  | patched load acting on the top           |  |  |
|  |                  |                                      |  | surface of a slope $(D=0 m)$ 291         |  |  |
|  |                  |                                      | 5.3.1.2  | Work done rate produced                  |  |  |
|  |                  |                                      |  | along load length L 291                  |  |  |
|  |                  |                                      | 5.3.1.3  | Work done rate produced at the two       |  |  |
|  |                  |                                      |  | end-failure zones of the footing 295     |  |  |
|  |                  |                                      | 5.3.1.4  | Determining the value                    |  |  |
|  |                  |                                      |  | of the safety factor 299                 |  |  |
|  |                  |                                      | 5.3.1.5  | Failure mechanism of the patched load    |  |  |
|  |                  |                                      |  | acting at an embedded depth from         |  |  |
|  |                  |                                      |  | the top surface of slope $(D>0 m)$ 300   |  |  |
|  |                  |                                      | 5.3.1.6  | Work done rate produced                  |  |  |
|  |                  |                                      |  | along footing length L 300               |  |  |
|  |                  |                                      | 5.3.1.7  | Work done rate produced at two           |  |  |
|  |                  |                                      |  | end failures of the buried load 302      |  |  |
|  |                  |                                      | 5.3.1.8  | Comparison of Cheng's method             |  |  |
|  |                  |                                      |  | with other analytical solutions 304      |  |  |
|  | 5.4              |                                      | ation of general critical  |  |  |  |
|  |                  |                                      | n-spherical 3D failure surface 309   |  |  |  |
| 5.4.1 Three-dimensional NURBS surfaces   |                  |                                      |  | •  |  |  |
|  |                  | 5.4.2                                | •  | el and ellipsoidal surface 313           |  |  |
|  |                  | 5.4.3                                |  | of sliding surfaces 314                  |  |  |
| 5.4.4 Optimization analysis of NURBS sur |                  |                                      |  | · · · · · · · · · · · · · · · · · · ·    |  |  |
|  | 5.5              |                                      | se studies in 3D limit equilibrium  bbal optimization analysis 316  fect of curvature on FOS 323 |  |  |  |
|  | <i></i>          |                                      |  |  |  |  |
|  | 5.6              | , ,                                  | •  |  |  |  |
|  | 5.7              | 1 nree-                              | aimension  | nal SRM analysis 325                     |  |  |
| 6  | 5 Implementation |                                      |  |  |  |  |
| O  | Impl             | ementa                               | tion   |  |  |  |

6.2

6.3

6.4

FRP nail 335

Drainage 339

Construction difficulties 340

| 7 | Routine assessment of feature and design of landslip preventive measures |  |     |  |
|---|--|--|-----|--|
|   | 7.1  | Introduction 341   |     |  |
|   | 7.2  | Geotechnical assessment 342                              |     |  |
|   |  | Desk study 342   |     |  |
|   |  | Aerial photograph interpretation and ground-truthing 343 | }   |  |
|   |  | GI and field testing 344                                 |     |  |
|   |  | Laboratory testing 345                                   |     |  |
|   |  | Man-made features 345                                    |     |  |
|   |  | Rainfall records 345                                     |     |  |
|   | 7.9  | Groundwater regime 346                                   |     |  |
|   |  | Stability assessment of the existing feature 347         |     |  |
|   |  | Design of landslip preventive works 348                  |     |  |
|   |  | 7.11.1 Design options for masonry retaining walls 348    |     |  |
|   |  | 7.11.2 Design options for fill slopes 349                |     |  |
|   |  | 7.11.3 Design options for cut slopes 351                 |     |  |
|   | 7.12   | Soil nailing 351   |     |  |
|   |  | Soil nailing in loose fill 354                           |     |  |
|   |  | Surface and sub-soil drainage 355                        |     |  |
|   |  | Surface erosion control and landscaping 356              |     |  |
|   |  | Site supervision during implementation 357               |     |  |
|   |  | Corrosiveness assessment 357                             |     |  |
|   | 7.18   | Precautionary measures and other considerations 358      |     |  |
|   |  | Long-term maintenance 358                                |     |  |
| 8 | Numerical implementation of slope stability                              |  |     |  |
|   | analysis methods   |  |     |  |
|   | 8.1  | Numerical procedures for simplified                      |     |  |
|   | 0.1  | limit equilibrium methods 359                            |     |  |
|   | 8.2  | Numerical procedures for "rigorous"                      |     |  |
|   | <b>0.2</b>   | limit equilibrium methods 368                            |     |  |
|   |  | 8.2.1 Spencer and Morgenstern-Price method 368           |     |  |
|   |  | 8.2.2 Janbu rigorous method 372                          |     |  |
|   |  | 8.2.3 Sarma method 375                                   |     |  |
|   | 8.3  | Three-dimensional analysis 381                           |     |  |
|   | 4  | I:   | 205 |  |
|   |  | endix  | 387 |  |
|   |  | rences   | 399 |  |
|   | Inde   | $\boldsymbol{x}$   | 415 |  |