
Contents

<i>Preface</i>	xix
<i>Acknowledgments</i>	xxiii
<i>Author</i>	xxv
1 Introduction to transit service planning	1
1.1 Motivation	2
1.2 Operational planning decomposition process	4
1.3 Service and evaluation standards and their derivatives	8
1.3.1 Service standards	8
1.3.2 Evaluation standards	11
1.4 Viability perspectives	13
1.5 Outline of other chapters	16
References	18
2 Data requirements and collection	21
2.1 Introduction	22
2.2 Data collection techniques	23
2.2.1 Point check	24
2.2.2 Ride check	24
2.2.3 Deadhead check	24
2.2.4 Passenger survey	25
2.2.5 Population survey	26
2.3 Data requirements	26
2.4 Basic statistical tools	28
2.4.1 Histogram and distribution	29
2.4.2 Estimation	32
2.4.3 Selecting sample size	33
2.4.4 Practical sample size for origin–destination survey	34
2.5 Literature review and further reading	36
References	43
3 Frequency and headway determination	45
3.1 Introduction	46
3.2 Max load (point-check) methods	48
3.3 Load-profile (ride-check) methods	51

- 3.4 Criterion for selecting point check or ride check 55
- 3.5 Conclusion (two examples) 57
- 3.6 Literature review and further reading 65
- Exercises 70
- References 71

4 Timetable development

73

- 4.1 Introduction 75
- 4.2 Objectives, optional timetables, and comparison measures 76
 - 4.2.1 Elements in practice 76
 - 4.2.2 Optional timetables 77
 - 4.2.3 Comparison measures 79
 - 4.2.4 Anchoring the timetable to a single time point 79
- 4.3 Even headways with smooth transitions 81
 - 4.3.1 Underlying principle 82
 - 4.3.2 Interpretation using Example 2 84
- 4.4 Headways with even average loads 85
 - 4.4.1 Underlying principle 86
 - 4.4.2 Interpretation of even load using Example 2 88
- 4.5 Automation, test runs, and conclusion 89
- 4.6 Literature review and further reading 97
- Exercises 100
- References 101

5 Advanced timetables: Optimization and synchronization

103

- 5.1 Introduction 105
- 5.2 Even max load on individual vehicles 106
 - 5.2.1 Underlying principle 106
 - 5.2.2 Minimum frequency standard 109
 - 5.2.3 Comparison 110
 - 5.2.4 Case study of even headway and the two even-load procedures 111
- 5.3 Both—Even headways with even average loads 112
 - 5.3.1 Graphical approach 113
 - 5.3.1.1 Heuristic procedure for finding the headway 115
 - 5.3.1.2 Heuristic procedure for creating timetables 115
 - 5.3.1.3 Evaluation of solutions 120
- 5.4 Timetables based on a multiobjective approach 122
- 5.5 Optimization, operations research, and complexity 126
- 5.6 Minimum passenger-crowding timetables for a fixed vehicle fleet 129
 - 5.6.1 Problem description 129
 - 5.6.2 Formulation 129
 - 5.6.3 Example 131
 - 5.6.4 Variable scheduling 132
- 5.7 Maximum synchronization formulation and OR model 135

5.7.1	<i>Formulating an OR model for synchronization</i>	136
5.7.1.1	<i>Notation of known (given) data</i>	136
5.7.1.2	<i>Decision variables</i>	137
5.7.1.3	<i>Objective function</i>	137
5.7.1.4	<i>Constraints</i>	137
5.7.1.5	<i>Assumptions and notes</i>	137
5.7.2	<i>Synchro-1 procedure</i>	139
5.7.3	<i>Synchro-2 procedure</i>	141
5.7.3.1	<i>Component MERGE</i>	142
5.7.3.2	<i>Component MOVE</i>	142
5.7.3.3	<i>Synchro-1 and Synchro-2 combined</i>	142
5.7.4	<i>Examples</i>	142
5.7.5	<i>Real-life example</i>	146
5.8	<i>Literature review on synchronization and further reading</i>	148
	<i>Exercises</i>	153
	<i>References</i>	155

6 Vehicle scheduling I: Fixed schedules 157

6.1	<i>Introduction</i>	158
6.2	<i>Fleet size required for a single route</i>	159
6.3	<i>Example of an exact solution for multiroute vehicle scheduling</i>	163
6.4	<i>Max-flow technique for fixed vehicle scheduling</i>	166
6.4.1	<i>Vehicle scheduling task</i>	166
6.4.2	<i>Formulation and transformation of the Max-flow problem</i>	166
6.5	<i>Deficit-function model with deadheading trip insertion</i>	169
6.5.1	<i>Definitions and notations</i>	169
6.5.2	<i>Fleet size formula</i>	171
6.5.3	<i>DH trip insertion: Effect and initial fleet size lower bound</i>	172
6.5.4	<i>Heuristic algorithm for a DH trip insertion</i>	176
6.5.5	<i>Constructing vehicle schedules (chains/blocks)</i>	180
6.6	<i>Depot-constrained vehicle scheduling</i>	181
6.6.1	<i>Deficit function formulation</i>	181
6.6.2	<i>Mathematical programming formulation</i>	184
6.7	<i>Literature review and further reading</i>	186
	<i>Exercises</i>	190
	<i>Appendix 6.A: Maximum-flow (Max-flow) problem</i>	192
	<i>References</i>	198

7 Vehicle scheduling II: Variable schedules 201

7.1	<i>Introduction</i>	202
7.2	<i>Fleet size lower bound for fixed schedules</i>	203
7.2.1	<i>Overview and example</i>	203
7.2.2	<i>Stronger fleet size lower bound</i>	204

7.3	<i>Variable trip-departure times</i>	207
7.3.1	<i>Single-route minimum fleet size</i>	207
7.3.2	<i>Variable scheduling using deficit functions</i>	210
7.3.2.1	<i>Case A: Right-shift limit</i>	212
7.3.2.2	<i>Case B: Left-shift limit</i>	213
7.3.2.3	<i>Case C: Shift both trips</i>	213
7.4	<i>Fleet size lower bound for variable schedules</i>	214
7.4.1	<i>Lower bound using shifting and DH trips</i>	214
7.4.1.1	<i>Phase A: LB-SHIFT procedure</i>	214
7.4.1.2	<i>Phase B: LB-DH&SHIFT procedure</i>	215
7.5	<i>Fleet-reduction procedures</i>	217
7.5.1	<i>SDT algorithm</i>	218
7.5.2	<i>Order of subroutines</i>	218
7.5.3	<i>Description of the procedure</i>	221
7.6	<i>Experiences with bus schedules</i>	222
7.7	<i>Examination and consideration of even-load timetables</i>	226
7.7.1	<i>Early departure criterion</i>	226
	<i>Exercises</i>	230
	<i>Appendix 7.A: Example of vehicle-scheduling software</i>	232
	<i>References</i>	234

8 Vehicle type and size considerations in vehicle scheduling

237

8.1	<i>Introduction</i>	238
8.2	<i>Overview and optimization framework</i>	239
8.3	<i>DF-based procedure for vehicle-type scheduling problem</i>	241
8.3.1	<i>Algorithm VTSP</i>	241
8.3.2	<i>Sensitivity analysis</i>	242
8.4	<i>Examples of the DF-based VTSP</i>	244
8.4.1	<i>Detailed Example 1</i>	245
8.4.2	<i>Detailed Example 2</i>	248
8.4.3	<i>A real-life example</i>	250
8.5	<i>Min-cost flow procedure for multi-types vehicle scheduling problem</i>	251
8.5.1	<i>Description of concepts</i>	251
8.5.2	<i>Layers of network used</i>	253
8.5.3	<i>Min-cost flow formulation</i>	256
8.6	<i>Vehicle size determination</i>	257
8.6.1	<i>Example: A standard bus versus two minibuses</i>	258
8.6.2	<i>Vehicle size square root formula</i>	258
8.7	<i>Optimal transit vehicle size: Literature review</i>	259
8.7.1	<i>Literature review conclusions</i>	264
	<i>Exercises</i>	267
	<i>References</i>	269

9 Crew scheduling	271
9.1 Introduction	272
9.2 Vehicle-chain construction using a minimum crew-cost approach	273
9.2.1 Arrival-departure joinings within hollows	274
9.2.2 Objective function and formulation	276
9.2.3 Procedure for determining the maximum number of unpaid idle times	277
9.3 Mathematical solutions	281
9.4 Case study: NJ commuter rail	285
9.4.1 Background	285
9.4.2 Crew assignment procedures	286
9.4.2.1 Overview of model	286
9.4.2.2 Model development	286
9.4.2.3 Model implementation and results	288
9.5 Crew rostering	290
9.5.1 Literature review and problem definition	290
9.5.2 Heuristic approach	291
9.5.2.1 Procedure roster	293
9.6 Literature review and further reading	295
Exercises	300
Appendix 9.A: Shortest-path problem	302
References	306
10 Passenger demand	309
10.1 Introduction	310
10.2 Transit demand, its factors, and elasticity	312
10.2.1 Factors affecting demand	312
10.2.2 Demand function and elasticity	314
10.2.3 Overview of elasticity results	316
10.3 Example of a demand forecasting, method and process	319
10.3.1 Framework	319
10.3.2 Opinion survey (input) interpretation	320
10.3.3 Example of attribute derivation	322
10.4 Multinomial logit model	324
10.5 Literature review and further reading (origin-destination estimation)	326
Exercises	330
References	330
11 Route choice and assignment	333
11.1 Introduction	334
11.2 Route choice using waiting-time strategy	335
11.2.1 Passenger waiting-time dilemma	336
11.2.2 Basic relationships	336

11.3	<i>Proportion of passengers boarding each route</i>	339
11.4	<i>Proportions derived for regular vehicle arrivals</i>	342
11.5	<i>Passenger assignment based on route choice</i>	344
11.6	<i>Literature review and further reading</i>	347
	<i>Exercises</i>	354
	<i>References</i>	355
12	Service design: Elements, operational parking, and stop location	357
12.1	<i>Introduction</i>	358
12.1.1	<i>Transit service frustration</i>	358
12.2	<i>Service-design elements</i>	359
12.2.1	<i>Description of service-design elements</i>	360
12.2.2	<i>Service strategies and possible actions</i>	361
12.2.3	<i>Standards and measures of system and performance</i>	362
12.3	<i>Scheduling-based solution for operational parking conflicts</i>	362
12.3.1	<i>Surplus function model</i>	363
12.3.2	<i>Minimum parking spaces required</i>	365
12.3.3	<i>Scheduled-based reduction of P(k) procedure</i>	366
12.4	<i>Optimum stop location: Network-based theoretical approach</i>	371
12.4.1	<i>Framework of analysis</i>	371
12.4.2	<i>Set-ST algorithm and explanation</i>	372
12.4.3	<i>Numerical example</i>	375
12.5	<i>Stop placement considering uneven topography</i>	377
12.5.1	<i>Framework and modeling</i>	378
12.5.2	<i>Optimal selection of bus stop locations</i>	382
12.6	<i>Literature review and further reading</i>	384
	<i>Exercises</i>	388
	<i>References</i>	389
13	Coordination and connectivity: Measures and analysis	391
13.1	<i>Introduction</i>	392
13.1.1	<i>Transit connectivity frustration</i>	392
13.2	<i>Connectivity measures</i>	394
13.2.1	<i>Developing connectivity measures</i>	395
13.2.2	<i>Case study 1: Measuring transit connectivity performance of a city</i>	399
13.2.3	<i>Case study 2: Comparing transit connectivity measures of major cities</i>	400
13.3	<i>Detecting weaknesses on interroute and intermodal paths</i>	402
13.4	<i>Detecting bottlenecks in coordinated networks</i>	404
13.4.1	<i>Finding bottlenecks in interroute and intermodal transit networks</i>	404
13.4.2	<i>Case study of two world sport events</i>	407

13.5	<i>Equity in transit provision</i>	412
13.5.1	<i>Calculation of measures</i>	412
13.5.2	<i>Case study in Denmark</i>	413
13.6	<i>Literature review and further reading</i>	414
	<i>Exercises</i>	419
	<i>References</i>	420

14 Coordination and connectivity: Behavioral aspects 421

14.1	<i>Introduction</i>	422
14.2	<i>Psychological factors influencing passengers' intentions to make transfers</i>	424
14.2.1	<i>Theory of planned behavior</i>	424
14.2.2	<i>Effects of PBC on intention and behavior</i>	425
14.2.2.1	<i>Effects of improved trip attributes on passengers' intention</i>	425
14.2.2.2	<i>Effect of PBC on passengers' intention</i>	426
14.2.2.3	<i>Notes for practitioners</i>	430
14.3	<i>Effects of variation in out-of-vehicle times on passengers' decisions to make transfers</i>	431
14.3.1	<i>Route choice problem</i>	431
14.3.2	<i>Cumulative prospect theory: A brief introduction</i>	432
14.3.3	<i>Fuzzy logic: A brief introduction</i>	432
14.3.4	<i>Assessment of modeling</i>	433
14.3.4.1	<i>Results of assessment</i>	433
14.4	<i>Just noticeable difference of travel and cost savings for route choice</i>	436
14.4.1	<i>Just noticeable difference</i>	439
14.4.2	<i>Survey as a case study</i>	440
14.4.3	<i>Results of the case study</i>	441
14.4.4	<i>Discussion of the JND analysis</i>	443
14.4.4.1	<i>Notes for practitioners</i>	443
14.5	<i>Planned and unplanned transfers: A guideline for policymakers</i>	444
14.5.1	<i>Definition of planned and unplanned transfers</i>	444
14.5.2	<i>Effects of planned and unplanned transfers on passengers' perception</i>	444
14.5.2.1	<i>Effects of attributes</i>	444
14.5.2.2	<i>Effects of explanatory variables</i>	446
14.5.2.3	<i>Discussion of both studies</i>	448
14.5.2.4	<i>Notes for practitioners</i>	448
14.6	<i>Literature review and further reading</i>	449
14.6.1	<i>Mode choice between public transport and private vehicles</i>	449
14.6.2	<i>Trip attributes</i>	449
14.6.3	<i>Policy and infrastructure</i>	450
	<i>Exercises</i>	451
	<i>References</i>	452

15 Network (routes) design	455
15.1 Introduction	456
15.2 Objective functions	458
15.2.1 Three perspectives and four criteria	458
15.2.2 Formulation	459
15.2.2.1 Notations	459
15.2.2.2 Two principal objective functions	460
15.2.2.3 Objective function components	460
15.2.2.4 Calculation of Z_1 functions	461
15.2.2.5 Estimation of Z_2	465
15.2.3 Applications	465
15.3 Methodology and example	466
15.3.1 Six-element methodology	466
15.3.2 Example	468
15.4 Bus network design with demand variations	474
15.4.1 Transit demand characteristic in bus network design problem	474
15.4.1.1 Service dependency	474
15.4.1.2 Temporal variation	475
15.4.1.3 Randomness	475
15.4.2 Problem statement	476
15.4.2.1 Problem formulation	477
15.4.3 Two solution methodologies	480
15.4.3.1 Solution methodology 1(DMH-F)	481
15.4.4 Analysis of the sample network	487
15.4.5 Solution methodology 2 (HBRD-I)	489
15.5 Methodology for actual-size transit-network design	491
15.6 Connected priority-lane consideration in bus networks	492
15.6.1 Model formulation	494
15.7 Literature review and further reading	496
Exercises	503
References	505
16 Designing short-turn trips	509
16.1 Introduction	510
16.2 Methodology	511
16.3 Candidate points and example	513
16.3.1 Minimum candidate short-turn points	513
16.3.2 Example	514
16.4 Excluding departure times	514
16.4.1 Level-of-service criterion	514
16.4.2 Minimax H algorithm	516
16.5 Maximum extensions of short-turn trips	521

16.5.1	<i>Converting DH to service trips</i>	522
16.5.2	<i>Extensions at short-turn points</i>	523
16.5.2.1	<i>Zeroing the maximum deficit function</i>	523
16.5.2.2	<i>Stretching the maximum interval</i>	525
16.5.2.3	<i>Treating the deficit function hollows</i>	525
16.5.3	<i>Extensions of the example problem</i>	526
16.6	<i>Literature review and further reading</i>	529
	<i>Exercises</i>	531
	<i>References</i>	532

17 Smart shuttle and feeder service

533

17.1	<i>Introduction</i>	535
17.2	<i>Minimum fleet size required for a circular (shuttle) route</i>	536
17.3	<i>Routing strategies</i>	538
17.4	<i>Simulation</i>	541
17.4.1	<i>Simulation input variables</i>	541
17.4.2	<i>Simulation procedures</i>	542
17.5	<i>Case study</i>	545
17.6	<i>Customer survey</i>	549
17.6.1	<i>Survey results</i>	551
17.6.1.1	<i>Important attributes for shuttle design</i>	551
17.6.1.2	<i>Pickups and drop-offs</i>	551
17.6.1.3	<i>Travel time</i>	551
17.6.1.4	<i>Arrival time and schedule information</i>	551
17.6.1.5	<i>Cost</i>	551
17.6.1.6	<i>Waiting time</i>	552
17.6.1.7	<i>Frequency of using the shuttle service</i>	552
17.7	<i>Optimal routing design: Base network</i>	553
17.7.1	<i>Base road network</i>	553
17.7.2	<i>Potential passenger demand</i>	555
17.7.2.1	<i>Phase A: Calculation of average walking distance per link</i>	555
17.7.2.2	<i>Phase B: Assessment of the demand potential as dependent on walking distances</i>	556
17.8	<i>Optimal routing design: Algorithm</i>	557
17.8.1	<i>Optimization model</i>	557
17.8.2	<i>Heuristic algorithm</i>	558
17.9	<i>Implementation stages</i>	560
17.9.1	<i>Initial analysis</i>	560
17.9.2	<i>Pilot plan</i>	562
17.10	<i>Literature review and further reading</i>	562
	<i>Exercise</i>	569
	<i>References</i>	570

18	Service reliability	573
18.1	<i>Introduction</i>	574
18.2	<i>Measures of reliability and sources of unreliable service</i>	577
18.2.1	<i>Attributes and measures of reliability</i>	577
18.2.2	<i>Sources of unreliable service</i>	579
18.3	<i>Modeling of reliability variables</i>	582
18.3.1	<i>Dwell time</i>	583
18.3.2	<i>Analysis of travel time</i>	584
18.3.2.1	<i>Description of general method</i>	584
18.3.2.2	<i>Example of bus data set</i>	585
18.4	<i>Passenger waiting time at a stop</i>	587
18.4.1	<i>Waiting-time distributions</i>	587
18.4.2	<i>Average waiting time</i>	590
18.5	<i>Advanced reliability-based data and control</i>	592
18.6	<i>Techniques to resolve reliability problems</i>	595
18.6.1	<i>Improved planning and scheduling</i>	595
18.6.2	<i>Improved priority techniques for transit vehicles</i>	596
18.6.3	<i>Improved operations control</i>	598
18.6.4	<i>Holding strategy: Approximate method</i>	600
18.7	<i>Literature review and further reading</i>	603
18.7.1	<i>Measures of service reliability</i>	603
18.7.2	<i>Passenger waiting time as a function of reliability</i>	605
18.7.3	<i>Control strategies for improving reliability</i>	608
	<i>Exercises</i>	613
	<i>References</i>	614
19	Operational strategies and tactics	617
19.1	<i>Introduction</i>	618
19.2	<i>Multiagent transit system</i>	619
19.3	<i>Vehicle encounters on road segments</i>	622
19.3.1	<i>Defining an encounter probability</i>	623
19.3.2	<i>Estimating encounter probability</i>	625
19.3.2.1	<i>Postsimulation analysis</i>	625
19.3.3	<i>Deployment of tactics</i>	626
19.3.4	<i>Improving encounter probabilities</i>	627
19.3.5	<i>Finding the time gap for maximum time-space diagram overlap</i>	628
19.3.5.1	<i>Example</i>	628
19.3.6	<i>Objective function improvement</i>	630
19.4	<i>Simulation model for synchronized transfers</i>	631
19.4.1	<i>Network simulation</i>	632
19.4.1.1	<i>Simulation principles</i>	633
19.5	<i>Holding and skip-stop/segment tactics for transfer synchronization</i>	636
19.5.1	<i>Formulation and modeling framework</i>	637
19.5.1.1	<i>Model description</i>	637
19.5.1.2	<i>Formulation and properties of holding tactic</i>	639

19.5.1.3	<i>Formulation and properties of skip-stop and skip-segment tactics</i>	640
19.5.1.4	<i>Formulation and properties of transfers</i>	641
19.5.1.5	<i>Objective function</i>	642
19.5.1.6	<i>Constraints</i>	642
19.5.1.7	<i>Model optimization</i>	644
19.5.2	<i>Case study of real-time tactics implementation</i>	644
19.5.2.1	<i>Data</i>	645
19.5.2.2	<i>Results</i>	646
19.6	<i>Transfer synchronization using IVC</i>	646
19.6.1	<i>Overview of IVC</i>	647
19.6.2	<i>Methodology Using IVC</i>	648
19.6.2.1	<i>Conceptual illustration</i>	649
19.6.2.2	<i>Main features</i>	650
19.6.3	<i>Model</i>	651
19.6.3.1	<i>Notations</i>	651
19.6.3.2	<i>Distance-based dynamic speed-adjustment model</i>	652
19.6.4	<i>Case study</i>	657
19.6.4.1	<i>Data collection</i>	658
19.6.5	<i>Results</i>	658
19.7	<i>Literature review and further reading</i>	662
	<i>Exercise</i>	665
	<i>References</i>	665

20 Future developments in transit operations

669

20.1	<i>Introduction and new direct-transfer concept</i>	670
20.1.1	<i>New concept to reduce the uncertainty of synchronized transfers</i>	671
20.1.2	<i>Transit-system automation</i>	673
20.2	<i>Developments in transit automation</i>	674
20.2.1	<i>Elevated rail systems</i>	674
20.2.2	<i>Elevator-PRT and dual-mode concepts</i>	674
20.3	<i>Example of a two-way monobeam elevated transit</i>	676
20.4	<i>Literature review and further reading</i>	680
20.4.1	<i>Automated transit networks</i>	680
20.4.2	<i>PRT system overview and operations</i>	680
20.4.3	<i>Straddling bus concept</i>	682
20.4.4	<i>Future trends: Transit related</i>	683
20.4.5	<i>Advanced systems categorized by technology</i>	684
20.4.5.1	<i>World Wide Web</i>	684
20.4.5.2	<i>Global positioning system</i>	684
20.4.5.3	<i>Geographical information systems</i>	685
20.4.5.4	<i>Web-based geographical information systems</i>	685
20.4.5.5	<i>Automatic vehicle location</i>	686
20.4.6	<i>Advanced systems categorized by purpose</i>	686

20.4.6.1	<i>Passenger information</i>	686
20.4.6.2	<i>Data collection</i>	687
20.4.6.3	<i>Bus priority</i>	687
20.5	<i>Concluding remark</i>	688
	<i>References</i>	688
Answers to Exercises		691
Index		703