

Contents

| | |
|---|----|
| 1 Introduction | 1 |
| 1.1 Why are non-aqueous solvents important? | 3 |
| 1.1.1 Range of accessible pH-values | 3 |
| 1.1.2 Reactivity of acids and bases | 5 |
| 1.1.3 Ionizable compounds and high-performance liquid chromatography (HPLC) | 5 |
| 1.2 Classification of solvents and their properties | 5 |
| 1.2.1 Electron donor–acceptor properties of solvents | 6 |
| References | 9 |
| | |
| 2 Acid–Base Equilibria: Quantitative Treatment | 10 |
| 2.1 Definitions | 10 |
| 2.2 pH and acid–base ratios | 11 |
| 2.3 pH-dependence of species distribution | 12 |
| 2.4 Acid strengths and molecular structure: dissociation constants in water | 15 |
| 2.4.1 The strength of the X–H bond | 15 |
| 2.4.2 Charge dispersion on anions, A^- , or cations, BH^+ | 16 |
| 2.4.3 The nature of X in R–X–H | 17 |
| 2.5 Carbon acids | 17 |
| 2.6 Acid–base equilibria | 19 |
| Appendix 2.1 Species distribution in acid-base systems | 19 |
| References | 20 |
| | |
| 3 Solvation and Acid–Base Strength | 21 |
| 3.1 Solvation and acid dissociation constants: free energies of transfer | 21 |
| 3.1.1 Solvent-transfer activity coefficients | 23 |
| 3.2 Determination of free energies of transfer | 23 |
| 3.2.1 Non-electrolytes | 23 |
| 3.2.2 Electrolytes | 25 |
| 3.3 Free energies of ion solvation | 27 |
| 3.3.1 Hydration of ions | 27 |
| 3.3.2 Solvation in pure solvents | 28 |
| 3.3.3 Solvation in mixed solvents | 31 |
| 3.4 Solvation of non-electrolytes | 32 |

Contents

| | |
|---|----|
| 3.5 Solvation energies and solvent properties | 33 |
| 3.6 Solvation and acid strength | 34 |
| 3.7 Summary | 35 |
| Appendix 3.1 Composition of mixed solvents | 36 |
| References | 38 |
| | |
| 4 Determination of Dissociation Constants | 39 |
| 4.1 pH-scales | 39 |
| 4.1.1 pH in aqueous media | 39 |
| 4.1.2 pH in non-aqueous media | 41 |
| 4.2 Influence of solution concentration: activity coefficients | 41 |
| 4.3 Ion association | 43 |
| 4.4 Homohydrogen-bond formation | 44 |
| 4.5 Experimental methods for the determination of dissociation constants | 46 |
| 4.5.1 Potentiometric titration using a glass electrode | 47 |
| 4.5.2 Acid-base indicators | 50 |
| 4.6 Autoionization constants of solvents | 53 |
| Appendix 4.1 Dissociation of acetic acid in the presence of sodium chloride | 54 |
| Appendix 4.2 Ion-pair formation and pK_a -determination | 54 |
| Appendix 4.3 Determination of homohydrogen-bond association constants, K_{AHA} | 55 |
| References | 57 |
| | |
| 5 Protic Solvents | 59 |
| 5.1 Autoionization constants | 59 |
| 5.2 Methanol | 60 |
| 5.2.1 Neutral acids: carboxylic acids, phenols | 61 |
| 5.2.2 Cationic acids: protonated anilines, amines, <i>N</i> -heterocycles | 64 |
| 5.2.3 Summary | 66 |
| 5.3 Higher alcohols | 66 |
| 5.4 Alcohol–water mixtures | 68 |
| 5.5 Salt formation in alcohols and aqueous–alcohol mixtures | 70 |
| 5.6 Formamide, acetamide, <i>N</i> -methylpropionamide | 72 |
| 5.7 Formic acid | 74 |
| References | 75 |
| | |
| 6 High-Basicity Polar Aprotic Solvents | 76 |
| 6.1 Dimethylsulphoxide | 77 |
| 6.1.1 Neutral acids: carboxylic acids, phenols and thiophenols, water and methanol, anilines and amides, carbon acids | 78 |
| 6.1.2 Cationic acids (neutral bases) | 86 |
| 6.1.3 Amino acids | 87 |

| | | |
|----------|---|------------|
| 6.2 | <i>N</i> -methylpyrrolidin-2-one, <i>N,N</i> -dimethylformamide, <i>N,N</i> -dimethylacetamide | 89 |
| 6.2.1 | Neutral acids | 89 |
| 6.2.2 | Cationic acids (neutral bases) | 92 |
| 6.3 | Liquid ammonia | 93 |
| 6.4 | Summary | 95 |
| 6.5 | Estimation of dissociation constants in basic aprotic solvents | 96 |
| | References | 97 |
| 7 | Low-Basicity and Low-Polarity Aprotic Solvents | 99 |
| 7.1 | Acetonitrile | 100 |
| 7.1.1 | Neutral acids: carboxylic acids and phenols, carbon acids | 100 |
| 7.1.2 | Cationic acids (neutral bases) | 105 |
| 7.2 | Propylene carbonate, sulpholane, acetone, methyl <i>iso</i> -butyl ketone, nitrobenzene | 108 |
| 7.3 | Tetrahydrofuran | 111 |
| | References | 115 |
| 8 | Acid–Base Equilibria and Salt Formation | 117 |
| 8.1 | Charge-neutral equilibria | 118 |
| 8.2 | Charge-forming equilibria | 120 |
| 8.2.1 | Alcohols and mixed-aqueous solvents | 120 |
| 8.2.2 | Polar aprotic solvents | 124 |
| 8.2.3 | Non-polar aprotic solvents | 127 |
| | References | 128 |
| 9 | Appendices: Dissociation Constants in Methanol and Aprotic Solvents | 130 |
| 9.1 | Methanol | 130 |
| 9.1.1 | Carboxylic acids and phenols | 130 |
| 9.1.2 | Protonated nitrogen bases | 131 |
| 9.2 | Dimethylsulphoxide | 132 |
| 9.2.1 | Carboxylic acids, alcohols, phenols | 132 |
| 9.2.2 | Inorganic acids and miscellaneous | 133 |
| 9.2.3 | Anilines, anilides, amides (N–H-ionization) | 133 |
| 9.2.4 | Carbon acids: ketones, esters, nitroalkanes | 133 |
| 9.2.5 | Carbon acids: nitriles, sulphones | 134 |
| 9.2.6 | Carbon acids: fluorenes | 134 |
| 9.2.7 | Cationic acids: anilinium, ammonium, pyridinium ions | 135 |
| 9.3 | <i>N,N</i> -Dimethylformamide | 135 |
| 9.3.1 | Neutral acids | 135 |
| 9.3.2 | Cationic acids | 136 |
| 9.4 | Acetonitrile | 136 |
| 9.4.1 | Neutral acids | 136 |

Contents

| | |
|--|-----|
| 9.4.2 Inorganic acids and miscellaneous | 137 |
| 9.4.3 Cationic acids: ammonium, anilinium, pyridinium ions | 138 |
| 9.4.4 Phosphazene bases | 138 |
| 9.5 Tetrahydrofuran | 140 |
| 9.5.1 Neutral acids | 140 |
| 9.5.2 Cationic acids | 140 |
| <i>Index</i> | 141 |