Contents

| Pre | eface to | the firs | t edition | xvii | |
|-----|---|----------|--|--------|--|
| | Preface to the second edition uthor Frequently used notation Greek characters | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | perscrip | | | xxxi | |
| | bscripts | | | xxxiii | |
| | breviat | | | XXXV | |
| 1 | Thermophysical and transport fundamentals | | | | |
| | 1.1 | Conse | ervation principles | 1 | |
| | | 1.1.1 | Lagrangian and Eulerian frames | 1 | |
| | | 1.1.2 | Mass conservation | 2 | |
| | | 1.1.3 | Conservation of momentum | 2 3 | |
| | | | 1.1.3.1 Fluid acceleration and forces | 3 | |
| | | | 1.1.3.2 Constitutive relations for the equation of motion | 5 | |
| | | | 1.1.3.3 Equation of motion for a Newtonian fluid | 5 | |
| | | 1.1.4 | Conservation of energy | 6 | |
| | 1.2 | Multic | component mixtures | 11 | |
| | | 1.2.1 | Basic definitions and relations | 11 | |
| | | 1.2.2 | Thermodynamic properties | 14 | |
| | 1.3 | Funda | mentals of diffusive mass transfer | 16 | |
| | | 1.3.1 | Species mass conservation | 16 | |
| | | 1.3.2 | Diffusive mass flux and Fick's law | 17 | |
| | | 1.3.3 | Species mass conservation when Fick's law applies | 19 | |
| | | 1.3.4 | Other types of diffusion | 19 | |
| | | 1.3.5 | Diffusion in multicomponent mixtures | 19 | |
| | 1.4 | Bound | dary and interfacial conditions | 22 | |
| | | 1.4.1 | General discussion | 22 | |
| | | 1.4.2 | Gas-liquid interphase | 24 | |
| | | 1.4.3 | Interfacial temperature | 24 | |
| | | 1.4.4 | Sparingly soluble gases | 26 | |
| | | 1.4.5 | Convention for thermal and mass transfer boundary conditions | 29 | |

| | 1.5 | Transport properties 1.5.1 Mixture rules | 30 30 |
|---|--------------|--|----------|
| | | 1.5.2 Transport properties of gases and the gaskinetic theory 1.5.3 Diffusion of mass in liquids | 30 35 |
| | 1.6 | Continuum flow regime and size convention for flow passages | 36 |
| | Probl | • | 37 |
| 2 | Bour | ndary layers | 43 |
| | 2.1 | Boundary layer on a flat plate | 43 |
| | | 2.1.1 Flow field outside the boundary layer | 46 |
| | 2.2 | Laminar boundary layer conservation equations | 47 |
| | 2.3 | Laminar boundary layer thicknesses | 49 |
| | 2.4 | Boundary layer separation | 51 |
| | 2.5 Probl | Nondimensionalization of conservation equation and similitude lems | 53 56 |
| 3 | Exte | rnal laminar flow: Similarity solutions for forced laminar boundary layers | 61 |
| | 3.1 | Hydrodynamics of flow parallel to a flat plate | 61 |
| | 3.2 | Heat and mass transfer during low-velocity laminar flow parallel | |
| | | to a flat plate | 66 |
| | | 3.2.1 Heat transfer | 66 |
| | | 3.2.2 Mass transfer | 68 |
| | | 3.2.3 Correlations | 69 |
| | | 3.2.4 Limiting solutions | 69 |
| | 3.3 | Heat transfer during laminar parallel flow over a flat plate with viscous | |
| | | dissipation | 72 |
| | | 3.3.1 General solution | 72 |
| | | 3.3.2 Adiabatic wall | 73 |
| | | 3.3.3 Constant wall temperature | 74 |
| | 3.4 | Hydrodynamics of laminar flow past a wedge | 75 |
| | | 3.4.1 Inviscid flow | 75 |
| | | 3.4.2 Hydrodynamics without blowing or suction | 76 |
| | 2.5 | 3.4.3 Hydrodynamics with blowing or suction through the wall surface | 78 79 |
| | 3.5 | Heat transfer during laminar flow past a wedge | 79 |
| | | 3.5.1 Heat transfer without viscous dissipation 3.5.2 Heat transfer with viscous dissipation | 80 |
| | 3.6 | 3.5.2 Heat transfer with viscous dissipation Effect of compressibility and property variations | 8: |
| | Prob | | 86 |
| 4 | Inte | rnal laminar flow | 93 |
| | 4.1 | Couette and Poiseuille flows | 93 |
| | т. 1 | 4.1.1 Couette flow | 9 |
| | | 4.1.2 Poiseuille flow | 9 |
| | 4.2 | Development of velocity, temperature, and concentration profiles | 9 |
| | | 4.2.1 Development of boundary layers | 9 |
| | | 4.2.2 Hydrodynamic parameters of developing flow | 9 |
| | | 4.2.2.1 Friction factor definitions | 10 |
| | | 4.2.2.2 Some useful correlations | 10 |
| | | 4.2.3 Development of temperature and concentration profiles | 10 |

CONTENTS

| | 4.3 | Hydrodynamics of fully developed flow 4.3.1 Circular pipes: The Hagen–Poiseuille flow | 105 105 |
|---|------------|--|------------|
| | | 4.3.1.1 Flat channels 4.3.1.2 Rectangular ducts | 106 |
| | | 4.3.1.2 Rectangular ducts 4.3.1.3 Equilateral triangular ducts | 107 |
| | | 4.3.1.4 Ellipse | 107 108 |
| | | 4.3.1.5 Concentric circular annulus | 108 |
| | 4.4 | Fully developed hydrodynamics and developed temperature | 100 |
| | | or concentration distributions | 109 |
| | | 4.4.1 Circular tube | 109 |
| | | 4.4.1.1 Uniform heat flux boundary conditions | 109 |
| | | 4.4.1.2 Uniform wall temperature boundary conditions | 111 |
| | | 4.4.2 Flat channel | 112 |
| | | | 115 |
| | | | 116 |
| | | | 118 |
| | 4.5 | | 120 |
| | | · · · · · · · · · · · · · · · · · · · | 120 |
| | | | 125 |
| | | | 126 |
| | | | 130 |
| | | | 128 129 |
| | | 4.5.4 Circular duct with arbitrary wall heat flux distribution in the axial | 129 |
| | | and the state of t | 132 |
| | | | 133 |
| | | | 135 |
| | | | 138 |
| | | | 138 |
| | 4.6 | Combined entrance region | 140 |
| | 4.7 | | 142 |
| | 4.8 | | 143 |
| | | | 145 |
| | | | 148 |
| | 4.0 | | 149 |
| | 4.9 | | 150 |
| | Proble | ems | 154 |
| | | | |
| 5 | Integ | ral methods | 167 |
| | 5.1 | Integral momentum equations | 167 |
| | 5.2 | | 169 |
| | | 5.2.1 Laminar flow of an incompressible fluid parallel to a flat plate | |
| | | | 169 |
| | | 5.2.2 Turbulent flow of an incompressible fluid parallel to a flat plate | |
| | | | 172 |
| | | 5.2.3 Turbulent flow of an incompressible fluid over a body | |
| | . . | | 174 |
| | 5.3 | <u> </u> | 175 |
| | 5.4 | e. e : | 177 |
| | | | 177 |
| | | • | 180 |
| | | , , , , , , , , , , , , , , , , , , , | 180 |
| | | J.4.2.2 Turburent boundary rayer | 181 |

CONTENTS

| | 5.4.3 Parallel flow past a flat surface with arbitrary wall surface | |
|------------|---|---|
| | temperature or heat flux | 183 |
| | 5.4.3.1 Laminar boundary layer | 18: |
| | 5.4.3.2 Turbulent boundary layer | 184 |
| 5.5 | Approximate solutions for flow over axi-symmetric bodies | 184 |
| Prob | blems | 189 |
| Fun | damentals of turbulence and external turbulent flow | 193 |
| 6.1 | Laminar-turbulent transition and the phenomenology of turbulen | |
| 6.2 | Fluctuations and time (ensemble) averaging | 199 |
| 6.3 | Reynolds averaging of conservation equations | 20 |
| 6.4 | Eddy viscosity and eddy diffusivity | 203 |
| 6.5 | Universal velocity profiles | 205 |
| | 6.5.1 Smooth surfaces | 20: |
| | 6.5.2 Effect of surface roughness | 200 |
| 6.6 | Mixing length hypothesis and eddy diffusivity models | 207 |
| | 6.6.1 Relation between mixing length and eddy diffusivity | 209 |
| 6.7 | 6.6.2 Mixing length for scalar quantities | 210 |
| 0.7 | Temperature and concentration laws-of-the-wall 6.7.1 Temperature law-of-the-wall | 213 |
| | 6.7.1 Temperature law-of-the-wall 6.7.2 Concentration law-of-the-wall | 212 214 |
| 6.8 | Kolmogorov's theory of the small turbulence scales | 21: |
| 6.9 | Flow past blunt bodies | 219 |
| | plems | 224 |
| | | |
| Turk | | |
| IUI | bulent and transitional internal flow | 227 |
| 7.1 | General remarks | 227 |
| | General remarks 7.1.1 Laminar–turbulent flow transition | 227 |
| | General remarks 7.1.1 Laminar–turbulent flow transition 7.1.2 Boundary condition and development of temperature | 227 227 227 |
| 7.1 | General remarks 7.1.1 Laminar–turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles | 22° 22° 22° |
| | General remarks 7.1.1 Laminar–turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow | 22° 22° 229 229 |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct | 22° 22° 229 229 |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region | 22° 22° 229 229 229 229 |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow | 22° 22° 22° 22° 22° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models | 22° 22° 229 229 229 230 230 |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill | 22° 22° 22° 22° 22° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction | 22° 22° 22° 22° 22° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction | 22° 22° 229 229 230 23° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts | 22° 22° 229 229 230 23° 23° 23° 23° 23° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Larninar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar–turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular duct | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular duct | 22° 22° 22° 22° 22° 23° |
| 7.1 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular duct 7.3.2 Application of eddy diffusivity models for circular ducts 7.3.3 Noncircular ducts | 22° 22° 229 229 230 23° 23° 23° 23° 23° 23° 23° 23° 23° 23° |
| 7.1 7.2 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular ducts 7.3.2 Application of eddy diffusivity models for circular ducts | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 7.2 | General remarks 7.1.1 Laminar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular duct 7.3.2 Application of eddy diffusivity models for circular ducts 7.3.3 Noncircular ducts Fully developed hydrodynamics, thermal entrance region | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 7.2 | General remarks 7.1.1 Larninar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular duct 7.3.2 Application of eddy diffusivity models for circular ducts 7.3.3 Noncircular ducts Fully developed hydrodynamics, thermal entrance region 7.4.1 Circular duct with uniform wall temperature or concentrates | 22° 22° 22° 22° 22° 23° 23° 23° 23° 23° |
| 7.1 7.2 | General remarks 7.1.1 Larninar-turbulent flow transition 7.1.2 Boundary condition and development of temperature and concentration profiles Hydrodynamics of turbulent duct flow 7.2.1 Circular duct 7.2.1.1 Entrance region 7.2.1.2 Fully developed flow 7.2.1.3 Application of eddy diffusivity models 7.2.1.4 Turbulence model of Churchill 7.2.1.5 Wall friction 7.2.1.6 Transition flow 7.2.2 Noncircular ducts 7.2.2.1 Flat channels 7.2.2.2 Rectangular ducts Heat transfer: Fully developed flow 7.3.1 Universal temperature profile in a circular duct 7.3.2 Application of eddy diffusivity models for circular ducts 7.3.3 Noncircular ducts Fully developed hydrodynamics, thermal entrance region 7.4.1 Circular duct with uniform wall temperature or concentra 7.4.2 Circular duct with uniform wall heat flux | 22' 22' 22' 22' 22' 22' 23' 23' 23' 23' |

CONTENTS xi

| | 7.5 | Combined entrance region | 249 | |
|----|--|--|-----|--|
| | 7.6 | Turbulent flow through curved flow passages | 250 | |
| | | 7.6.1 Hydrodynamics of turbulent flow through curved flow passages | 252 | |
| | | 7.6.2 Heat transfer during turbulent flow through curved flow passages | 253 | |
| | 7.7 | Laminar-turbulent transition flows | 254 | |
| | | 7.7.1 Laminar–turbulent transition range | 255 | |
| | | 7.7.2 Friction factor | 256 | |
| | | 7.7.3 Heat transfer | 257 | |
| | | 7.7.4 Noncircular flow passages | 259 | |
| | Probl | The state of the s | 264 | |
| 8 | Effect of transpiration on friction, heat, and mass transfer | | | |
| | 8.1 | Couette flow film model | 274 | |
| | | 8.1.1 Wall friction | 276 | |
| | | 8.1.2 Heat transfer coefficient | 277 | |
| | | 8.1.3 Some final notes | 279 | |
| | 8.2 | Gas-liquid interphase | 279 | |
| | 8.3 | Transpiration and sweat cooling | 285 | |
| | Probl | ems | 290 | |
| 9 | Analo | ogy among momentum, heat, and mass transfer | 293 | |
| | 9.1 | General remarks | 293 | |
| | 9.2 | Reynolds analogy | 294 | |
| | 9.3 | Prandtl-Taylor analogy | 296 | |
| | 9.4 | von Karman analogy | 298 | |
| | 9.5 | Martinelli analogy | 300 | |
| | 9.6 | Analogy of Yu et al. | 301 | |
| | 9.7 | Chilton–Colburn analogy | 303 | |
| | Probl | ems | 308 | |
| 10 | Natu | ral convection | 313 | |
| | 10.1 | Natural convection boundary layers on flat surfaces | 313 | |
| | | 10.1.1 Conservation equations | 313 | |
| | | 10.1.2 Nondimensionalization | 315 | |
| | 10.2 | Phenomenology | 316 | |
| | 10.3 | Scaling analysis of laminar boundary layers | 318 | |
| | | 10.3.1 Natural convection on an inclined surface | 321 | |
| | 10.4 | Similarity solutions for a semi-infinite vertical surface | 322 | |
| | | 10.4.1 Uniform wall temperature | 322 | |
| | | 10.4.2 Uniform wall heat flux | 326 | |
| | 10.5 | Integral analysis | 327 | |
| | | 10.5.1 Laminar flow, uniform wall temperature | 328 | |
| | | 10.5.2 Laminar flow, uniform wall heat flux | 329 | |
| | | 10.5.3 Integral analysis of a turbulent boundary layer | 331 | |
| | 10.6 | Some widely used empirical correlations for flat vertical surfaces | 331 | |
| | 10.7 | Natural convection on horizontal flat surfaces | 332 | |
| | 10.8 | Natural convection on inclined surfaces | 333 | |
| | 10.9 | Natural convection on submerged bodies | 335 | |

xii CONTENTS

| | 10.10 | Natural convection in vertical flow passages | 337 |
|----|--------|--|-----|
| | | 10.10.1 Analysis of laminar flow between two parallel plates | 337 |
| | | 10.10.2 Thermally developed laminar flow in some channel geometries | 339 |
| | | 10.10.3 Empirical correlations for flow between two vertical parallel plates | 339 |
| | 10.11 | Natural convection in enclosures | 340 |
| | 10.12 | Natural convection in a two-dimensional rectangle with heated | |
| | | vertical sides | 341 |
| | | 10.12.1 Empirical correlations | 343 |
| | 10.13 | Natural convection in horizontal rectangles | 344 |
| | | Natural convection in inclined rectangular enclosures | 345 |
| | | Natural convection caused by the combined thermal and mass | |
| | | diffusion effects | 346 |
| | | 10.15.1 Conservation equations and scaling analysis | 347 |
| | | 10.15.2 Heat and mass transfer analogy | 351 |
| | 10.16 | Solutions for natural convection caused by combined thermal and mass | |
| | | diffusion effects | 352 |
| | | 10.16.1 Similarity solutions for a vertical flat surface with UWT | |
| | | and UWM boundary conditions | 352 |
| | | 10.16.2 Similarity solutions for an inclined surface with UHF and UMF | |
| | | boundary conditions | 354 |
| | | 10.16.3 Confined spaces and channels | 356 |
| | Proble | | 360 |
| | | | |
| 11 | Mixe | d convection | 367 |
| | 11.1 | Laminar boundary layer equations and scaling analysis | 367 |
| | 11.2 | Solutions for laminar flow | 372 |
| | 11.2 | 11.2.1 Similarity solution for predominantly forced laminar flow on a flat | |
| | | vertical surface | 372 |
| | | 11.2.2 Numerical studies | 374 |
| | 11.3 | Stability of laminar flow and laminar–turbulent transition | 375 |
| | 11.4 | Correlations for laminar external flow | 378 |
| | | 11.4.1 Correlations for flat surfaces | 379 |
| | | 11.4.2 Correlations for spheres and cylinders | 381 |
| | 11.5 | Correlations for turbulent external flow | 382 |
| | 11.6 | Internal flow | 383 |
| | | 11.6.1 General remarks | 383 |
| | | 11.6.2 Flow regime maps | 385 |
| | 11.7 | Some empirical correlations for internal flow | 386 |
| | Proble | | 391 |
| | | | |
| 12 | Turbu | ilence models | 397 |
| | 12.1 | Reynolds-averaged conservation equations and the eddy diffusivity concept | 397 |
| | 12.1 | One-equation turbulence models | 399 |
| | 12.3 | Near-wall turbulence modeling and wall functions | 402 |
| | 12.4 | K-ε model | 406 |
| | 14.7 | 12.4.1 General formulation | 406 |
| | | 12.4.2 Near-wall treatment | 409 |
| | | 12.4.2.1 Application of wall functions | 409 |
| | | 12.4.2.1 Application of wall functions $12.4.2.2 \text{Low-Re } K - \varepsilon \text{ models}$ | 409 |
| | | 12.4.2.3 Two-layer models | 411 |
| | | 12.4.3 Turbulent heat and mass fluxes | 411 |

CONTENTS xiii

| | 12.5 | Other two-equation turbulence models | 411 |
|----|--------|--|------------|
| | | 12.5.1 $K-\omega$ model | 411 |
| | | 12.5.2 $K-\varepsilon$ nonlinear Reynolds stress model | 411 |
| | | 12.5.3 RNG $K-\varepsilon$ model | 412 |
| | 12.6 | Reynolds stress transport models | 412 |
| | | 12.6.1 General formulation | 412 |
| | | 12.6.2 Simplification for heat and mass transfer | 415 |
| | | 12.6.3 Near-wall treatment of turbulence | 415 |
| | | 12.6.3.1 Wall functions | 415 |
| | | 12.6.3.2 Low-Reynolds number models | 416 |
| | | 12.6.4 Summary of equations and unknowns | 416 |
| | 12.7 | Algebraic stress models | 416 |
| | 12.8 | Turbulence models for buoyant flows | 417 |
| | | 12.8.1 Conservation equations | 418 |
| | 12.0 | 12.8.2 Model transport equations | 419 |
| | 12.9 | Direct numerical simulation | 419 |
| | 12.10 | Large eddy simulation | 424 |
| | | 12.10.1 Filtering of conservation equations | 425 |
| | | 12.10.2 Subgrid scale modeling | 426 |
| | | 12.10.3 Near-wall boundary conditions12.10.4 Transport of scalar parameters | 426 |
| | 12.11 | * | 427 |
| | Proble | Computational fluid dynamics | 428 429 |
| | TIOUR | | 427 |
| 13 | Flow | and heat transfer in miniature flow passages | 431 |
| | 13.1 | Size classification of miniature flow passages | 431 |
| | 13.2 | Regimes in gas-carrying vessels | 433 |
| | 13.3 | Slip flow and temperature jump regime | 436 |
| | 13.4 | Slip Couette flow | 440 |
| | 13.5 | Slip flow in a flat channel | 442 |
| | | 13.5.1 Hydrodynamics of fully developed flow | 442 |
| | | 13.5.2 Thermally developed heat transfer, UHF | 444 |
| | | 13.5.2.1 Symmetric boundary conditions | 444 |
| | | 13.5.2.2 Asymmetric boundary conditions | 447 |
| | | 13.5.3 Thermally developed heat transfer, UWT | 447 |
| | 13.6 | Slip flow in circular microtubes | 449 |
| | | 13.6.1 Hydrodynamics of fully developed flow | 449 |
| | | 13.6.2 Thermally developed flow heat transfer, UHF | 450 |
| | | 13.6.2.1 Effect of compressibility | 452 |
| | | 13.6.3 Thermally developed flow heat transfer, UWT | 452 |
| | | 13.6.4 Thermally developing flow | 453 |
| | | 13.6.4.1 Empirical correlations | 455 |
| | 13.7 | Slip flow in rectangular channels | 456 |
| | | 13.7.1 Hydrodynamics of fully developed flow | 456 |
| | | 13.7.2 Heat transfer | 458 |
| | 13.8 | Slip flow in other noncircular channels | 459 |
| | 13.9 | Compressible flow in microchannels with negligible rarefaction | 460 |
| | | 13.9.1 General remarks | 460 |
| | | 13.9.2 One-dimensional compressible flow of an ideal gas | |
| | | in a constant-cross section channel | 461 |
| | 13.10 | Continuum flow in miniature flow passages | 464 |

xiv CONTENTS

| | 13.11 | Electrokinetic effects | | | | |
|------------|---------|------------------------|---|-------------|--|--|
| | | 13.11.1 | Electric charges and electric fields | 469 | | |
| | | 13.11.2 | | 472 | | |
| | | 13.11.3 | Electric double layer | 473 | | |
| | | 13.11.4 | · · | 476 | | |
| | Proble | ems | | 485 | | |
| | | | | | | |
| 14 | Diffus | ion and | convective transport of particles | 49 3 | | |
| | 14.1 | | tory remarks | 493 | | |
| | 14.2 | | concentration and size | 493 | | |
| | 14.3 | | ristic sizes and size distributions of polydisperse particles | 494 | | |
| | 14.4 | - | drodynamics of small particles | 500 | | |
| | | 14.4.1 | Spherical particles | 500 | | |
| | | 14.4.2 | Nonspherical particles | 501 | | |
| | | 14.4.3 | Particle stopping distance and characteristic time | 502 | | |
| | 14.5 | Brownia | | 503 | | |
| | | 14.5.1 | Brownian motion of spherical particles | 504 | | |
| | | 14.5.2 | Brownian motion of arbitrary-shaped particles | 504 | | |
| | 14.6 | | ransport equation | 507 | | |
| | | 14.6.1 | Scaling and similitude | 508 | | |
| | 14.7 | | displacement mechanisms | 510 | | |
| | | 14.7.1 | Sedimentation | 510 | | |
| | | 14.7.2 | Thermophoresis | 510 | | |
| | | 14.7.3 | Electrophoresis | 514 | | |
| | 14.8 | | ve diffusion of particles | 516 | | |
| | 1.4.0 | 14.8.1 | Lagrangian particle equation of motion | 519 | | |
| | 14.9 | Nanoflui | | 519 | | |
| | | 14.9.1 | Introduction | 519 | | |
| | | 14.9.2 | Thermophysical properties | 520 | | |
| | | | 14.9.2.1 Conventional theory for solid–liquid suspensions | 520 | | |
| | | 1402 | 14.9.2.2 Properties of nanofluids | 521 | | |
| | | 14.9.3 | Convective heat and mass transfer | 523 | | |
| | | | Brownian diffusion coefficient for rigid spherical particles | 526 | | |
| | Proble | ms | | 527 | | |
| App | endix A | A Const | itutive relations in polar cylindrical and spherical coordinates | 531 | | |
| App | endix I | B Mass | continuity and Newtonian incompressible fluid equations | | | |
| | | of mo | tion in polar cylindrical and spherical coordinates | 535 | | |
| App | endix (| Energy Energy | y conservation equations in polar cylindrical and spherical | | | |
| | | | inates for incompressible fluids with constant thermal conductivity | 537 | | |
| App | endix I |) Mass | species conservation equations in polar cylindrical | | | |
| | | and sp | pherical coordinates for incompressible fluids | 539 | | |
| App | endix I | E Therm | nodynamic properties of saturated water and steam | 541 | | |
| App | endix I | - | port properties of saturated water and steam | 543 | | |
| App | endix (| G Proper | rties of selected ideal gases at 1 atm | 545 | | |
| App | endix I | H Binary | diffusion coefficients of selected gases in air at 1 atmosphere | 551 | | |
| App | endix I | Henry | 's constant (in basis) for dilute aqueous solutions of selected | | | |
| | | substa | nces at moderate pressures | 553 | | |
| App | endix J | Diffus | ion coefficient of selected substances in water at infinite | | | |
| | | | on at 25°C | 555 | | |
| | endix I | | rd-Jones potential 6-12 model constants for selected molecules | 557 | | |
| | endix I | | ion integrals for the Lennard-Jones 6-12 potential model | 559 561 | | |
| Appendix M | | M Some | Some RANS-type turbulence models | | | |

Appendix N Physical constants 571 Appendix O Unit conversion 573

Appendix Q Summary of some useful heat transfer and friction factor correlations

Appendix P Summary of important dimensionless numbers

XV

577

579

589

607

CONTENTS

References

Index