


HENNING HOPF

CLASSICS IN HYDROCARBON CHEMISTRY



SYNTHESSES, CONCEPTS, PERSPECTIVES

 WILEY-VCH

Contents

| | | |
|----------|---|------------|
| 1 | Preface..... | 1 |
| 2 | From Simple Building Blocks to Complex Target Molecules and Multifaceted Reactions | 5 |
| 3 | Adamantane and other Cage Hydrocarbons..... | 23 |
| 3.1 | Adamantane | 23 |
| 3.2 | Higher analogs of adamantane | 29 |
| 3.3 | Twistane | 30 |
| 3.4 | Tetraasterane | 34 |
| | References..... | 37 |
| 4 | The Prismanes..... | 41 |
| 4.1 | Triprismane | 42 |
| 4.2 | [5]-Prismane | 44 |
| 4.3 | <i>En route</i> to hexaprismane | 47 |
| | References..... | 50 |
| 5 | The Platonic Hydrocarbons | 53 |
| 5.1 | Tetrahedrane | 54 |
| 5.2 | Cubane ([4]-prismane) | 60 |
| 5.3 | Dodecahedrane | 63 |
| | References..... | 75 |
| 6 | Bridgehead-distorted Hydrocarbons | 81 |
| 6.1 | Propellanes | 82 |
| 6.2 | Fenestranes | 88 |
| 6.3 | <i>out,out, out,in</i> and <i>in,in</i> Hydrocarbons | 94 |
| | References..... | 99 |
| 7 | Alkenes..... | 103 |
| 7.1 | Linear conjugated polyenes | 103 |
| 7.2 | Cyclopropene, the smallest cycloolefin and how it can be used in hydrocarbon synthesis..... | 112 |
| 7.3 | Large-ring cycloalkenes by transition metal-catalyzed oligomerization of dienes..... | 118 |

XII **Contents**

| | | |
|-----------|--|------------|
| 7.4 | Distorted olefins: <i>trans</i> -cycloalkenes, <i>anti</i> -Bredt-hydrocarbons, betweenanenes, and pyramidalized olefins | 122 |
| 7.5 | Tetrakis- <i>tert</i> -butylethene - an exercise in preparative futility..... | 138 |
| | References..... | 142 |
| 8 | Alkynes | 151 |
| 8.1 | Polyacetylenes - rods made of carbon | 151 |
| 8.2 | Angle-strained cycloalkynes | 156 |
| 8.3 | Medium and large-ring alkynes | 160 |
| | References..... | 165 |
| 9 | Allenes and Cumulenes | 171 |
| 9.1 | Acyclic allenes | 171 |
| 9.2 | Acyclic cumulenes | 178 |
| 9.3 | Cyclic allenes | 182 |
| 9.4 | Cyclic cumulenes | 188 |
| | References..... | 190 |
| 10 | The Annulenes | 197 |
| 10.1 | 1,3-Cyclobutadiene | 198 |
| 10.2 | Benzene and its isomers..... | 203 |
| 10.3 | Cyclooctatetraene and the (CH) ₈ isomers | 209 |
| 10.4 | The higher annulenes | 218 |
| 10.5 | Bridged annulenes | 227 |
| | References..... | 238 |
| 11 | Cross-Conjugated and Related Hydrocarbons | 251 |
| 11.1 | The dendralenes | 253 |
| 11.2 | The fulvenes | 260 |
| 11.3 | The fulvalenes | 269 |
| 11.4 | Pentalene, azulene, heptalene and other zero-bridged annulenes | 277 |
| 11.5 | The [n]radialenes | 290 |
| 11.6 | The [n]rotanes | 300 |
| | References..... | 309 |
| 12 | Leaving the π-Plane—Non-Planar Aromatic Compounds | 321 |
| 12.1 | The helicenes | 323 |
| 12.2 | The circulenes | 330 |
| 12.3 | The cyclophanes | 337 |
| | References..... | 368 |
| 13 | Three-dimensional Oligoolefins | 379 |
| 13.1 | Barrelene | 380 |
| 13.2 | Triptycene and the iptycenes | 385 |
| 13.3 | Bullvalene and semibullvalene | 389 |
| 13.4 | Triquinacene | 397 |
| 13.5 | Spiropolyenes, stellapolyenes and related hydrocarbons..... | 407 |

| | |
|--|------------|
| References..... | 412 |
| 14 Extended Systems—I. From Benzene to Graphite Substructures | 421 |
| 14.1 Linearly annelated polycyclic aromatic hydrocarbons | 423 |
| 14.2 Angularly annelated polycyclic aromatic hydrocarbons..... | 426 |
| 14.3 Condensed aromatic hydrocarbons with ribbon structures | 431 |
| 14.4 Graphite substructures | 438 |
| References..... | 443 |
| 15 Extended Systems—II. Beyond the PAH Pattern | 447 |
| 15.1 From biphenylene to linear and angular $[n]$ phenylenes | 447 |
| 15.2 Extended structures containing triple bonds | 457 |
| 15.3 Building with cyclopropane rings..... | 472 |
| References..... | 480 |
| 16 Classics in Hydrocarbon Synthesis—Three Examples from Physical Organic Chemistry | 485 |
| 16.1 The dehydrobenzenes | 485 |
| 16.2 Non-Kekulé hydrocarbons..... | 492 |
| 16.3 Bond fixation in benzene rings | 501 |
| References..... | 514 |
| Author Index | 523 |
| Subject Index | 527 |