

# GEOTECHNICAL ASPECTS *of* LANDFILL DESIGN *and* CONSTRUCTION



*Xuede Qian • Robert M. Koerner • Donald H. Gray*

# Contents

## **PREFACE**

**XVII**

## **1 INTRODUCTION**

**2**

- 1.1 Need for Landfills 2
  - 1.2 Principal Landfill Requirements 4
  - 1.3 Landfill Components and Configuration 5
  - 1.4 Landfill Envelope 6
    - 1.4.1 Liner System, 7
    - 1.4.2 Leachate Collection and Removal System, 8
    - 1.4.3 Gas Collection and Control System, 9
    - 1.4.4 Final Cover System, 9
  - 1.5 Composite Liners 9
  - 1.6 Benefits of Double Composite Liners 13
  - 1.7 Liner Leakage Mechanisms 14
    - 1.7.1 Steady Advection, 15
    - 1.7.2 Steady Diffusion, 16
    - 1.7.3 Unsteady Diffusion, 17
    - 1.7.4 Combined Advection-Diffusion, 17
  - 1.8 Scope and Organization of Book 23
- Problems 24
- References 25

## **2 LANDFILL SITING AND SITE INVESTIGATION**

**28**

- 2.1 Siting Considerations 29
- 2.2 Location Restrictions 31
  - 2.2.1 Airport Safety, 31
  - 2.2.2 Floodplains, 32
  - 2.2.3 Wetlands, 32

- 2.2.4 *Fault Areas, 32*
- 2.2.5 *Seismic Impact Zones, 33*
- 2.2.6 *Unstable Areas, 34*
- 2.3 **Siting Process 34**
- 2.4 **Site Investigation 36**
  - 2.4.1 *Preinvestigation Study, 37*
  - 2.4.2 *Field Exploration, 37*
- 2.5 **Borrow Source Investigation 39**
  - 2.5.1 *Clay, 40*
  - 2.5.2 *Sand, 41*
  - 2.5.3 *Gravel, 41*
  - 2.5.4 *Siltysoil, 41*
  - 2.5.5 *Topsoil, 41*
- 2.6 **Field Hydraulic Conductivity Tests 42**
  - 2.6.1 *Sealed Double-Ring Infiltrometer, 42*
  - 2.6.2 *Two-Stage Borehole Test, 45*
  - 2.6.3 *Comparison of Methods, 45*
- 2.7 **Material Laboratory Tests 46**
  - 2.7.1 *Water Content, 46*
  - 2.7.2 *Particle Size Distribution, 46*
  - 2.7.3 *Moisture Density Relationship, 46*
  - 2.7.4 *Hydraulic Conductivity, 47*
  - 2.7.5 *Shear Strength, 48*
  - 2.7.6 *Compressibility, 48*

Problems 49

References 50

### **3 COMPACTED CLAY LINERS**

**52**

- 3.1 **Overview Compacted Clay Liners 52**
- 3.2 **Compaction and Permeability Considerations 55**
  - 3.2.1 *Compaction Test, 56*
  - 3.2.2 *Permeability Test, 58*
- 3.3 **Design of Compacted Clay Liners 61**
  - 3.3.1 *Low Hydraulic Conductivity, 61*
  - 3.3.2 *Adequate Shear Strength, 64*
  - 3.3.3 *Minimal Shrinkage Potential, 65*
  - 3.3.4 *Acceptable Zone to Meet All Design Criteria, 68*
- 3.4 **Influence of Clods on Hydraulic Conductivity 69**
  - 3.4.1 *Influence of Clod Size on Compaction Curve, 69*
  - 3.4.2 *Influence of Clod Size on Hydraulic Conductivity, 70*
  - 3.4.3 *Particle Orientation versus Clod Structure, 71*
  - 3.4.4 *Laboratory Testing and Design Implications, 72*
- 3.5 **Effect of Gravel Content on Hydraulic Conductivity 73**
- 3.6 **Effect of Freezing and Thawing on Hydraulic Conductivity 75**
  - 3.6.1 *Processes Occurring during Soil Freezing, 76*
  - 3.6.2 *Effect of Freeze-Thaw on Hydraulic Conductivity, 77*

- 3.6.3 *Factors Affecting Hydraulic Conductivity during Freeze-Thaw*, 78
- 3.7 Summary Comments Regarding Compacted Clay Liners 80
- Problems 81
- References 82

#### **4 GEOMEMBRANES**

86

- 4.1 Composition and Thickness of Geomembranes 87
- 4.2 Current Uses of Geomembranes in Landfills 88
  - 4.2.1 *High Density Polyethylene (HDPE) Geomembranes*, 88
  - 4.2.2 *Linear Low Density Polyethylene (LLDPE) Geomembranes*, 89
  - 4.2.3 *Coextrusion Variations of HDPE and LLDPE*, 89
  - 4.2.4 *Textured Geomembranes*, 90
  - 4.2.5 *Flexible Polypropylene (fPP) Geomembranes*, 91
  - 4.2.6 *Polyvinyl Chloride (PVC) Geomembranes*, 91
  - 4.2.7 *Chlorosulphonated Polyethylene (CSPE) Geomembranes*, 92
- 4.3 Tensile Behavior of Geomembranes 92
- 4.4 Friction Behavior of Geomembranes 96
- 4.5 Tension Stresses due to Unbalanced Friction Forces 98
- 4.6 Tension Stresses due to Localized Subsidence 101
- 4.7 Runout and Anchor Trenches 104
  - 4.7.1 *Design of Runout Length*, 104
  - 4.7.2 *Design of Rectangular Anchor Trench*, 106
  - 4.7.3 *Design of V-Shaped Anchor Trench*, 114
- 4.8 Assessment of Leakage through Liners 119
  - 4.8.1 *Flow Rate through Compacted Clay Liner*, 120
  - 4.8.2 *Flow Rate through Geomembrane Liner*, 121
  - 4.8.3 *Flow Rate through Composite Liner*, 122
  - 4.8.4 *Comparison of Three Types of Liners*, 124
- 4.9 Concluding Comments Regarding Geomembranes 127
- Problems 127
- References 129

#### **5 GEOSYNTHETIC CLAY LINERS**

131

- 5.1 Types and Current Uses of Geosynthetic Clay Liners 132
  - 5.1.1 *Geotextile-Encased, Adhesive-Bonded GCL*, 132
  - 5.1.2 *Geotextile-Encased, Stitch-Bonded GCL*, 133
  - 5.1.3 *Geotextile-Encased, Needle-Punched GCL*, 133
  - 5.1.4 *Geomembrane-Supported, Adhesive-Bonded GCL*, 134
- 5.2 Hydraulic Conductivity 134
  - 5.2.1 *Effect of Permeating Liquids*, 134

- 5.2.2 *Effect of Confining Stress, 135*
- 5.2.3 *Wet-Dry Response, 136*
- 5.2.4 *Freeze-Thaw Response, 138*
- 5.3 Ability to Withstand Differential Settlement 141
- 5.4 Shear Strength 143
  - 5.4.1 *Internal Shear Strength, 144*
  - 5.4.2 *Interface Shear Strength, 148*
  - 5.4.3 *Design Implications, 151*
- 5.5 Differences between Geosynthetic Clay Liners and Compacted Clay Liners 152
- 5.6 Contaminant Transport through Geosynthetic Clay Liner and Compacted Clay Liner 154
  - 5.6.1 *Steady Advection, 154*
  - 5.6.2 *Steady Diffusion, 155*
  - 5.6.3 *Advective Breakthrough Time, 157*
  - 5.6.4 *Combined Advection-Diffusion, 158*
- 5.7 Comparison of Mass Transport through a GCL and CCL 161
- 5.8 Recommendations for Use of Geosynthetic Clay Liners 172
- 5.9 Summarizing Comments Regarding Geosynthetic Clay Liners 173

Problems 175

References 176

## **6 ENGINEERING PROPERTIES OF MUNICIPAL SOLID WASTE**

**180**

- 6.1 Constituents of Municipal Solid Waste 181
- 6.2 Unit Weight of Municipal Solid Waste 182
- 6.3 Moisture Content of Municipal Solid Waste 185
- 6.4 Porosity of Municipal Solid Waste 188
- 6.5 Hydraulic Conductivity of Municipal Solid Waste 189
- 6.6 Field Capacity and Wilting Point of Municipal Solid Waste 190
- 6.7 Shear Strength of Municipal Solid Waste 193
- 6.8 Compressibility of Municipal Solid Waste 199

Problems 204

References 206

## **7 LEACHATE GENERATION AND EVALUATION IN MSW LANDFILLS**

**211**

- 7.1 MSW Leachate Characterization 212
- 7.2 Factors Affecting Leachate Quantity 213

- 7.3 Estimation of Leachate Production Rate in an Active Condition 218
  - 7.3.1 *Precipitation, 218*
  - 7.3.2 *Waste Squeeze Liquid, 219*
  - 7.3.3 *Evaporation, 221*
  - 7.3.4 *Waste Moisture Absorption, 221*
- 7.4 Estimation of Leachate Production Rate in a Postclosure Condition 223
  - 7.4.1 *Snowmelt Infiltration, 225*
  - 7.4.2 *Surface Runoff, 226*
  - 7.4.3 *Evapotranspiration, 228*
  - 7.4.4 *Soil Moisture Storage, 229*
  - 7.4.5 *Lateral Drainage, 229*
  - 7.4.6 *Moisture Extraction from Waste, 230*
- 7.5 Hydrologic Evaluation of Landfill Performance (HELP) Model 230
  - 7.5.1 *Versions of HELP Model, 231*
  - 7.5.2 *Data Generation and Default Values, 232*
  - 7.5.3 *Landfill Profile and Layer Descriptions, 235*
  - 7.5.4 *Modeling Procedure, 238*
  - 7.5.5 *Program Input, 239*
  - 7.5.6 *Program Output, 240*
  - 7.5.7 *Limits of Application, 241*
- Problems 242
- References 243

## **8 LIQUID DRAINAGE LAYER**

247

- 8.1 Profile of Leachate Drainage Layer 247
- 8.2 Soil Drainage and Filtration Layer 251
- 8.3 Geotextile Design for Filtration 254
  - 8.3.1 *Geotextiles Overview, 254*
  - 8.3.2 *Allowable versus Ultimate Geotextile Properties, 256*
  - 8.3.3 *Cross-Plane Permeability, 257*
  - 8.3.4 *Soil Retention, 258*
  - 8.3.5 *Long-term Compatibility, 261*
- 8.4 Geonet Design for Leachate Drainage 263
  - 8.4.1 *Geonets Overview, 263*
  - 8.4.2 *Hydraulic Properties of Geonets, 264*
  - 8.4.3 *Allowable Geonet Flow Rate, 266*
  - 8.4.4 *Designing with Geonets for Drainage, 269*
- 8.5 Estimate of Maximum Liquid Head in a Drainage Layer 274
  - 8.5.1 *Methods for Estimating Maximum Liquid Head, 275*
  - 8.5.2 *Comparison of Various Calculation Methods, 283*

- Problems 289
- References 291

**9 LEACHATE COLLECTION AND REMOVAL SYSTEMS**

**294**

- 9.1 Subbase Grading 294
- 9.2 Leachate Collection Trenches 295
- 9.3 Selection of Leachate Collection Pipe 297
  - 9.3.1 *Type of Pipe Material, 297*
  - 9.3.2 *Pipe Design Issues, 297*
  - 9.3.3 *Pipe Perforations, 299*
- 9.4 Deformation and Stability of Leachate Collection Pipe 304
  - 9.4.1 *Pipe Deflection, 304*
  - 9.4.2 *Pipe Wall Buckling, 311*
- 9.5 Sump and Riser Pipes 314
- 9.6 Leachate Removal Pumps 320
- Problems 328
- References 330

**10 GAS COLLECTION AND CONTROL SYSTEMS**

**332**

- 10.1 Gas Generation 333
- 10.2 Gas Composition 334
- 10.3 Factors Affecting Gas Generation 336
- 10.4 Gas Generation Rate 338
- 10.5 Gas Migration 339
- 10.6 Types and Components of Gas Collection Systems 341
  - 10.6.1 *Passive Gas Collection System, 341*
  - 10.6.2 *Active Gas Collection System, 342*
- 10.7 Gas Control and Treatment 249
  - 10.7.1 *Gas Flaring, 350*
  - 10.7.2 *Gas Processing and Energy Recovery, 351*
- 10.8 Design of Gas Collection System 352
  - 10.8.1 *Calculation of NMOC Emission Rate, 352*
  - 10.8.2 *Estimation of Gas Generation Rate, 354*
  - 10.8.3 *Gas Extraction Well System Layout and Spacing, 359*
  - 10.8.4 *Gas Flow Generated from Each Extraction Well or Collector, 360*
  - 10.8.5 *Collection Piping System Layout and Routing, 365*
  - 10.8.6 *Estimation of Condensate Production, 366*
  - 10.8.7 *Header Pipe Sizing and Pressure Loss Calculations, 370*
  - 10.8.8 *Valve and Fitting Pressure Loss Calculations, 376*
- Problems 394
- References 396

**11 FINAL COVER SYSTEM**

**399**

- 11.1 Components of Final Cover System 400
  - 11.1.1 *Erosion Control Layer, 401*
  - 11.1.2 *Protection Layer, 401*

	11.1.3	<i>Drainage Layer, 404</i>	
	11.1.4	<i>Hydraulic Barrier Layer, 405</i>	
	11.1.5	<i>Gas Vent Layer, 409</i>	
	11.1.6	<i>Foundation Layer, 409</i>	
11.2		Alternative Landfill Cover	412
	11.2.1	<i>Water Balance of Earthen Covers, 412</i>	
	11.2.2	<i>Capillary Barrier, 413</i>	
	11.2.3	<i>Monolayer Barrier, 416</i>	
11.3		Field Study of Landfill Covers	417
11.4		Soil Erosion Control	417
	11.4.1	<i>Nature of Soil Erosion, 418</i>	
	11.4.2	<i>Soil Loss Prediction, 420</i>	
	11.4.3	<i>Limitations of Universal Soil Loss Equation, 429</i>	
	11.4.4	<i>Erosion Control Principles, 429</i>	
	11.4.5	<i>Manufactured Erosion Control Materials, 430</i>	
11.5		Effects of Settlement and Subsidence	431
11.6		Differential Subsidence Case History	434
		Problems	435
		References	437

## **12 LANDFILL SETTLEMENT**

440

12.1		Mechanism of Solid Waste Settlement	440
12.2		Effect of Daily Cover	442
12.3		Landfill Settlement Rate	444
12.4		Estimation of Landfill Settlement	449
	12.4.1	<i>Settlement of New Solid Waste, 449</i>	
	12.4.2	<i>Settlement of Existing Solid Waste, 451</i>	
12.5		Effect of Waste Settlement on Landfill Capacity	454
12.6		Other Methods for Estimating Landfill Settlement	458
	12.6.1	<i>Empirical Functions, 459</i>	
	12.6.2	<i>Application of Empirical Functions to Field Case Study, 461</i>	
	12.6.3	<i>Summary for Three Empirical Functions, 463</i>	
12.7		Estimation of Landfill Foundation Settlement	469
	12.7.1	<i>Total Settlement of Landfill Foundation, 469</i>	
	12.7.2	<i>Differential Settlement of Landfill Foundation, 472</i>	
		Problems	473
		References	475

## **13 LANDFILL STABILITY ANALYSIS**

477

13.1		Types of Landfill Failures	478
	13.1.1	<i>Sliding Failure of Leachate Collection System, 478</i>	
	13.1.2	<i>Sliding Failure of Final Cover System, 479</i>	
	13.1.3	<i>Rotational Failure of Sidewall Slope or Base, 480</i>	
	13.1.4	<i>Rotational Failure through Waste, Liner and Subsoil, 480</i>	



	13.1.5	<i>Rotational Failure within the Waste Mass</i>	480
	13.1.6	<i>Translational Failure by Movement along Liner System</i>	480
13.2		Factors Influencing Landfill Stability	480
13.3		Selection of Appropriate Properties	481
	13.3.1	<i>Geosynthetic Materials Properties</i>	481
	13.3.2	<i>Solid Waste Properties</i>	484
	13.3.3	<i>In-Situ Soil Slope and Subsoil Properties</i>	485
13.4		Veneer Slope Stability Analysis	487
	13.4.1	<i>Cover Soil (Gravitational) Forces</i>	487
	13.4.2	<i>Tracked Construction Equipment Forces</i>	490
	13.4.3	<i>Inclusion of Seepage Forces</i>	497
	13.4.4	<i>Inclusion of Seismic Forces</i>	508
	13.4.5	<i>General Remarks</i>	513
13.5		Subsoil Foundation Failures	513
	13.5.1	<i>Method of Analysis</i>	514
	13.5.2	<i>Case Histories</i>	514
	13.5.3	<i>General Remarks</i>	520
13.6		Waste Mass Failures	520
	13.6.1	<i>Translational Failure Analysis</i>	521
	13.6.2	<i>Case Histories</i>	528
	13.6.3	<i>General Remarks</i>	535
13.7		Concluding Remarks	537
		Problems	538
		References	540

**14 VERTICAL LANDFILL EXPANSIONS**

**544**

14.1		Considerations Involved in Vertical Expansions	545
14.2		Liner Systems for Vertical Expansion	546
14.3		Settlement of Existing Landfill	548
	14.4.1	<i>Current Methods for Estimating Localized Subsidence</i>	551
	14.4.2	<i>Elastic Solution Method Applied to a Vertical Expansion</i>	552
14.4		Estimation of Differential Settlement due to Waste Heterogeneity	551
14.5		Vertical Expansion over Unlined Landfills	557
14.6		Design Considerations for Landfill Structures	557
14.7		Geosynthetic Reinforcement Design for Vertical Expansions	558
14.8		Stability Analysis for Vertical Expansion	572
		Problems	573
		References	574

**15 BIOREACTOR LANDFILLS**

**576**

15.1		Introduction	577
15.2		Liquids Management Strategies	578

	15.2.1	<i>Natural Attenuation, 579</i>	
	15.2.2	<i>Remove, Treat and Discharge 579</i>	
	15.2.3	<i>Leachate Recycling, 579</i>	
	15.2.4	<i>Comparison of Strategies, 580</i>	
15.3		<b>Concepts of Waste Degradation 581</b>	
	15.3.1	<i>Phases of Degradation, 581</i>	
	15.3.2	<i>Field Capacity Moisture Content, 583</i>	
	15.3.3	<i>Related Aspects, 584</i>	
15.4		<b>Leachate Recycling Methods 584</b>	
	15.4.1	<i>Surface Spraying, 585</i>	
	15.4.2	<i>Surface Ponding, 585</i>	
	15.4.3	<i>Leach Fields, 585</i>	
	15.4.4	<i>Shallow Wells, 585</i>	
	15.4.5	<i>Deep Wells, 585</i>	
	15.4.6	<i>Comparison of Methods, 587</i>	
15.5		<b>Bioreactor Landfill Issues and Concerns 587</b>	
	15.5.1	<i>Liner System Integrity, 587</i>	
	15.5.2	<i>Leachate Collection System, 588</i>	
	15.5.3	<i>Leachate Removal System, 591</i>	
	15.5.4	<i>Filter and/or Operations Layer, 591</i>	
	15.5.5	<i>Daily Cover Material, 592</i>	
	15.5.6	<i>Final Cover Issues, 592</i>	
	15.5.7	<i>Waste Stability Concerns, 595</i>	
15.6		<b>Performance-to-Date 596</b>	
15.7		<b>Summary Comments 598</b>	
		<b>Problems 599</b>	
		<b>References 600</b>	

## **16 CONSTRUCTION OF COMPACTED CLAY LINERS**

603

16.1		<b>Subgrade Preparation 605</b>	
16.2		<b>Soil Materials for Compacted Soil Lines 606</b>	
16.3		<b>Compaction Objectives and Choices 607</b>	
	16.3.1	<i>Destruction of Soil Clods, 607</i>	
	16.3.2	<i>Molding Water Content, 608</i>	
	16.3.3	<i>Dry Unit Weight, 610</i>	
	16.3.4	<i>Type of Compaction, 610</i>	
	16.3.5	<i>Compactive Energy, 611</i>	
	16.3.6	<i>Lift Interfaces, 612</i>	
16.4		<b>Initial Saturation Specifications 613</b>	
16.5		<b>Clay Liner Compaction Considerations 614</b>	
16.6		<b>Compaction Specifications 616</b>	
16.7		<b>Leachate Collection Trench Construction 618</b>	
16.8		<b>Protection of Compacted Soil 620</b>	
	16.8.1	<i>Protection against Desiccation, 620</i>	
	16.8.2	<i>Protection against Freezing, 621</i>	
	16.8.3	<i>Excess Surface Water, 622</i>	

- 16.9 Field Measurement of Water Content and Dry Unit Weight 622
- 16.10 Construction Quality Assurance and Quality Control Issues 624
  - 16.10.1 *Critical Quality Assurance and Quality Control Issues, 625*
  - 16.10.2 *Quality Assurance and Quality Control for Compacted Clay Liner Construction, 626*
  - 16.10.3 *Documentation Report, 629*
- Problems 630
- References 630

**17 INSTALLATION OF GEOSYNTHETIC MATERIALS**

**634**

- 17.1 Material Delivery and Conformance Tests 635
- 17.2 Installation of Geomembranes 637
  - 17.2.1 *Geomembrane Placement, 637*
  - 17.2.2 *Geomembrane Seaming, 639*
  - 17.2.3 *Geomembrane Seam Tests, 646*
  - 17.2.4 *Geomembrane Defects and Repairs, 654*
  - 17.2.5 *Geomembrane Protection and Backfilling, 656*
- 17.3 Installation of Geonets 660
  - 17.3.1 *Geonet Placement, 660*
  - 17.3.2 *Geonet Joining, 660*
  - 17.3.3 *Geonet Repairs, 661*
- 17.4 Installation of Geotextiles 662
  - 17.4.1 *Geotextile Placement, 662*
  - 17.4.2 *Geotextile Overlapping and Seaming, 663*
  - 17.4.3 *Geotextile Defects and Repairs, 665*
  - 17.4.4 *Geotextile Backfilling and Covering, 666*
- 17.5 Installation of Geocomposites 667
  - 17.5.1 *Geocomposite Placement, 667*
  - 17.5.2 *Geocomposite Joining and Repairs, 667*
  - 17.5.3 *Geotextile Covering, 668*
- 17.6 Installation of Geosynthetic Clay Liners 669
  - 17.6.1 *Geosynthetic Clay Liner Placement, 669*
  - 17.6.2 *Geosynthetic Clay Liner Joining, 671*
  - 17.6.3 *Geosynthetic Clay Liner Repairs, 672*
  - 17.6.4 *Geosynthetic Clay Liner Backfilling or Covering, 672*
- Problems 673
- References 673

**18 POSTCLOSURE USES OF MSW LANDFILLS**

**675**

- 18.1 Athletic and Recreational Facilities 675
  - 18.1.1 *Golf Courses/Driving Ranges, 676*
  - 18.1.2 *Sport Fields, 677*

18.1.1 *Golf Courses/Driving Ranges*, 676  
 18.1.2 *Sport Fields*, 677  
 18.1.3 *Paths, Trails, and Nature Walks*, 677  
 18.1.4 *Wildlife and Conservation Areas*, 679  
 18.1.5 *Multiple Use Facilities*, 679  
 18.2 Industrial Development 680  
     18.2.1 *Parking Lots*, 680  
     18.2.2 *Equipment/Material Storage*, 683  
     18.2.3 *Light Industrial Buildings*, 683  
 18.3 Aesthetics 684  
 18.4 Concluding Remarks 686  
 Problems 686  
 References 687

**APPENDIX I HELP MODEL INPUT AND OUTPUT—  
 ACTIVE CONDITION** **689**

**APPENDIX II HELP MODEL INPUT AND OUTPUT—  
 POSTCLOSURE CONDITION** **698**

**INDEX** **710**