



SHORT PROTOCOLS IN MOLECULAR BIOLOGY

FIFTH EDITION

A COMPENDIUM OF METHODS FROM
CURRENT PROTOCOLS IN
MOLECULAR BIOLOGY

VOLUME 1

EDITED BY:

FREDERICK M. AUSUBEL

ROGER BRENT

ROBERT E. KINGSTON

DAVID D. MOORE

J. G. SEIDMAN

JOHN A. SMITH

KEVIN STRUHL

 WILEY

CONTENTS

VOLUME 1

Preface	xxix
Contributors	xxxiii
1 Escherichia coli, Plasmids, and Bacteriophages	1-1
1.1 Medium Preparation and Bacteriological Tools	1-2
Minimal Media	1-2
Rich Media	1-2
Solid Media	1-3
Tools	1-4
1.2 Growth in Liquid Media	1-5
Basic Protocol 1: Growing an Overnight Culture	1-5
Basic Protocol 2: Growing Larger Cultures	1-5
Basic Protocol 3: Monitoring Growth with a Count Slide	1-6
Basic Protocol 4: Monitoring Growth with a Spectrophotometer	1-6
1.3 Growth on Solid Media	1-6
Basic Protocol 1: Titering and Isolating Bacterial Colonies by Serial Dilutions	1-6
Basic Protocol 2: Isolating Single Colonies by Streaking a Plate	1-7
Basic Protocol 3: Isolating Single Colonies by Spreading a Plate	1-7
Basic Protocol 4: Replica Plating	1-7
Support Protocol: Strain Storage and Revival	1-8
1.4 Selected Topics from Classical Bacterial Genetics	1-8
1.5 Plasmid Vectors	1-14
Choosing a Plasmid Vector	1-14
1.6 Minipreps of Plasmid DNA	1-23
Basic Protocol 1: Alkaline Lysis Miniprep	1-23
Alternate Protocol: Alkaline Lysis in 96-Well Microtiter Dishes	1-24
Basic Protocol 2: Boiling Miniprep	1-24
1.7 Large-Scale Preparation of Plasmid DNA	1-25
Basic Protocol 1: Preparation of Crude Lysate by Alkaline Lysis	1-25
Basic Protocol 2: Purification of Plasmid DNA by CsCl/Ethidium Bromide Equilibrium Centrifugation	1-26
Alternate Protocol: Purification of Plasmid DNA by Anion-Exchange or Size-Exclusion Chromatography	1-27
1.8 Introduction of Plasmid DNA into Cells	1-29
Basic Protocol 1: Transformation Using Calcium Chloride	1-29
Alternate Protocol: One-Step Preparation and Transformation of Competent Cells	1-30
Basic Protocol 2: High-Efficiency Transformation by Electroporation	1-30
1.9 Introduction to Lambda Phages	1-32
Lytic Growth	1-32
Lysogenic Growth	1-33
1.10 Lambda as a Cloning Vector	1-35
Advantages of Using Lambda	1-35
Selections for Inserted DNA	1-35
Maps of Lambda-Derived Cloning Vectors	1-36
1.11 Plating Lambda Phage to Generate Plaques	1-38
Basic Protocol 1: Isolating a Single Plaque by Titering Serial Dilutions	1-38
Basic Protocol 2: Phage Transfection and In Vitro Packaging	1-39

1.12	Growing Lambda-Derived Vectors	1-40
	Basic Protocol: Making a Phage Stock by Plate Lysis	1-40
	Alternate Protocol: Making a Liquid Phage Lysate	1-41
1.13	Preparing Lambda DNA from Phage Lysates	1-41
	Basic Protocol: Preparing Lambda DNA by Step- and Equilibrium-Gradient Centrifugation	1-41
1.14	Introduction to Vectors Derived from Filamentous Phages	1-43
1.15	Preparing Single-Stranded DNA Using M13-Derived Vectors	1-46
	Basic Protocol: Preparing Single-Stranded DNA from Plasmids Using Helper Phage	1-46

2 Preparation and Analysis of DNA **2-1**

	Introduction	2-1
	Electrophoresis and Its Applications	2-1
	Gels and Electric Circuits	2-2
2.1	Purification and Concentration of DNA from Aqueous Solutions	2-3
	Basic Protocol: Phenol Extraction and Ethanol Precipitation of DNA	2-3
	Alternate Protocol 1: Precipitation of DNA Using Isopropanol	2-4
	Support Protocol 1: Concentration of DNA Using Butanol	2-4
	Support Protocol 2: Removal of Residual Phenol, Chloroform, or Butanol by Ether Extraction	2-4
	Alternate Protocol 2: DNA Purification Using Silica Membrane Spin Columns	2-5
	Alternate Protocol 3: Purification and Concentration of RNA and Dilute Solutions of DNA	2-5
	Alternate Protocol 4: Removal of Low-Molecular-Weight Oligonucleotides and Triphosphates by Ethanol Precipitation	2-6
2.2	Purification of DNA by Anion-Exchange Chromatography	2-7
	Basic Protocol	2-7
2.3	Preparation of Genomic DNA from Mammalian Tissue	2-8
	Basic Protocol	2-8
2.4	Preparation of Genomic DNA from Plant Tissue	2-9
	Basic Protocol: Preparation of Plant DNA Using CsCl Centrifugation	2-9
	Alternate Protocol: Preparation of Plant DNA Using CTAB	2-10
2.5	Preparation of Genomic DNA from Bacteria	2-11
	Basic Protocol: Miniprep of Bacterial Genomic DNA	2-11
	Alternate Protocol: Large-Scale CsCl Preparation of Bacterial Genomic DNA	2-12
	Support Protocol: Removal of Polysaccharides from Existing DNA Preparations	2-13
2.6	Agarose Gel Electrophoresis	2-13
	Basic Protocol: Resolution of DNA Fragments on Standard Agarose Gels	2-13
	Support Protocol: Minigels and Midigels	2-15
2.7	Pulsed-Field Gel Electrophoresis	2-15
	Basic Protocol: Field-Inversion Electrophoresis	2-15
	Alternate Protocol: Chef Electrophoresis	2-16
	Support Protocol: Preparation of High-Molecular-Weight DNA Samples and Size Markers	2-17
2.8	Isolation and Purification of Large DNA Restriction Fragments from Agarose Gels	2-19
	Basic Protocol 1: Electroelution from Agarose Gels	2-19
	Basic Protocol 2: Electrophoresis onto NA-45 Paper	2-20
	Basic Protocol 3: Isolation of DNA Fragments Using Low Gelling/Melting Temperature Agarose Gels	2-21
	Alternate Protocol 1: Recovery of DNA from Low Gelling/Melting Temperature Agarose Gels Using β -Agarase Digestion	2-21
	Alternate Protocol 2: Recovery of DNA from Agarose Using Silica Membrane Spin Columns	2-22
	Support Protocol: Rapid Estimation of DNA Concentration by Ethidium Bromide Dot Quantitation	2-23

2.9	Separation of Small DNA Fragments by Conventional Gel Electrophoresis	2-23
	Basic Protocol 1: Nondenaturing Polyacrylamide Gel Electrophoresis	2-23
	Alternate Protocol: Electroelution of Small DNA Fragments from Polyacrylamide Gels	2-25
	Basic Protocol 2: Sieving Agarose Gel Electrophoresis	2-26
2.10	Capillary Electrophoresis of DNA	2-26
	Instrumentation	2-26
	Separation Theory	2-27
	Strategic Planning	2-28
	Basic Protocol 1: Separation of Oligonucleotides	2-29
	Basic Protocol 2: Quantitative PCR Analysis	2-31
	Alternate Protocol: Genotyping	2-32
2.11	Southern Blotting	2-32
	Basic Protocol: Southern Blotting onto a Nylon or Nitrocellulose Membrane with High-Salt Buffer	2-33
	Support Protocol: Calibration of a UV Transilluminator	2-35
	Alternate Protocol 1: Southern Blotting onto a Nylon Membrane with an Alkaline Buffer	2-35
	Alternate Protocol 2: Southern Blotting by Downward Capillary Transfer	2-36
	Alternate Protocol 3: Electroblothing from a Polyacrylamide Gel to a Nylon Membrane	2-37
2.12	Dot and Slot Blotting of DNA	2-38
	Basic Protocol: Dot and Slot Blotting of DNA onto Uncharged Nylon and Nitrocellulose Membranes Using a Manifold	2-38
	Alternate Protocol 1: Dot and Slot Blotting of DNA onto a Positively Charged Nylon Membrane Using a Manifold	2-39
	Alternate Protocol 2: Manual Preparation of a DNA Dot Blot	2-40
2.13	Hybridization Analysis of DNA Blots	2-40
	Basic Protocol: Hybridization Analysis of a DNA Blot with a Radiolabeled DNA Probe	2-42
	Alternate Protocol: Hybridization Analysis of a DNA Blot with a Radiolabeled RNA Probe	2-43
	Support Protocol: Removal of Probes from Hybridized Membranes	2-44
2.14	Synthesis and Purification of Oligonucleotides	2-48
	Introduction to Chemical Nucleic Acid Synthesis	2-48
	Strategies for Nucleic Acid Synthesis	2-51
	Strategies for Oligonucleotide Purification	2-52
2.15	Purification of Oligonucleotides Using Denaturing Polyacrylamide Gel Electrophoresis	2-53
	Basic Protocol	2-53

3 Enzymatic Manipulation of DNA and RNA **3-1**

3.1	Digestion of DNA with Restriction Endonucleases	3-2
	Basic Protocol: Digesting a Single DNA Sample with a Single Restriction Endonuclease	3-2
	Alternate Protocol 1: Digesting DNA with Multiple Restriction Endonucleases	3-4
	Alternate Protocol 2: Digesting Multiple Samples of DNA	3-4
	Alternate Protocol 3: Partial Digestion of DNA with Restriction Endonucleases	3-6
	Support Protocol: Methylation of DNA	3-7
3.2	Reagents and Radioisotopes Used to Manipulate Nucleic Acids	3-8
	Stock Solutions	3-8
	Enzyme Reaction Conditions and Applications	3-8
	10× Enzyme Buffers	3-8
	Nucleoside Triphosphates	3-13
	Radioisotopes for Labeling Nucleic Acids	3-14
	Basic Protocol: Measuring Radioactivity in DNA and RNA by Acid Precipitation	3-15
	Alternate Protocol: Spin-Column Procedure for Separating Radioactively Labeled DNA from Unincorporated dNTPs	3-15

3.3	DNA-Dependent DNA Polymerases	3-17
	<i>Escherichia coli</i> DNA Polymerase I	3-17
	Basic Protocol 1: Uniform Labeling of DNA by Nick Translation	3-17
	Klenow Fragment of <i>Escherichia coli</i> DNA Polymerase I	3-18
	Basic Protocol 2: Labeling 3' Ends of DNA	3-18
	Basic Protocol 3: Repairing 3' or 5' Overhanging Ends to Generate Blunt Ends	3-19
	Basic Protocol 4: Labeling of DNA by Random Oligonucleotide-Primed Synthesis	3-19
	T4 DNA Polymerase	3-20
	Native T7 DNA Polymerase	3-21
	Modified T7 DNA Polymerase	3-22
	<i>Taq</i> DNA Polymerase	3-22
3.4	Template-Independent DNA Polymerases	3-23
	Terminal Deoxynucleotidyltransferase (Terminal Transferase)	3-23
3.5	RNA-Dependent DNA Polymerases	3-24
	Reverse Transcriptase	3-24
3.6	DNA-Dependent RNA Polymerases	3-24
	Phage RNA Polymerases: Sp6, T7, T3	3-24
3.7	Phosphatases and Kinases	3-25
	Bacterial Alkaline Phosphatase and Calf Intestine Phosphatase	3-25
	T4 Polynucleotide Kinase	3-25
3.8	Exonucleases	3-26
	Exonuclease VII (exo VII)	3-26
	Lambda Exonuclease (λ exo)	3-26
	T7 Gene 6 Exonuclease	3-27
	Exonuclease III (exo III)	3-27
3.9	Endonucleases	3-27
	<i>Bal</i> 31 Nuclease	3-27
	S1 Nuclease	3-28
	Mung Bean Nuclease	3-29
	Micrococcal Nuclease	3-29
	Deoxyribonuclease I (DNase I)	3-29
3.10	Ribonucleases	3-30
	Ribonuclease A	3-30
	Ribonuclease H	3-31
	Ribonuclease T1	3-31
3.11	DNA Ligases	3-32
	T4 DNA Ligase	3-32
	<i>Escherichia coli</i> DNA Ligase	3-32
3.12	RNA Ligases	3-33
	T4 RNA Ligase	3-33
3.13	Subcloning of DNA Fragments	3-33
	Basic Protocol: Subcloning of DNA Fragments	3-33
	Alternate Protocol: Ligation of DNA Fragments in Gel Slices	3-35
3.14	Constructing Recombinant DNA Molecules by the Polymerase Chain Reaction	3-36
	Basic Protocol: Subcloning DNA Fragments	3-36
3.15	Labeling and Colorimetric Detection of Nonisotopic Probes	3-40
	Basic Protocol 1: Preparation of Biotinylated Probes by Nick Translation	3-40
	Basic Protocol 2: Preparation of Biotinylated Probes by Random Oligonucleotide-Primed Synthesis	3-41
	Support Protocol: Colorimetric Detection of Biotinylated Probes	3-42
	Alternate Protocol: Preparation and Detection of Digoxigenin-Labeled DNA Probes	3-43

3.16	Chemiluminescent Detection of Nonisotopic Probes	3-43
	Basic Protocol: Chemiluminescent Detection of Biotinylated Probes	3-43
	Alternate Protocol: Chemiluminescent Detection of Digoxigenin-Labeled Probes	3-46
	Support Protocol: Calibrating an Ultraviolet Light Source	3-46
4	Preparation and Analysis of RNA	4-1
4.1	Guanidinium Methods for Total RNA Preparation	4-2
	Basic Protocol: Single-Step RNA Isolation from Cultured Cells or Tissues	4-2
	Alternate Protocol 1: CsCl Purification of RNA from Cultured Cells	4-3
	Alternate Protocol 2: CsCl Purification of RNA from Tissue	4-4
4.2	Phenol/SDS Method for Plant RNA Preparation	4-5
	Basic Protocol	4-5
4.3	Preparation of Bacterial RNA	4-6
	Basic Protocol 1: Isolation of High-Quality RNA from Gram-Negative Bacteria	4-6
	Alternate Protocol: Rapid Isolation of RNA from Gram-Negative Bacteria	4-8
	Basic Protocol 2: Isolation of RNA from Gram-Positive Bacteria	4-8
4.4	Preparation of Poly(A)⁺ RNA	4-9
	Basic Protocol	4-9
4.5	S1 Analysis of Messenger RNA Using Single-Stranded DNA Probes	4-11
	Basic Protocol: S1 Analysis of mRNA Using M13 Template	4-11
	Alternate Protocol 1: Synthesis of Single-Stranded Probe from Double-Stranded Plasmid Template	4-13
	Alternate Protocol 2: Quantitative S1 Analysis of mRNA Using Oligonucleotide Probes	4-14
	Support Protocol: Controls for Quantitative S1 Analysis of mRNA	4-15
4.6	Ribonuclease Protection Assay	4-15
	Basic Protocol	4-15
	Support Protocol 1: Preparation of Template DNA	4-17
	Support Protocol 2: Gel Purification of RNA Probes	4-17
4.7	Primer Extension	4-18
	Basic Protocol	4-18
4.8	Analysis of RNA by Northern and Slot Blot Hybridization	4-20
	Basic Protocol: Northern Hybridization of RNA Fractionated by Agarose-Formaldehyde Gel Electrophoresis	4-20
	Alternate Protocol 1: Northern Hybridization of RNA Denatured by Glyoxal/DMSO Treatment	4-22
	Alternate Protocol 2: Northern Hybridization of Unfractionated RNA Immobilized by Slot Blotting	4-23
	Support Protocol: Removal of Probes from Northern Blots	4-24
4.9	Identification of Newly Transcribed RNA	4-25
	Basic Protocol: Nuclear Runoff Transcription in Mammalian Cells	4-25
	Alternate Protocol 1: Isolation of Nuclei by Dounce Homogenization	4-27
	Alternate Protocol 2: Isolation of Nuclei by Sucrose Gradient Centrifugation	4-28
	Support Protocol: Preparation of Nitrocellulose Filters for Nuclear Runoff Transcription Assay	4-29
5	Construction of Recombinant DNA Libraries	5-1
5.1	Overview of Genomic DNA Libraries	5-3
	Representation and Randomness	5-3
	Subgenomic DNA Libraries	5-3
	Vectors for Genomic DNA Libraries	5-4
5.2	Overview of cDNA Libraries	5-4

5.3	Amplification of a Bacteriophage Library	5-5
	Basic Protocol	5-5
5.4	Amplification of Cosmid and Plasmid Libraries	5-6
	Basic Protocol	5-6
6	Screening of Recombinant DNA Libraries	6-1
6.1	Plating and Transferring Bacteriophage Libraries	6-3
	Basic Protocol: Plating and Transferring Bacteriophage Libraries	6-3
6.2	Plating and Transferring Cosmid and Plasmid Libraries	6-4
	Basic Protocol: Plating and Transferring Cosmid and Plasmid Libraries	6-4
6.3	Using DNA Fragments as Probes	6-6
	Basic Protocol: Hybridization in Formamide	6-6
	Alternate Protocol: Hybridization in Aqueous Solution	6-7
6.4	Using Synthetic Oligonucleotides as Probes	6-7
	Basic Protocol: Hybridization in Sodium Chloride/Sodium Citrate (SSC)	6-7
	Alternate Protocol: Hybridization in Tetramethylammonium Chloride (TMAC)	6-8
	Support Protocol: Labeling the 5' Ends of Mixed Oligonucleotides	6-10
6.5	Purification of Bacteriophage Clones	6-11
	Basic Protocol	6-11
6.6	Purification of Cosmid and Plasmid Clones	6-12
	Basic Protocol	6-12
6.7	Immunoscreening of Fusion Proteins Produced in Lambda Plaques	6-12
	Basic Protocol: Screening a λ gt11 Expression Library with Antibodies	6-12
	Alternate Protocol: Induction of Fusion Protein Expression with IPTG Prior to Screening with Antibodies	6-13
6.8	Immunoscreening After Hybrid Selection and Translation	6-14
	Basic Protocol	6-14
6.9	Use of Monoclonal Antibodies for Expression Cloning	6-16
	Basic Protocol: Isolation of cDNA Clones Encoding Cell-Surface Antigens	6-16
	Support Protocol 1: Preparation of Antibody-Coated Plates	6-19
	Alternate Protocol: Isolation of cDNA Clones Encoding Intracellular Antigens	6-19
	Support Protocol 2: Preparation of Polyvinylidene-Wrapped Plates	6-21
6.10	Recombination-Based Assay (RBA) for Screening Bacteriophage Lambda Libraries	6-22
	Basic Protocol	6-22
7	DNA Sequencing	7-1
	Introduction	7-1
	Dideoxy (Sanger) Sequencing	7-1
	Chemical (Maxam-Gilbert) Sequencing	7-4
	Choosing Between Dideoxy and Chemical Sequencing Methods	7-5
	Alternatives to Radiolabeled Sequencing Reactions	7-6
	Other Developments in Sequencing Technology	7-6
	Computer Analysis	7-7
7.1	DNA Sequencing Strategies	7-7
	Dideoxy Sequencing	7-8
	Chemical Sequencing	7-11
7.2	Constructing Nested Deletions for Use in DNA Sequencing	7-12
	Basic Protocol 1: Using Exonuclease III to Construct Unidirectional Deletions	7-12
	Alternate Protocol: Protection of DNA from Exonuclease III Digestion Using [α - 35 S]dNTPs	7-16
	Basic Protocol 2: Using <i>Bal</i> 31 Nuclease to Construct Nested Deletions	7-16

7.3	Preparation of Templates for DNA Sequencing	7-20
	Basic Protocol 1: Preparation of Single-Stranded M13 Phage DNA	7-20
	Basic Protocol 2: Preparation of λ DNA from Small-Scale Lysates	7-21
	Basic Protocol 3: Miniprep of Recombinant pSP64CS or pSP65CS Plasmid DNA for Chemical Sequencing	7-22
	Basic Protocol 4: Miniprep of Double-Stranded Plasmid DNA for Dideoxy Sequencing	7-23
	Basic Protocol 5: Alkaline Denaturation of Double-Stranded Plasmid or λ DNA for Dideoxy Sequencing	7-24
	Basic Protocol 6: Preparation of Plasmid DNA from an <i>E. coli</i> Colony or Phage DNA from a Plaque for Thermal Cycle Sequencing	7-24
7.4	DNA Sequencing by the Dideoxy Method	7-25
	Basic Protocol 1: Labeling/Termination Sequencing Reactions Using Sequenase (Modified T7 DNA Polymerase)	7-25
	Alternate Protocol 1: Labeling/Termination Sequencing Reactions Using Sequenase and Mn^{2+}	7-29
	Alternate Protocol 2: Sanger Sequencing Reactions Using <i>Taq</i> DNA Polymerase	7-29
	Alternate Protocol 3: One-Step Sequencing Reactions Using 5'-End-Labeled Primers	7-30
	Basic Protocol 2: Thermal Cycle Sequencing Reactions Using α -Labeled Nucleotides	7-31
	Alternate Protocol 4: Thermal Cycle Sequencing Reactions Using 5'-End-Labeled Primers	7-33
	Alternate Protocol 5: Cycle Sequencing Using Fluorescence Dye-Labeled Primers and Terminators	7-33
7.5	Dideoxy DNA Sequencing with Chemiluminescent Detection	7-35
	Basic Protocol: DNA Sequencing Using Biotinylated Primers with Chemiluminescent Detection	7-36
	Alternate Protocol 1: Two-Step (Indirect) Detection Using Streptavidin and Biotinylated Alkaline Phosphatase	7-39
	Alternate Protocol 2: Sequencing with Hapten-Labeled Primers and Detection with Antibody-Alkaline Phosphatase Conjugates	7-39
7.6	DNA Sequencing by the Chemical Method	7-40
	Basic Protocol: Chemical Sequencing Using ^{32}P -Labeled DNA	7-40
	Support Protocol: <i>Tth</i> 111I Digestion and End Labeling	7-42
7.7	Denaturing Gel Electrophoresis for Sequencing	7-44
	Basic Protocol: Pouring, Running, and Processing Sequencing Gels	7-45
	Alternate Protocol 1: Buffer-Gradient Sequencing Gels	7-48
	Alternate Protocol 2: Electrolyte-Gradient Sequencing Gels	7-48
	Alternate Protocol 3: Formamide-Containing Sequencing Gels	7-49
8	Mutagenesis of Cloned DNA	8-1
8.1	Mutagenesis with Degenerate Oligonucleotides: Creating Numerous Mutations in a Small DNA Sequence	8-2
	Basic Protocol	8-2
8.2	Gene Synthesis: Assembly of Target Sequences Using Mutually Priming Long Oligonucleotides	8-5
	Basic Protocol	8-5
8.3	Random Mutagenesis by PCR	8-7
	Basic Protocol: Mutagenesis of a DNA Sequence	8-8
	Alternate Protocol: Mutagenesis of a Library of Sequences	8-9
8.4	Linker-Scanning Mutagenesis of DNA	8-10
	Basic Protocol	8-10
8.5	Directed Mutagenesis by PCR	8-13
	Basic Protocol 1: Introduction of Restriction Endonuclease Sites by PCR	8-13
	Basic Protocol 2: Introduction of Point Mutations by PCR	8-16
	Alternate Protocol: Introduction of a Point Mutation by Sequential PCR Steps	8-19

9	Introduction of DNA into Mammalian Cells	9-1
	Introduction	9-1
	Choice of Transfection Method	9-1
	Optimization of Transfection	9-2
	Viral Vectors	9-3
	Mammalian Cell Culture	9-4
9.1	Calcium Phosphate Transfection	9-6
	Basic Protocol: Transfection Using Calcium Phosphate–DNA Precipitate Formed in HEPES	9-6
	Support Protocol: Glycerol/DMSO Shock of Mammalian Cells	9-7
	Alternate Protocol: High-Efficiency Transfection Using Calcium Phosphate–DNA Precipitate Formed in BES	9-7
9.2	Transfection Using Deae-Dextran	9-9
	Basic Protocol: General Procedure for DEAE-Dextran Transfection	9-9
	Alternate Protocol: Sample Experiment: Testing Enzyme Structure/Activity Relationships	9-10
9.3	Transfection by Electroporation	9-11
	Basic Protocol: Electroporation into Mammalian Cells	9-11
	Alternate Protocol: Electroporation into Plant Protoplasts	9-12
9.4	Transfection of Cultured Eukaryotic Cells Using Cationic Lipid Reagents	9-13
	Basic Protocol 1: Cationic Lipid–Mediated Transfection of Adherent Mammalian Cells with DNA	9-14
	Alternate Protocol: Enhanced Cationic Lipid–Mediated Transfection of Adherent Mammalian Cells with DNA	9-15
	Basic Protocol 2: Cationic Lipid–Mediated Transfection of Suspension Cells with DNA	9-16
	Basic Protocol 3: Cationic Lipid–Mediated Transfection of Adherent Cells with RNA	9-16
	Basic Protocol 4: Cationic Lipid–Mediated Transfection of Adherent Sf9 and Sf21 Insect Cells with Baculovirus DNA	9-17
	Support Protocol: Fine Tuning or Optimizing Conditions for Cationic Lipid Reagent Transfections	9-18
9.5	Selection of Transfected Mammalian Cells	9-19
	Strategic Planning	9-19
	Basic Protocol 1: Stable Transfer of Genes into Mammalian Cells	9-21
	Basic Protocol 2: Selectable Markers for Mammalian Cells	9-23
9.6	Overview of Genetic Reporter Systems	9-26
	Design of Reporter Vectors	9-28
	In Vitro Reporter Assays	9-31
	In Vivo Reporter Assays	9-34
9.7	Isotopic Assays for Reporter Gene Activity	9-35
	Basic Protocol 1: Chromatographic Assay for CAT Activity	9-35
	Alternate Protocol 1: In Situ Lysis of Cells for CAT Assay	9-37
	Alternate Protocol 2: Phase-Extraction Assay for CAT Activity	9-38
	Basic Protocol 2: Radioimmunoassay for Human Growth Hormone	9-39
9.8	Nonisotopic Assays for Reporter Gene Activity	9-40
	Basic Protocol 1: Firefly Luciferase Reporter Gene Assay	9-40
	Alternate Protocol: Luciferase Assay in Freeze-Thaw-Lysed Cells	9-41
	Basic Protocol 2: Chemiluminescent β -Galactosidase Reporter Gene Assay	9-43
9.9	Use of the A. Victoria Green Fluorescent Protein to Study Protein Dynamics In Vivo	9-44
	Utilization of GFP	9-44
	Problems with GFP	9-45
	Mutants of GFP	9-46
	Microscopy Setup	9-46

9.10	Overview of the Retrovirus Transduction System	9-47
	Retrovirus Life Cycle	9-48
	Replication-Competent Vectors	9-48
	Replication-Incompetent Vectors	9-48
	Packaging Lines and Virus Production	9-49
	Murine Retroviruses	9-51
	Avian Retroviruses	9-57
	Safety Issues	9-58
9.11	Preparation of a Specific Retrovirus Producer Cell Line	9-58
	Basic Protocol 1: Introduction of a Retrovirus Vector into a Packaging Cell Line	9-58
	Basic Protocol 2: Determination of Viral Titer: Identification of Producer Clones Making High-Titer Virus	9-61
	Alternate Protocol: Rapid Evaluation of Producer Colonies	9-62
	Support Protocol: Xgal Staining of Cultured Cells	9-62
9.12	Transient Transfection Methods for Preparation of High-Titer Retroviral Supernatants	9-63
	Basic Protocol 1: Transient Transfection of a Retrovirus Vector into 293 Cells	9-63
	Support Protocol: Growth and Storage of 293 Cells	9-64
	Basic Protocol 2: Infection of Adherent Cells with Retroviral Supernatant	9-65
	Alternate Protocol 1: Infection of Adherent Cells by Spin Infection	9-66
	Basic Protocol 3: Infection of Nonadherent Cells by Retroviral Supernatant	9-66
	Alternate Protocol 2: Infection of Nonadherent Cells by Co-Cultivation	9-67
	Alternate Protocol 3: Infection of Nonadherent Cells by Spin Infection	9-68
9.13	Large-Scale Preparation and Concentration of Retrovirus Stocks	9-69
	Basic Protocol: Preparation of Virus Stock and Concentration by Centrifugation	9-69
	Alternate Protocol 1: Concentration by PEG Precipitation and Chromatography	9-70
	Alternate Protocol 2: Concentration Using Molecular-Weight-Cutoff Filters	9-70
9.14	Detection of Helper Virus in Retrovirus Stocks	9-71
	Basic Protocol: Detection of Helper Virus Through Horizontal Spread of Drug Resistance	9-71
	Alternate Protocol 1: Proviral Rescue to Detect Replication-Competent Retrovirus	9-72
	Alternate Protocol 2: Reverse Transcriptase Assay to Detect Helper Virus	9-72
9.15	Retrovirus Infection of Cells In Vitro and In Vivo	9-73
	Infection of Cells In Vitro	9-73
	Infection of Rodents and Chicks In Vivo	9-75

10 Analysis of Proteins **10-1**

	Introduction	10-1
	Classification of Proteins	10-1
	Protein Purification Flow Charts	10-1
10.1	Spectrophotometric and Colorimetric Determination of Protein Concentration	10-9
	Basic Protocol 1: Using A_{280} to Determine Protein Concentration	10-9
	Basic Protocol 2: Using the Bradford Method to Determine Protein Concentration	10-9
10.2	Quantitative Amino Acid Analysis	10-10
	Sample Preparation	10-10
	Calculation of the Average Composition	10-11

10.3	One-Dimensional SDS Gel Electrophoresis of Proteins	10-12
	Electricity and Electrophoresis	10-12
	Basic Protocol 1: Denaturing (SDS) Discontinuous PAGE: Laemmli Method	10-14
	Alternate Protocol 1: PAGE in Tris-Tricine Buffer Systems	10-18
	Alternate Protocol 2: Nonurea Peptide Separations with Tris Buffers	10-20
	Alternate Protocol 3: Continuous SDS-PAGE	10-21
	Alternate Protocol 4: PAGE with Ultrathin Gels	10-22
	Support Protocol 1: Casting Multiple Single-Concentration Gels	10-23
	Alternate Protocol 5: Separation of Proteins on Gradient Gels	10-25
	Support Protocol 2: Casting Multiple Gradient Gels	10-27
	Basic Protocol 2: Electrophoresis in Single-Concentration Minigels	10-29
	Support Protocol 3: Preparing Multiple Gradient Minigels	10-31
10.4	Two-Dimensional Gel Electrophoresis Using the O'Farrell System	10-32
	Basic Protocol 1: First-Dimension (Isoelectric-Focusing) Gels	10-32
	Alternate Protocol 1: Isoelectric Focusing of Very Basic and Very Acidic Proteins	10-34
	Basic Protocol 2: Second-Dimension Gels	10-35
	Alternate Protocol 2: Two-Dimensional Minigels	10-37
	Support Protocol: Solubilization and Preparation of Proteins in Tissue Samples	10-37
10.5	Staining Proteins in Gels	10-38
	Basic Protocol 1: Coomassie Blue Staining	10-38
	Alternate Protocol 1: Rapid Coomassie Blue Staining	10-39
	Basic Protocol 2: Silver Staining	10-39
	Alternate Protocol 2: Nonammoniacal Silver Staining	10-40
	Alternate Protocol 3: Rapid Silver Staining	10-41
	Support Protocol 1: Gel Photography of Coomassie- or Silver-Stained Gels	10-42
	Basic Protocol 3: Fluorescent Staining	10-43
	Alternate Protocol 4: Fluorescent Staining on Nondenaturing Gels	10-44
	Support Protocol 2: Gel Photography of Fluorescently Stained Gels	10-44
10.6	Immunoblotting and Immunodetection	10-45
	Basic Protocol 1: Protein Blotting with Tank Transfer Systems	10-45
	Alternate Protocol 1: Protein Blotting with Semidry Systems	10-47
	Alternate Protocol 2: Blotting of Stained Gels	10-48
	Support Protocol 1: Reversible Staining of Transferred Proteins	10-49
	Basic Protocol 2: Immunoprobng with Directly Conjugated Secondary Antibody	10-49
	Alternate Protocol 3: Immunoprobng with Avidin-Biotin Coupling to Secondary Antibody	10-50
	Basic Protocol 3: Visualization with Chromogenic Substrates	10-51
	Alternate Protocol 4: Visualization with Luminescent Substrates	10-51
	Support Protocol 2: Stripping and Reusing Membranes	10-53
10.7	Gel-Filtration Chromatography	10-53
	Basic Protocol 1: Desalting (Group Separation)	10-53
	Basic Protocol 2: Protein Fractionation	10-59
	Basic Protocol 3: Determination of Molecular Size	10-62
	Support Protocol: Column Calibration	10-64
10.8	Ion-Exchange Chromatography	10-67
	Strategic Planning	10-67
	Basic Protocol 1: Batch Adsorption and Step-Gradient Elution with Increasing Salt Concentration	10-68
	Basic Protocol 2: Column Chromatography with Linear Gradient Elution	10-71
	Support Protocol: Test Tube Pilot Experiment to Determine Starting Conditions for Ion-Exchange Chromatography	10-73
10.9	Immunoaffinity Chromatography	10-78
	Basic Protocol: Isolation of Soluble or Membrane-Bound Antigens	10-78
	Alternate Protocol 1: Batch Purification of Antigens	10-80
	Alternate Protocol 2: Low-pH Elution of Antigens	10-81

10.10	Metal-Chelate Affinity Chromatography	10-81
	Basic Protocol: Native MCAC for Purification of Soluble Histidine-Tail Fusion Proteins	10-81
	Alternate Protocol 1: Denaturing MCAC for Purification of Insoluble Histidine-Tail Fusion Proteins	10-84
	Alternate Protocol 2: Solid-Phase Renaturation of MCAC-Purified Proteins	10-86
	Support Protocol: NTA Resin Regeneration	10-86
10.11	HPLC of Peptides and Proteins: Preparation and System Set-Up	10-87
	Properties of Peptides and Proteins and Their Implications for HPLC Method Development	10-87
	Detection of Peptides and Proteins in HPLC	10-87
	Start-Up Procedures	10-87
	Preparation of the Sample	10-89
	Preparation of the Mobile Phase	10-90
	Setting Up the HPLC Instrument	10-90
	Priming Pumps and Low-Pressure Lines with Eluents	10-90
	Preparation of the HPLC System	10-91
	Gradient Delay (Dwell Volume) of the HPLC System	10-91
	Connecting the Column	10-92
	Programming the HPLC Instrument	10-93
	Injecting the Sample	10-93
	Testing the Functional HPLC System	10-93
	Logbooks	10-93
10.12	HPLC of Peptides and Proteins: Standard Operating Conditions	10-94
	Standard Operating Conditions for HP-SEC	10-95
	Standard Operating Conditions for HP-NPC	10-96
	Standard Operating Conditions for HP-HIC	10-98
	Standard Operating Conditions for HP-IEX	10-99
	Standard Operating Conditions for HP-HILIC	10-100
	Standard Operating Conditions for HP-IMAC	10-101
	Standard Operating Conditions for HP-BAC	10-103
	Standard Operating Conditions for RP-HPLC	10-103
	Desalting of Peptide and Protein Mixtures by RP-HPLC Techniques	10-108
10.13	Reversed-Phase Isolation of Peptides	10-109
	Basic Protocol 1: Reversed-Phase Peptide Separation at the 5- to 500-pmol Level	10-109
	Basic Protocol 2: Reversed-Phase Peptide Separation at ≤ 5 pmol	10-110
	Support Protocol: Capillary HPLC System Assembly	10-111
10.14	Purification of Recombinant Proteins and Study of Protein Interaction by Epitope Tagging	10-113
	Basic Protocol: Immunoprecipitation of Epitope-Tagged Recombinant Proteins	10-113
10.15	Immunoprecipitation	10-115
	Basic Protocol 1: Immunoprecipitation Using Cells in Suspension Lysed with a Nondenaturing Detergent Solution	10-115
	Alternate Protocol 1: Immunoprecipitation Using Adherent Cells Lysed with a Nondenaturing Detergent Solution	10-119
	Alternate Protocol 2: Immunoprecipitation Using Cells Lysed with Detergent Under Denaturing Conditions	10-119
	Alternate Protocol 3: Immunoprecipitation Using Cells Lysed Without Detergent	10-120
	Alternate Protocol 4: Immunoprecipitation with Antibody-Sepharose	10-120
	Support Protocol: Preparation of Antibody-Sepharose	10-122
	Alternate Protocol 5: Immunoprecipitation of Radiolabeled Antigen with Anti-Ig Serum	10-123
	Basic Protocol 2: Immunoprecipitation-Recapture	10-125
10.16	Synthesizing Proteins In Vitro by Transcription and Translation of Cloned Genes	10-126
	Basic Protocol	10-126

10.17	Metabolic Labeling with Amino Acids	10-128
	Safety Precautions for Working with ³⁵ S-Labeled Compounds	10-128
	Basic Protocol: Pulse-Labeling of Cells in Suspension with [³⁵ S]Methionine	10-128
	Alternate Protocol 1: Pulse-Labeling of Adherent Cells with [³⁵ S]Methionine	10-130
	Alternate Protocol 2: Pulse-Chase Labeling of Cells with [³⁵ S]Methionine	10-130
	Alternate Protocol 3: Long-Term Labeling of Cells with [³⁵ S]Methionine	10-131
	Alternate Protocol 4: Metabolic Labeling with Other Radiolabeled Amino Acids	10-132
	Support Protocol: TCA Precipitation to Determine Label Incorporation	10-133
10.18	Isolation of Proteins for Microsequence Analysis	10-134
	Basic Protocol 1: Determination of Amino Acid Sequence by SDS-PAGE and Transfer to PVDF Membranes	10-134
	Support Protocol: Preparation of Protein Samples for SDS-PAGE	10-136
	Basic Protocol 2: Determination of Internal Amino Acid Sequence from N-Terminally Blocked Proteins	10-136
10.19	Capillary Electrophoresis of Proteins and Peptides	10-138
	Instrumentation	10-138
	Strategic Planning	10-140
	Basic Protocol 1: Separation of Proteins by Isoelectric Focusing	10-140
	Basic Protocol 2: Separation of Proteins	10-141
	Basic Protocol 3: Analytical Peptide Separations	10-142
	Basic Protocol 4: Micropreparative Capillary Electrophoresis: Multiple Separations	10-144
	Alternate Protocol: Micropreparative Capillary Electrophoresis: Single Separation	10-145

11 Immunology **11-1**

11.1	Conjugation of Enzymes to Antibodies	11-3
	Basic Protocol: Conjugation of Horseradish Peroxidase to Antibodies	11-3
	Alternate Protocol: Conjugation of Alkaline Phosphatase to Antibodies	11-4
11.2	Enzyme-Linked Immunosorbent Assays (ELISA)	11-5
	Basic Protocol: Indirect ELISA to Detect Specific Antibodies	11-6
	Alternate Protocol 1: Direct Competitive ELISA to Detect Soluble Antigens	11-7
	Alternate Protocol 2: Antibody-Sandwich ELISA to Detect Soluble Antigens	11-8
	Alternate Protocol 3: Double Antibody-Sandwich ELISA to Detect Specific Antibodies	11-9
	Alternate Protocol 4: Direct Cellular ELISA to Detect Cell-Surface Antigens	11-10
	Alternate Protocol 5: Indirect Cellular ELISA to Detect Antibodies Specific for Surface Antigens	11-11
	Support Protocol 1: Criss-Cross Serial Dilution Analysis to Determine Optimal Reagent Concentrations	11-12
	Support Protocol 2: Preparation of Bacterial Cell Lysate Antigens	11-12
11.3	Immunization of Mice	11-13
	Basic Protocol: Production of Immune Spleen Cells: Immunization with Soluble Antigen	11-13
	Alternate Protocol 1: Immunization with Complex Antigens (Membranes, Whole Cells, and Microorganisms)	11-14
	Alternate Protocol 2: Immunization with Antigen Isolated by Electrophoresis	11-15
11.4	Production of Monoclonal Antibody Supernatant and Ascites Fluid	11-15
	Basic Protocol 1: Production of a Monoclonal Antibody Supernatant	11-16
	Alternate Protocol 1: Large-Scale Production of Monoclonal Antibody Supernatant	11-16
	Alternate Protocol 2: Large-Scale Production of Hybridomas or Cell Lines	11-17
	Basic Protocol 2: Production of Ascites Fluid Containing Monoclonal Antibody	11-17
11.5	Purification of Monoclonal Antibodies	11-19
	Basic Protocol: Purification Using Protein A-Sepharose	11-19
	Alternate Protocol 1: Alternative Buffer System for Protein A-Sepharose	11-20
	Alternate Protocol 2: Purification by Antigen-Sepharose and Anti-Mouse-Ig-Sepharose	11-20

11.6	Production of Polyclonal Antisera	11-21
	Basic Protocol: Immunization to Produce Polyclonal Antibodies Using Freund's Adjuvant	11-21
	Alternate Protocol: Immunization to Produce Polyclonal Antiserum Using Other Adjuvants	11-23
	Support Protocol: Preparation of Serum from Blood	11-24
11.7	Purification of Immunoglobulin G Fraction from Antiserum, Ascites Fluid, or Hybridoma Supernatant	11-24
	Basic Protocol: Precipitation of IgG with Saturated Ammonium Sulfate	11-24
	Alternate Protocol: Fractionation of IgG by Chromatography on DEAE-Affi-Gel Blue	11-25
11.8	Selection of an Immunogenic Peptide	11-26
11.9	Production of Antipeptide Antibodies	11-28
	Basic Protocol: Chemical Coupling of Synthetic Peptide to Carrier Protein Using MBS	11-28
	Alternate Protocol: Chemical Coupling of Synthetic Peptide to Carrier Protein Using Glutaraldehyde	11-29
12	DNA-Protein Interactions	12-1
12.1	Preparation of Nuclear and Cytoplasmic Extracts from Mammalian Cells	12-3
	Basic Protocol: Preparing Nuclear Extracts	12-3
	Support Protocol 1: Optimization of Nuclear Extraction	12-6
	Support Protocol 2: Preparation of the Cytoplasmic (S-100) Fraction	12-7
12.2	Mobility Shift DNA-Binding Assay Using Gel Electrophoresis	12-7
	Basic Protocol: Mobility Shift Assay	12-8
	Alternate Protocol 1: Competition Mobility Shift Assay	12-11
	Alternate Protocol 2: Antibody Supershift Assay	12-11
	Alternate Protocol 3: Multicomponent Mobility Shift Assays	12-11
12.3	Methylation and Uracil Interference Assays for Analysis of Protein-DNA Interactions	12-13
	Basic Protocol 1: Methylation Interference Assay	12-13
	Basic Protocol 2: Uracil Interference Assay	12-15
12.4	DNase I Footprint Analysis of Protein-DNA Binding	12-17
	Basic Protocol: DNase I Footprint Titration	12-17
	Support Protocol: Quantitation of Protein-Binding Equilibria by Densitometric and Numerical Analyses	12-20
	Alternate Protocol: DNase Footprinting in Crude Fractions	12-23
12.5	UV Crosslinking of Proteins to Nucleic Acids	12-24
	Basic Protocol: UV Crosslinking Using a Bromodeoxyuridine-Substituted Probe	12-24
	Alternate Protocol 1: UV Crosslinking Using a Non-Bromodeoxyuridine-Substituted Probe	12-26
	Alternate Protocol 2: UV Crosslinking In Situ	12-27
12.6	Purification of DNA-Binding Proteins Using Biotin/Streptavidin Affinity Systems	12-27
	Basic Protocol: Purification of DNA-Binding Proteins Using Biotin/Streptavidin Affinity Systems	12-27
	Alternate Protocol 1: Purification Using a Microcolumn	12-30
	Alternate Protocol 2: Purification Using Streptavidin-Agarose	12-30
12.7	Detection, Purification, and Characterization of cDNA Clones Encoding DNA-Binding Proteins	12-31
	Basic Protocol: Screening a λ gt11 Expression Library with Recognition-Site DNA	12-32
	Alternate Protocol: Denaturation/Renaturation Cycling of Dried Replica Filters Using Guanidine-HCl	12-34
	Support Protocol: Preparation of a Crude Extract from Recombinant Lysogen to Characterize DNA-Binding Activity	12-35
12.8	Analysis of DNA-Protein Interactions Using Proteins Synthesized In Vitro from Cloned Genes	12-36
	Basic Protocol	12-36

12.9	Purification of Sequence-Specific DNA-Binding Proteins by Affinity Chromatography	12-37
	Basic Protocol 1: Preparation of DNA Affinity Resin	12-37
	Alternate Protocol: Coupling the DNA to Commercially Available CNBr-Activated Sepharose	12-40
	Support Protocol 1: Purification of Oligonucleotides by Preparative Gel Electrophoresis	12-41
	Basic Protocol 2: DNA Affinity Chromatography	12-42
	Support Protocol 2: Selection and Preparation of Nonspecific Competitor DNA	12-45
12.10	Determination of Protein-DNA Sequence Specificity by PCR-Assisted Binding Site Selection	12-45
	Basic Protocol	12-45
	Support Protocol: Isolation and Analysis of Bound Oligonucleotides from Mobility Shift Gels	12-50

Appendices

A1	Reagents and Solutions	A1-1
	References	1

Index

VOLUME 2

Preface	xxvii
Contributors	xxxii
13. <i>Saccharomyces cerevisiae</i>	13-1
13.1 Preparation of Yeast Media	13-2
Liquid Media	13-2
Solid Media	13-5
Strain Storage and Revival	13-7
Basic Protocol 1: Preparation and Inoculation of Frozen Stocks	13-7
Alternate Protocol: Preparation and Inoculation of Slants	13-7
Basic Protocol 2: Mating and Reviving Strains	13-8
13.2 Growth and Manipulation of Yeast	13-8
Basic Protocol 1: Growth in Liquid Media	13-8
Basic Protocol 2: Growth on Solid Media	13-9
Basic Protocol 3: Determination of Cell Density	13-9
Basic Protocol 4: Determination of Phenotype by Replica Plating	13-9
Basic Protocol 5: Determination of Mating Type	13-9
Strain Construction and Tetrad Analysis	13-10
Basic Protocol 6: Diploid Construction	13-11
Basic Protocol 7: Sporulation of Diploid Cells	13-11
Basic Protocol 8: Preparation and Dissection of Tetrads	13-12
Support Protocol: Preparation of Dissecting Needles	13-15
Alternate Protocol: Random Spore Analysis	13-15
13.3 Genome-Wide Transposon Mutagenesis in Yeast	13-17
Strategic Planning	13-17
Basic Protocol: Generating Yeast Mutants from mTn-Mutagenized Library DNA	13-17
Support Protocol 1: Vectorette Polymerase Chain Reaction	13-20
Support Protocol 2: Epitope Tagging of mTn-Mutagenized Gene Products	13-21
13.4 Yeast Vectors and Assays for Expression of Cloned Genes	13-23
Basic Protocol 1: Construction of <i>lacZ</i> Fusion Vectors for Studying Yeast Gene Regulation	13-23
Basic Protocol 2: Assay for β -Galactosidase in Liquid Cultures	13-23
Alternate Protocol: Screening for β -Galactosidase-Expressing Yeast Colonies Using a Filter Lift Assay	13-24
13.5 Introduction of DNA into Yeast Cells	13-25
Basic Protocol: Transformation Using Lithium Acetate	13-25
Alternate Protocol: Transformation by Electroporation	13-27
Support Protocol: Preparation of Single-Stranded High-Molecular-Weight Carrier DNA	13-28
13.6 Cloning Yeast Genes by Complementation	13-29
Basic Protocol: Cloning the Gene	13-29
13.7 Manipulation of Plasmids from Yeast Cells	13-31
Basic Protocol 1: Segregation of Plasmids from Yeast Cells	13-31
Basic Protocol 2: Plasmid Shuffling	13-31
Basic Protocol 3: Plasmid Gap Repair for Localized Mutagenesis and Allele Repair	13-33

13.8	Manipulation of Cloned Yeast DNA	13-35
	Basic Protocol 1: Integrative Transformation	13-35
	Gene Replacement Techniques	13-35
	Basic Protocol 2: Integrative Disruption	13-36
	Basic Protocol 3: One-Step Gene Disruption	13-36
	Alternate Protocol 1: PCR-Mediated One-Step Gene Disruption	13-37
	Basic Protocol 4: Transplacement	13-38
	Basic Protocol 5: Creating Modified Genes by One-Step Integrative Replacement	13-40
	Alternate Protocol 2: Creating Modified Genes by Transplacement	13-41
	Basic Protocol 6: Creation of Conditional Alleles by Copper-Inducible Double-Shutoff Procedure	13-41
13.9	Preparation of Yeast DNA	13-43
	Basic Protocol: Rapid Isolation of Plasmid DNA from Yeast	13-44
	Alternate Protocol: Rapid Isolation of Yeast Chromosomal DNA	13-44
13.10	Preparation of Yeast RNA	13-45
	Basic Protocol: Preparation of Yeast RNA by Extraction with Hot Acidic Phenol	13-45
	Alternate Protocol 1: Preparation of RNA Using Glass Beads	13-46
	Alternate Protocol 2: Preparation of Poly(A) ⁺ RNA	13-47
13.11	Preparation of Protein Extracts from Yeast	13-47
	Basic Protocol: Spheroplast Preparation and Lysis	13-48
	Support Protocol: Nuclei Preparation by Differential Centrifugation	13-49
	Alternate Protocol 1: Cell Disruption Using Glass Beads	13-50
	Alternate Protocol 2: Cell Disruption Using Liquid Nitrogen	13-50
14	In Situ Hybridization and Immunohistochemistry	14-1
14.1	Fixation, Embedding, and Sectioning of Tissues, Embryos, and Single Cells	14-2
	Basic Protocol: Paraformaldehyde Fixation and Paraffin Wax Embedding of Tissues and Embryos	14-2
	Alternate Protocol: Fixation of Suspended and Cultured Cells	14-4
	Support Protocol 1: Perfusion of Adult Mice	14-4
	Support Protocol 2: Sectioning Samples in Wax Blocks	14-6
	Support Protocol 3: Preparation of Coated Slides	14-7
14.2	Cryosectioning	14-8
	Basic Protocol: Specimen Preparation and Sectioning	14-8
	Support Protocol 1: Fixation of Cryosections for In Situ Hybridization	14-10
	Support Protocol 2: Tissue Fixation and Sucrose Infusion	14-12
14.3	In Situ Hybridization to Cellular RNA	14-13
	Basic Protocol: Hybridization Using Paraffin Sections and Cells	14-13
	Alternate Protocol: Hybridization Using Cryosections	14-16
	Support Protocol 1: Synthesis of ³⁵ S-Labeled Riboprobes	14-18
	Support Protocol 2: Synthesis of ³⁵ S-Labeled Double-Stranded DNA Probes	14-19
14.4	Detection of Hybridized Probe	14-20
	Basic Protocol 1: Film Autoradiography	14-20
	Basic Protocol 2: Emulsion Autoradiography	14-20
	Support Protocol: Preparation of Diluted Emulsion for Autoradiography	14-21
14.5	Counterstaining and Mounting of Autoradiographed In Situ Hybridization Slides	14-22
	Basic Protocol: Giemsa Staining	14-22
	Alternate Protocol 1: Hematoxylin/Eosin Staining	14-23
	Alternate Protocol 2: Toluidine Blue Staining	14-24
	Alternate Protocol 3: Hoechst Staining	14-24

14.6	Immunohistochemistry	14-25
	Basic Protocol 1: Immunofluorescent Labeling of Cells Grown as Monolayers	14-25
	Alternate Protocol 1: Immunofluorescent Labeling of Suspension Cells	14-28
	Basic Protocol 2: Immunofluorescent Labeling of Tissue Sections	14-28
	Alternate Protocol 2: Immunofluorescent Labeling Using Streptavidin-Biotin Conjugates	14-29
	Alternate Protocol 3: Immunogold Labeling of Tissue Sections	14-30
	Alternate Protocol 4: Immunoperoxidase Labeling of Tissue Sections	14-30
	Alternate Protocol 5: Immunofluorescent Double-Labeling of Tissue Sections	14-31
14.7	In Situ Hybridization and Detection Using Nonisotopic Probes	14-32
	Basic Protocol: Fluorescence In Situ Hybridization	14-32
	Amplification of Hybridization Signals	14-34
	Support Protocol 1: Amplification of Biotinylated Signals	14-34
	Support Protocol 2: Amplification of Signals from Digoxigenin-Labeled Probes	14-35
	Enzymatic Detection of Nonisotopically Labeled Probes	14-36
	Alternate Protocol 1: Enzymatic Detection Using Horseradish Peroxidase	14-37
	Alternate Protocol 2: Enzymatic Detection Using Alkaline Phosphatase	14-38
14.8	In Situ Polymerase Chain Reaction and Hybridization to Detect Low-Abundance Nucleic Acid Targets	14-39
	Strategic Planning	14-39
	Basic Protocol 1: In Situ PCR (ISPCR) Amplification of DNA and RNA Targets with In Situ Reverse Transcription for RNA	14-42
	Alternate Protocol: One-Step Reverse Transcription and Amplification	14-45
	Basic Protocol 2: Hybridization and Detection of ISPCR-Amplified Target Material	14-46
	Support Protocol 1: Preparation of AES-Subbed Slides	14-50
	Support Protocol 2: Preparation of Specimens on Slides for ISPCR	14-50
	Support Protocol 3: Labeling Oligonucleotide Probes Using ³² P	14-51
14.9	Whole-Mount In Situ Hybridization and Detection of RNAs in Vertebrate Embryos and Isolated Organs	14-52
	Basic Protocol 1: Whole-Mount In Situ Hybridization with Mouse or Chicken Embryos and Organs	14-52
	Basic Protocol 2: Enzymatic Detection of RNA Hybrids in Mouse and Chicken Embryos and Organs	14-54
	Alternate Protocol 1: Whole-Mount In Situ Hybridization with <i>Xenopus</i> Embryos	14-57
	Alternate Protocol 2: Enzymatic Detection of RNA Hybrids in <i>Xenopus</i> Embryos	14-58
	Support Protocol 1: Synthesis of Digoxigenin-Labeled RNA Probes	14-59
	Support Protocol 2: Preabsorption of Fab Fragments with Embryonic Powder	14-60
14.10	Principles and Application of Fluorescence Microscopy	14-61
	Fluorescent Molecular Probes	14-62
	Filters and Filter Sets	14-63
	Multiband Filters and Multidye Fluorescence	14-64
	Light Sources	14-64
	Microscope Objectives	14-65
	Image Resolution and the Point-Spread Function (PSF)	14-65
	Fluorescence Microscopy of Living Cells	14-66
	Immunolabeling: General Steps for Labeling Fixed Cells and Tissues	14-67
14.11	Basic Confocal Microscopy	14-71
	The Basis of Optical Sectioning	14-71
	Types of Confocal Microscopes	14-74
	Practical Guidelines	14-76
	Internet Resources	14-81
14.12	Measurement of In Situ Hybridization	14-82
	Basic Protocol: Determining the Distribution of Radiolabeled Heteroduplexes in In Situ Hybridizations by Phosphor Storage Imaging	14-82
	Support Protocol: Producing a Reference System	14-85

14.13	Morphological, Biochemical, and Flow Cytometric Assays of Apoptosis	14-86
	Basic Protocol 1: Microscopic Quantitation of Apoptotic Index and Cell Viability Using Vital and Fluorescent Dyes	14-86
	Basic Protocol 2: Determination of Apoptosis Using Sub-G ₁ /G ₁ DNA Peak	14-88
	Basic Protocol 3: Flow Cytometric Quantitation of Apoptotic Cells Using TUNEL	14-89
	Basic Protocol 4: In Situ Detection of Apoptotic Cells in Tissue Sections by TUNEL	14-91
14.14	Whole-Mount Histochemical Detection of β-Galactosidase Activity	14-92
	Basic Protocol: Whole-Mount Staining and Histochemical Detection of β -Galactosidase Activity	14-92
	Alternate Protocol: Preparing Thick Sections of Large Tissues for β -Galactosidase Staining	14-94
	Support Protocol 1: Storage and Tissue Clearing	14-94
	Support Protocol 2: Paraffin Embedding, Sectioning, and Counter-Staining	14-95
15	The Polymerase Chain Reaction	15-1
15.1	Enzymatic Amplification of DNA by PCR: Standard Procedures and Optimization	15-3
	Basic Protocol: Enzymatic Amplification of DNA by PCR: Standard Procedures and Optimization	15-3
15.2	Direct DNA Sequencing of PCR Products	15-10
	Basic Protocol 1: Generating Single-Stranded Products for Dideoxy Sequencing by Asymmetric PCR	15-10
	Alternate Protocol 1: Generating Single-Stranded Template for Dideoxy Sequencing by Single-Primer Reamplification	15-11
	Alternate Protocol 2: Preparing Double-Stranded PCR Products for Dideoxy Sequencing	15-11
	Alternate Protocol 3: Generating Single-Stranded Template for Dideoxy Sequencing by λ Exonuclease Digestion of Double-Stranded PCR Products	15-12
	Basic Protocol 2: Labeling PCR Products for Chemical Sequencing	15-13
	Alternate Protocol 5: Genomic Sequencing of PCR Products	15-14
15.3	Ligation-Mediated PCR for Genomic Sequencing and Footprinting	15-15
	Basic Protocol: Ligation-Mediated Single-Sided PCR	15-15
	Support Protocol 1: Preparation of Genomic DNA from Monolayer Cells for DMS Footprinting	15-19
	Support Protocol 2: Preparation of Genomic DNA from Suspension Cells for DMS Footprinting	15-23
	Support Protocol 3: Preparation of Genomic DNA for Chemical Sequencing	15-24
15.4	Molecular Cloning of PCR Products	15-25
	Basic Protocol: Generation of T-A Overhangs	15-26
	Alternate Protocol 1: Generation of Half-Sites	15-27
15.5	Enzymatic Amplification of RNA by PCR (RT-PCR)	15-29
	Basic Protocol: PCR Amplification of RNA Under Optimal Conditions	15-29
	Alternate Protocol 1: Avoiding Lengthy Coprecipitation and Annealing Steps	15-31
	Alternate Protocol 2: Introducing cDNA Directly into the Amplification Step	15-31
	Support Protocol: Rapid Preparation of Crude RNA	15-31
15.6	cDNA Amplification Using One-Sided (Anchored) PCR	15-32
	Basic Protocol 1: Amplification of Regions Downstream (3') of Known Sequence	15-32
	Basic Protocol 2: Amplification of Regions Upstream (5') of Known Sequence	15-36
15.7	Quantitation of Rare DNAs by PCR	15-38
	Basic Protocol: Quantitation of Rare DNA by PCR	15-38
16	Protein Expression	16-1
16.1	Overview of Protein Expression in <i>E. coli</i>	16-2
	General Strategy for Gene Expression in <i>E. coli</i>	16-3
	Specific Expression Scenarios	16-3
	Troubleshooting Gene Expression	16-4

16.2	Expression Using the T7 RNA Polymerase/Promoter System	16-5
	Basic Protocol: Expression Using the Two-Plasmid System	16-6
	Alternate Protocol 1: Selective Labeling of Plasmid-Encoded Proteins	16-7
	Alternate Protocol 2: Expression by Infection with M13 Phage mGP1-2	16-8
16.3	Introduction to Expression by Fusion Protein Vectors	16-9
	Solubility of the Expressed Protein	16-10
	Stability of the Expressed Protein	16-10
	Cleavage of Fusion Proteins to Remove the Carrier	16-11
16.4	Enzymatic and Chemical Cleavage of Fusion Proteins	16-12
	Basic Protocol 1: Enzymatic Cleavage of Fusion Proteins with Factor Xa	16-12
	Support Protocol: Denaturing a Fusion Protein for Factor Xa Cleavage	16-13
	Alternate Protocol 1: Enzymatic Cleavage of Fusion Proteins with Thrombin	16-13
	Alternate Protocol 2: Enzymatic Cleavage of Matrix-Bound GST Fusion Proteins	16-14
	Alternate Protocol 3: Enzymatic Cleavage of Fusion Proteins with Enterokinase	16-15
	Basic Protocol 2: Chemical Cleavage of Fusion Proteins Using Cyanogen Bromide	16-16
	Alternate Protocol 4: Chemical Cleavage of Fusion Proteins Using Hydroxylamine	16-16
	Alternate Protocol 5: Chemical Cleavage of Fusion Proteins by Hydrolysis at Low pH	16-17
16.5	Expression and Purification of Glutathione-S-Transferase Fusion Proteins	16-18
	Basic Protocol: Expression and Purification of Glutathione-S-Transferase Fusion Proteins	16-18
16.6	Expression and Purification of Thioredoxin Fusion Proteins	16-21
	Basic Protocol: Construction and Expression of a Thioredoxin Fusion Protein	16-21
	Support Protocol 1: <i>E. coli</i> Lysis Using a French Pressure Cell	16-24
	Support Protocol 2: Osmotic Release of Thioredoxin Fusion Proteins	16-26
	Support Protocol 3: Purification of Thioredoxin Fusion Proteins by Heat Treatment	16-26
16.7	Overview of the Baculovirus Expression System	16-27
	Baculovirus Expression System	16-27
	Posttranslational Modification of Proteins in Insect Cells	16-29
	Steps for Overproducing Proteins Using the Baculovirus System	16-29
	Choosing a Baculovirus Transfer Vector	16-30
	Choosing a Baculovirus DNA	16-32
	Reagents, Solutions, and Equipment for the Baculovirus System	16-33
16.8	Maintenance of Insect Cell Cultures and Generation of Recombinant Baculoviruses	16-34
	Basic Protocol 1: Maintenance and Culture of Insect Cells	16-34
	Basic Protocol 2: Cotransfection of Insect Cells Using Linearized Baculoviral DNA	16-36
	Alternate Protocol: Generation of Recombinant Baculovirus Using Wild-Type Baculoviral DNA	16-38
	Basic Protocol 3: Preparation of Baculovirus Stocks	16-41
	Basic Protocol 4: Titering Baculovirus Stocks Using Plaque Assay	16-42
16.9	Expression and Purification of Recombinant Proteins Using the Baculovirus System	16-44
	Basic Protocol 1: Small-Scale Expression for Initial Analysis	16-44
	Support Protocol 1: Determining Time Course of Maximum Protein Production	16-45
	Support Protocol 2: Metabolic Labeling of Recombinant Proteins	16-46
	Basic Protocol 2: Large-Scale Production of Recombinant Proteins	16-47
	Basic Protocol 3: Purification of Recombinant Proteins Containing a Polyhistidine (6xHis) Tag	16-48
	Alternate Protocol: Purification of Recombinant Proteins Containing a GST Tag	16-50
16.10	Overview of Protein Expression in Mammalian Cells	16-51
	Viral-Mediated Gene Transfer	16-51
	Transient Expression	16-52
	Stable DNA Transfection	16-53
	Amplification of Transfected DNA	16-54
	Expression Vectors	16-55
	Choice of Expression System	16-55
	Troubleshooting	16-55

16.11	Transient Expression of Proteins Using COS Cells	16-56
	Basic Protocol	16-56
16.12	Overview of the Vaccinia Virus Expression System	16-58
	Vaccinia Replication Cycle	16-59
	Effects of Vaccinia Infection	16-60
	Vaccinia Vector Expression System	16-60
	Steps for Expression of Genes Using Vaccinia Vectors	16-61
	Safety Precautions for Using Vaccinia	16-61
16.13	Preparation of Cell Cultures and Vaccinia Virus Stocks	16-62
	Basic Protocol 1: Culture of Monolayer Cells	16-63
	Basic Protocol 2: Culture of Cells in Suspension	16-64
	Basic Protocol 3: Preparation of a Vaccinia Virus Stock	16-65
	Support Protocol 1: Titration of Vaccinia Virus Stocks by Plaque Assay	16-66
	Basic Protocol 4: Preparation of Chicken Embryo Fibroblasts	16-67
	Basic Protocol 5: Preparation of an MVA Stock	16-68
	Support Protocol 2: Titration of MVA Stocks by Immunostaining	16-69
16.14	Generation of Recombinant Vaccinia Viruses	16-71
	Basic Protocol 1: Transfection of Infected Cells with a Vaccinia Vector	16-71
	Support Protocol 1: Purification of Vaccinia Virus	16-75
	Support Protocol 2: Isolation of Vaccinia Virus DNA	16-77
	Basic Protocol 2: Selection and Screening of Recombinant Virus Plaques	16-78
	Basic Protocol 3: Amplification of a Plaque	16-81
	Basic Protocol 4: Live Immunostaining of MVA Recombinants	16-82
	Support Protocol 3: Coating Plates with Concanavalin A	16-83
16.15	Characterization of Recombinant Vaccinia Viruses and Their Products	16-84
	Basic Protocol 1: Detection of Vaccinia DNA Using PCR	16-84
	Basic Protocol 2: Detection of Vaccinia DNA Using Southern Blot Hybridization	16-87
	Basic Protocol 3: Detection of Vaccinia DNA Using Dot-Blot Hybridization	16-88
	Alternate Protocol: Detection of Expressed Protein by a Dot-Blot Procedure	16-89
	Basic Protocol 4: Detection of Expressed Protein Using Immunoblotting	16-90
	Basic Protocol 5: Detection of Expressed Protein Using Immunoprecipitation	16-91
16.16	Gene Expression Using the Vaccinia Virus/T7 RNA Polymerase Hybrid System	16-92
	Basic Protocol 1: Liposome-Mediated Transfection Following Recombinant Vaccinia Virus (vTF7-3) Infection	16-93
	Basic Protocol 2: Coinfection with Two Recombinant Vaccinia Viruses	16-95
	Basic Protocol 3: Infection of OST7-1 Cells with a Single Virus	16-96
	Basic Protocol 4: Gene Expression Using the VOTE System	16-97
	Support Protocol: Detection of Expressed Protein Using Pulse Labeling	16-99
16.17	Inducible Gene Expression Using an Autoregulatory, Tetracycline-Controlled System	16-100
	Basic Protocol: Calcium Phosphate-Mediated Stable Transfection of NIH3T3 Cells with pTet-tTA and Tetracycline-Regulated Target Plasmids	16-102
	Support Protocol: Analysis of Target Gene Protein Expression	16-105
16.18	Expression and Purification of Epitope-Tagged Multisubunit Protein Complexes from Mammalian Cells	16-106
	Basic Protocol 1: Purification of Multisubunit Protein Complexes from Clonal Cell Lines Constitutively Expressing a Flag-Tagged Protein	16-107
	Basic Protocol 2: Purification of Multisubunit Protein Complexes from Clonal Cell Lines Conditionally Expressing the Flag-Tagged Protein	16-110
	Alternate Protocol: Purification of Multiple Forms of Epitope-Tagged Protein Complexes by Varying the Starting Material and Wash Conditions	16-113
	Support Protocol: Purification of Multiple Forms of Epitope-Tagged Protein Complexes Following a P11 Ion-Exchange Chromatographic Column	16-115

17	Analysis of Protein Phosphorylation	17-1
17.1	Overview of Protein Phosphorylation	17-2
17.2	Labeling Cultured Cells with $^{32}\text{P}_i$ and Preparing Cell Lysates for Immunoprecipitation	17-4
	Basic Protocol: Labeling Cultured Cells with $^{32}\text{P}_i$ and Lysis Using Mild Detergent	17-4
	Alternate Protocol: Lysis of Cells by Boiling in SDS	17-6
17.3	Phosphoamino Acid Analysis	17-7
	Basic Protocol: Acid Hydrolysis and Two-Dimensional Electrophoretic Analysis of Phosphoamino Acids	17-7
	Alternate Protocol: Alkali Treatment to Enhance Detection of Tyr- and Thr-Phosphorylated Proteins Blotted onto Filters	17-11
17.4	Analysis of Phosphorylation of Unlabeled Proteins	17-12
	Basic Protocol 1: Immunoblotting with Anti-Phosphotyrosine Antibodies and Detection Using [^{125}I]Protein A	17-12
	Alternate Protocol: Detection of Bound Antibodies by Enhanced Chemiluminescence (ECL)	17-13
	Basic Protocol 2: Identification of Phosphorylated Proteins by Phosphatase Digestion	17-14
17.5	Detection of Phosphorylation by Enzymatic Techniques	17-15
	Basic Protocol 1: Digestion of Phosphoproteins with Nonspecific Acid Phosphatases	17-16
	Alternate Protocol 1: Digestion of Phosphoproteins with Nonspecific Alkaline Phosphatase	17-16
	Basic Protocol 2: Digestion of Phosphoproteins with Protein Serine/Threonine Phosphatases	17-17
	Alternate Protocol 2: Digestion of Phosphoproteins with Protein Tyrosine Phosphatases	17-18
	Support Protocol: Measurement and Identification of Released ^{32}P	17-18
17.6	Production of Antibodies that Recognize Specific Tyrosine-Phosphorylated Peptides	17-19
	Basic Protocol 1: Production of Polyclonal Anti-Phosphopeptide Antibodies	17-19
	Basic Protocol 2: Production of Monoclonal Anti-Phosphopeptide Antibodies	17-21
	Support Protocol 1: Synthesis of Peptides	17-24
	Support Protocol 2: Coupling of Peptides to Affi-Gel 10 Affinity Matrix	17-24
	Support Protocol 3: Coupling of Phosphotyrosine to Affi-Gel 10 Affinity Matrix	17-25
17.7	Assays of Protein Kinases Using Exogenous Substrates	17-26
	Strategic Planning	17-26
	Basic Protocol 1: Assay for Cyclic Nucleotide-Dependent Protein Kinases	17-29
	Basic Protocol 2: Assay for Protein Kinase C Isoforms	17-30
	Basic Protocol 3: Assay for Casein Kinases Using β -Casein	17-31
	Alternate Protocol: Assay for Casein Kinases Using a Peptide Substrate	17-31
	Basic Protocol 4: Assay for Ca^{2+} /Calmodulin-Dependent Kinases	17-32
	Basic Protocol 5: Assay for Tyrosine Kinases	17-33
	Basic Protocol 6: In-Gel Protein Kinase Assays	17-34
	Support Protocol 1: Preparing a Cell Lysate for Kinase Assays	17-35
	Support Protocol 2: TCA Precipitation to Determine Incorporation of Radioactivity	17-36
	Support Protocol 3: Adsorption onto P81 Phosphocellulose Paper	17-37
17.8	Permeabilization Strategies to Study Protein Phosphorylation	17-39
	Basic Protocol: Analysis of Protein Phosphorylation in Permeabilized Cells	17-39
	Intact Cell Sample Preparation for Electrophoretic Analysis of Protein Phosphorylation	17-42
	Alternate Protocol 1: Intact Cell Sample Preparation for SDS-PAGE	17-42
	Alternate Protocol 2: Intact Cell Sample Preparation for Isoelectric Focusing	17-43
17.9	Phosphopeptide Mapping and Identification of Phosphorylation Sites	17-43
	Basic Protocol 1: Tryptic Phosphopeptide Mapping of Proteins Isolated from SDS-Polyacrylamide Gels	17-44
	Alternate Protocol: Proteolytic Digestion of Immobilized Proteins	17-50
	Support Protocol 1: Isolation of Phosphopeptides from the Cellulose Plate	17-51
	Basic Protocol 2: Determination of the Position of the Phosphorylated Amino Acid in the Peptide by Manual Edman Degradation	17-53
	Basic Protocol 3: Diagnostic Secondary Digests to Test for the Presence of Specific Amino Acids in the Phosphopeptide	17-55
	Support Protocol 2: Preparation of Phosphopeptides for Microsequence Determination or Mass Spectrometry	17-57

18	Informatics for Molecular Biologists	18-1
18.1	Sequence Similarity Searching Using the BLAST Family of Programs	18-1
	Accessing BLAST Programs and Documentation	18-2
	Introduction to BLAST	18-3
	Examples of BLAST Searches	18-6
	Searching Strategies	18-19
	Appendix A: BLAST Parameters	18-23
	Appendix B: Sequence Identifier Syntax	18-23
19	Analysis of Protein Interactions	19-1
	Introduction	19-1
	Equilibrium Parameters	19-1
	What This Chapter Describes	19-4
19.1	Interaction Trap/Two-Hybrid System to Identify Interacting Proteins	19-5
	Basic Protocol 1: Characterizing a Bait Protein	19-7
	Basic Protocol 2: Performing an Interactor Hunt	19-13
	Alternate Protocol 1: Rapid Screen for Interaction Trap Positives	19-21
	Alternate Protocol 2: Performing a Hunt by Interaction Mating	19-22
	Support Protocol 1: Preparation of Protein Extracts for Immunoblot Analysis	19-25
	Support Protocol 2: Preparation of Sheared Salmon Sperm Carrier DNA	19-25
19.2	Affinity Purification of Proteins Binding to GST Fusion Proteins	19-27
	Basic Protocol: GST Fusion Protein-Affinity Purification	19-27
	Support Protocol: Preparation of <i>E. coli</i> Extract	19-30
19.3	Phage-Based Expression Cloning to Identify Interacting Proteins	19-31
	Strategic Planning	19-32
	Basic Protocol: Interaction Cloning	19-32
19.4	Surface Plasmon Resonance for Measurements of Biological Interest	19-35
	Basic Protocol 1: SPR Using Biacore Chips	19-35
	Basic Protocol 2: SPR Using NTA-SAM Chips	19-37
19.5	Detection of Protein-Protein Interactions by Coprecipitation	19-38
	Basic Protocol: Coprecipitating Proteins with Protein A/G-Sepharose	19-38
	Alternate Protocol: Coprecipitating a GST Fusion Protein	19-39
19.6	Identification of Protein Interactions by Far Western Analysis	19-40
	Basic Protocol: Far Western Analysis of a Protein Mixture	19-40
	Alternate Protocol 1: Detecting Interacting Proteins by Immunoblotting	19-41
	Alternate Protocol 2: Using Peptides to Identify Specific Interacting Sequences in a Far Western Blot	19-43
20	Chromatin Assembly and Analysis	20-1
20.1	Micrococcal Nuclease Analysis of Chromatin Structure	20-2
	Basic Protocol 1: Micrococcal Nuclease Digestion of Chromatin in Permeabilized Cells	20-2
	Basic Protocol 2: Micrococcal Nuclease Digestion of Chromatin in Isolated Nuclei	20-3
	Basic Protocol 3: Micrococcal Nuclease Digestion of Purified Genomic DNA	20-5
	Support Protocol 1: Purification and Characterization of DNA from Chromatin Digestions	20-6
	Support Protocol 2: Nuclease Cleavage Mapping Strategies	20-8
	Support Protocol 3: Using a Modified LM-PCR Procedure to Map Double-Stranded MNase Cleavages at the Nucleotide Level of Resolution	20-10

20.2	Separation of Histone Variants and Post-Translationally Modified Isoforms by Triton/Acetic Acid/Urea Polyacrylamide Gel Electrophoresis	20-11
	Basic Protocol: Triton/Acetic Acid/Urea (TAU) Polyacrylamide Gel Electrophoresis for Analysis of Histones	20-11
	Support Protocol 1: Assembly of Gel Plates	20-14
	Support Protocol 2: Histone Isolation from Prepared Nuclei	20-14
	Support Protocol 3: Electrophoretic Transfer of TAU-Polyacrylamide Gels	20-15
20.3	Characterization of Proteins Bound to Chromatin by Immunoprecipitation from Whole-Cell Extracts	20-16
	Basic Protocol: Characterization of Proteins Bound to Chromatin by Immunoprecipitation from Whole-Cell Extracts	20-16
20.4	Isolation of Histones and Nucleosome Cores from Mammalian Cells	20-20
	Basic Protocol 1: Preparation of a Washed Nuclear Pellet	20-20
	Basic Protocol 2: Solubilization and Purification of Histone H1-Depleted Oligonucleosomes	20-21
	Basic Protocol 3: Purification of Mono- and Dinucleosomes	20-23
	Basic Protocol 4: Purification of Core Histones by Hydroxylapatite Chromatography	20-24
20.5	Assembly of Nucleosomal Templates by Salt Dialysis	20-25
	Basic Protocol 1: Assembly of Nucleosomal Templates by Step Salt Dialysis	20-26
	Basic Protocol 2: Assembly of High Concentration of Mononucleosomes by Gradient Salt Dialysis	20-27
	Basic Protocol 3: Assembly of Nucleosomal Arrays by Gradient Salt Dialysis	20-28
	Support Protocol 1: Purification of Recombinant Core Histones from Bacteria	20-29
	Support Protocol 2: Preparation of Single 5' End-Labeled DNA for Mononucleosome Assembly	20-30
	Support Protocol 3: Preparation of DNA for Assembly of High Concentration Unlabeled Mononucleosomes	20-31
	Support Protocol 4: Preparation of DNA for Nucleosomal Arrays	20-32
	Support Protocol 5: Analysis of Reconstituted Complexes by Agarose Gel Electrophoresis	20-32
	Support Protocol 6: Analysis of Reconstituted Complexes by Polyacrylamide Gel Electrophoresis	20-33
	Support Protocol 7: <i>EcoRI</i> Digestion to Determine Extent of G5E4 Array Assembly	20-34
20.6	Chromatin Assembly Using <i>Drosophila</i> Systems	20-34
	Basic Protocol 1: Preparation of the <i>Drosophila</i> S-190 Chromatin Assembly Extract	20-34
	Basic Protocol 2: Purification of Core Histones from the <i>Drosophila</i> Embryos	20-36
	Basic Protocol 3: Chromatin Assembly with the S-190 Extract	20-38
	Basic Protocol 4: Expression and Purification of the Recombinant <i>Drosophila</i> Acf	20-40
	Basic Protocol 5: Expression and Purification of the Recombinant <i>Drosophila</i> NAP-1	20-41
	Alternate Protocol 1: Expression and Purification of the Recombinant <i>Drosophila</i> NAP-1 (NTA Superflow Resin)	20-43
	Basic Protocol 6: Chromatin Assembly with Purified Recombinant <i>Drosophila</i> Factors	20-43
	Alternate Protocol 2: Titration of the Ratio of Core Histones to DNA in the Recombinant Chromatin Assembly Reaction	20-45
	Support Protocol: Expression and Purification of the Core Catalytic Domain of the <i>Drosophila</i> Topoisomerase I	20-46

21 Nucleic Acid Arrays **21-1**

21.1	Overview of Nucleic Acid Arrays	21-1
	What Are Microarrays Good For?	21-2
	What Else Are Nucleic Acid Microarrays Good For?	21-3
	What About Data Analysis?	21-5
	Where Can I Get More Information?	21-5

21.2	Preparation of mRNA for Expression Monitoring	21-6
	Strategic Planning	21-6
	Basic Protocol: Amplification of mRNA for Expression Monitoring and Hybridization to Oligonucleotide Array Chips	21-7
	Support Protocol 1: In Vitro Transcription of Control Genes and Preparation of Transcript Pools	21-12
	Alternate Protocol: Solid-Phase Reversible Immobilization (SPRI) Purification of cDNA and IVT Products	21-14
	Support Protocol 2: Quantitation of cDNA	21-15
21.3	Profiling Human Gene Expression with cDNA Microarrays	21-16
	Basic Protocol 1: cDNA Amplification and Printing	21-16
	Basic Protocol 2: RNA Extraction and Labeling	21-21
	Basic Protocol 3: Hybridization and Data Extraction	21-24
	Support Protocol 1: Agarose Gel Electrophoresis of ESTs	21-26
	Support Protocol 2: Fluorometric Determination of DNA Concentration	21-28
	Support Protocol 3: Coating Slides with Poly-L-Lysine	21-29
22	Generation and Use of Combinatorial Libraries	22-1
22.1	Design, Synthesis, and Amplification of DNA Pools for Construction of Combinatorial Pools and Libraries	22-1
	Basic Protocol 1: Purification of a Random Sequence Pool	22-1
	Support Protocol 1: Determining the Pool Complexity	22-3
	Support Protocol 2: Determining the Pool Bias	22-4
	Support Protocol 3: Small-Scale PCR Optimization of Pool Amplification	22-4
	Basic Protocol 2: Large-Scale PCR Amplification of Pool DNA	22-5
22.2	Peptide Aptamers: Dominant “Genetic” Agents for Forward and Reverse Analysis of Cellular Processes	22-7
	Basic Protocol 1: Construction of a Combinatorial Thioredoxin Peptide Aptamer Library	22-8
	Basic Protocol 2: Isolation of Peptide Aptamers for Specific Proteins Using the Interaction Trap Two-Hybrid System	22-10
	Basic Protocol 3: Defining Recognition Specificity with Interaction Mating	22-12
	Basic Protocol 4: Affinity Maturation of Peptide Aptamers	22-13
	Basic Protocol 5: Forward Analysis of Cellular Processes Using Peptide Aptamers	22-15
	Support Protocol: Identification of Peptide Aptamer Targets	22-16
22.3	Protein Selection Using mRNA Display	22-17
	Basic Protocol 1: Preparation and Purification of mRNA-Displayed Proteins	22-17
	Basic Protocol 2: Purification and Reverse Transcription of the mRNA-Displayed Proteins	22-20
	Basic Protocol 3: Selection and Amplification of the mRNA-Displayed Proteins	22-23
	Support Protocol 1: Flag Tag Purification	22-27
	Support Protocol 2: Mutagenic PCR	22-28
23	Discovery and Analysis of Differentially Expressed Genes in Single Cells and Cell Populations	23-1
23.1	Production of a Subtracted cDNA Library	23-2
	Basic Protocol: Production of a Subtracted Library	23-2
23.2	PCR-Based Subtractive cDNA Cloning	23-6
	Basic Protocol: Construction of Subtracted cDNA Libraries	23-6
	Support Protocol: Slot Blot Hybridization to Monitor Subtraction	23-12
23.3	Differential Display of mRNA by PCR	23-14
	Basic Protocol: Differential Display of mRNA by PCR	23-14
23.4	Restriction-Mediated Differential Display (RMDD)	23-18
	Strategic Planning	23-18
	Basic Protocol: RMDD Library Preparation and Two-Round Amplification	23-19
	Alternate Protocol: Amplification by Two-Phase PCR	23-24
	Support Protocol: Direct Blotting Electrophoresis	23-25

23.5	AFLP-Based Transcript Profiling	23-27
	Basic Protocol: AFLP-Based Transcript Profiling	23-27
23.6	Serial Analysis of Gene Expression (SAGE)	23-34
	Basic Protocol: Serial Analysis of Gene Expression (SAGE)	23-34
	Support Protocol 1: Verifying cDNA Production by PCR Analysis	23-46
	Support Protocol 2: Optimizing Ditag PCR Amplification	23-46

Appendices

A1	Reagents and Solutions	A1-1
A2	Useful Measurements and Data	A2-1
A3	Commonly Used Techniques in Biochemistry and Molecular Biology	A3-1
	3A Detection and Quantitation of Radiolabeled Proteins and DNA in Gels and Blots	A3-1
	3B Silanizing Glassware	A3-9
	3C Dialysis and Ultrafiltration	A3-10
	3D Quantitation of DNA and RNA with Absorption and Fluorescence Spectroscopy	A3-15
	3E Introduction of Restriction Enzyme Recognition Sequences by Silent Mutation	A3-20
	3F Techniques for Mammalian Cell Tissue Culture	A3-22
	3G Safe Use of Radioisotopes	A3-31
	3H Statistics for the Molecular Biologist: Group Comparisons	A3-43
A4	Selected Suppliers of Reagents and Equipment	A4-1
	References	1

Index