

# BROADBAND ACCESS

## TECHNOLOGY, INTERFACES, AND MANAGEMENT

Alex Gillespie

# Contents

| <b>Contents</b>  |          | <b>v</b>     |
|--|----------|--------------|
| <b>Preface</b>   |          | <b>xxiii</b> |
| Conventions  |          | <i>xxiv</i>  |
| Acknowledgments  |          | <i>xxiv</i>  |
| <b>1      Overview</b>   | <b>1</b> |              |
| 1.1     Broadband and ATM  | 2        |              |
| 1.2     The Evolution Toward Broadband                           | 3        |              |
| 1.3     Access Networks, Core Networks, and<br>Service Providers | 3        |              |
| 1.4     Broadband Technology                                     | 4        |              |
| 1.4.1     Access Network Technology                              | 4        |              |
| 1.4.2     Upgrading the Core Network                             | 7        |              |
| 1.4.3     The Boundary Between Core and Access Networks          | 8        |              |
| 1.5     Summary  | 9        |              |

---

|          |   |           |
|----------|---|-----------|
| <b>2</b> | <b><u>Network Architecture</u></b>      | <b>11</b> |
| 2.1      | Computer Networks                       | 12        |
| 2.1.1    | Repeaters, Bridges, and Routers         | 12        |
| 2.1.2    | Internets, Intranets, and the Internet  | 13        |
| 2.1.3    | Remote Internet Access                  | 14        |
| 2.2      | Broadband Access and Service Providers  | 14        |
| 2.2.1    | Service and Service Provider Interfaces | 15        |
| 2.2.2    | End-User Choice and Network Complexity  | 16        |
| 2.3      | Broadband Access Architecture           | 16        |
| 2.3.1    | Technology, Services, and Dimensioning  | 16        |
| 2.3.2    | Services and the Core Architecture      | 18        |
| 2.4      | The ATM Core                            | 18        |
| 2.4.1    | Permanent Virtual Connections           | 19        |
| 2.4.2    | Switched Virtual Connections            | 20        |
| 2.5      | Summary                                 | 21        |
|          | References                              | 22        |
| <b>3</b> | <b><u>Economic Considerations</u></b>   | <b>23</b> |
| 3.1      | Broadband Service Considerations        | 23        |
| 3.1.1    | Video-on-Demand (VoD)                   | 24        |
| 3.1.2    | Internet Access                         | 25        |
| 3.1.1    | Video Telephony                         | 27        |
| 3.2      | Broadband Connection Considerations     | 28        |
| 3.3      | Summary                                 | 29        |
| <b>4</b> | <b><u>SONET/SDH</u></b>                 | <b>31</b> |
| 4.1      | The Historical Background               | 31        |
| 4.1.1    | The Plesiochronous Digital Hierarchies  | 32        |
| 4.1.2    | Synchronous Transport Signals           | 33        |
| 4.2      | Multiplexing and Architecture           | 34        |

|          |   |           |
|----------|---|-----------|
| 4.2.1    | The Three Laws                                      | 34        |
| 4.2.2    | From Tributaries to Synchronous Interfaces          | 36        |
| 4.2.3    | The Functional Architecture                         | 41        |
| 4.3      | Adaptation Overheads and Synchronization            | 43        |
| 4.3.1    | Synchronization and Coordination                    | 44        |
| 4.3.2    | Pointers and Rate Adaptation Channels               | 45        |
| 4.4      | Layer-Specific Overheads and OAM Flows              | 46        |
| 4.4.1    | Common OAM Functions                                | 47        |
| 4.4.2    | Section Layer Overheads                             | 48        |
| 4.4.3    | Path Layer Overheads                                | 48        |
| 4.5      | The Management Interface and Management Model       | 49        |
| 4.5.1    | Objects and Relationships in the Management Model   | 50        |
| 4.5.2    | Transactions for the Management Model               | 53        |
| 4.6      | Summary   | 54        |
|          | References  | 55        |
| <b>5</b> | <b>ATM Fundamentals and Management Modeling</b>     | <b>57</b> |
| 5.1      | Paths, Channels, and Cells                          | 57        |
| 5.1.1    | Physical Paths, Virtual Paths, and Virtual Channels | 58        |
| 5.1.2    | The Format of ATM Cells                             | 58        |
| 5.1.3    | Comments on ATM Cells                               | 60        |
| 5.2      | ATM Layers and Functions                            | 61        |
| 5.2.1    | The Transmission Convergence Layer                  | 62        |
| 5.2.2    | The VP and VC Layers                                | 63        |
| 5.2.3    | Higher Order Layers                                 | 63        |
| 5.3      | The Basic Management Model for ATM                  | 64        |
| 5.3.1    | ATM Configuration Management                        | 64        |
| 5.3.2    | ATM Performance Management                          | 68        |

---

|          |  |           |
|----------|--|-----------|
| 5.4      | Summary  | 69        |
|          | References   | 71        |
| <b>6</b> | <b>ATM Operations, Administration, and Maintenance (OAM) Flows</b> | <b>73</b> |
| 6.1      | OAM Flow Layers and Ranges   | 74        |
| 6.2      | OAM Cell Types and Functions                                       | 76        |
| 6.2.1    | Fault Management   | 77        |
| 6.2.2    | Performance Management   | 79        |
| 6.2.3    | Activation/Deactivation  | 82        |
| 6.3      | The Operations System (OS) Interface                               | 84        |
| 6.3.1    | The Notification for Defect Reporting                              | 84        |
| 6.3.2    | Loopback   | 85        |
| 6.3.3    | Continuity Checking  | 85        |
| 6.3.4    | Performance Monitoring   | 87        |
| 6.4      | Problems and Deficiencies  | 88        |
| 6.5      | Summary  | 90        |
|          | References   | 90        |
| <b>7</b> | <b>ATM Adaptation for Client Services</b>                          | <b>91</b> |
| 7.1      | Introduction   | 91        |
| 7.1.1    | The Structure of the ATM Adaptation Layers                         | 92        |
| 7.1.2    | Management Modeling of ATM Adaptation                              | 93        |
| 7.2      | Synchronous Traffic (AAL1 and AAL2)                                | 94        |
| 7.2.1    | AAL1 Segmentation and Reassembly                                   | 95        |
| 7.2.2    | AAL1 Synchronization Modes   | 96        |
| 7.2.3    | The AAL1 Convergence Sublayer (CS)                                 | 97        |
| 7.2.4    | AAL1 Management and Modeling                                       | 98        |
| 7.2.5    | Synchronous Variable Rate Traffic (AAL2)                           | 99        |
| 7.3      | Asynchronous Traffic—Original (AAL3/4)                             | 100       |
| 7.3.1    | AAL3/4 Segmentation and Reassembly                                 | 100       |

|          |   |            |
|----------|---|------------|
| 7.3.2    | AAL3/4 Convergence Sublayer (CS)                                    | 101        |
| 7.3.3    | AAL3/4 Management and Modeling                                      | 102        |
| 7.4      | Asynchronous Traffic—Streamlined (AAL5)                             | 104        |
| 7.4.1    | AAL5 Segmentation and Reassembly                                    | 104        |
| 7.4.2    | The Common Part of the AAL5<br>Convergence Sublayer                 | 105        |
| 7.4.3    | AAL5 Management and Modeling  | 106        |
| 7.4.4    | Internet Protocol (IP) over AAL5                                    | 107        |
| 7.5      | The Signaling ATM Adaptation Layer (SAAL)                           | 107        |
| 7.5.1    | The Service-Specific Connection-Oriented<br>Protocol (SSCOP)        | 108        |
| 7.5.2    | The Service-Specific Coordination Functions<br>(SSCFs) for the SAAL | 112        |
| 7.5.3    | Management Modeling of the SAAL                                     | 113        |
| 7.6      | Comments on ATM Adaptation  | 114        |
| 7.7      | Summary   | 114        |
|          | References  | 115        |
| <b>8</b> | <b><u>ATM Signaling</u></b>   | <b>117</b> |
| 8.1      | Background  | 117        |
| 8.1.1    | ITU-T and the ATM Forum   | 118        |
| 8.1.2    | Interworking  | 119        |
| 8.2      | Services, Addresses, and Topology                                   | 119        |
| 8.2.1    | Bearer Services and Telecommunications Services<br>(Teleservices)   | 119        |
| 8.2.2    | ATM Addresses   | 120        |
| 8.2.3    | Connection Topologies   | 121        |
| 8.3      | UNI Signaling   | 122        |
| 8.3.1    | ITU-T UNI Signaling   | 122        |
| 8.3.2    | ATM Forum UNI Signaling   | 124        |
| 8.4      | NNI Signaling   | 124        |

---

|           |   |            |
|-----------|---|------------|
| 8.4.1     | ITU-T NNI Signaling   | 125        |
| 8.4.2     | ATM Forum Intra-NNI Signaling                               | 129        |
| 8.4.3     | ATM Forum Inter-NNI Signaling                               | 131        |
| 8.5       | Summary   | 131        |
|           | References  | 132        |
| <b>9</b>  | <b><u>Management of ATM Switches</u></b>                    | <b>133</b> |
| 9.1       | Background  | 133        |
| 9.2       | ATM Interfaces  | 134        |
| 9.2.1     | Modeling of UNIs  | 134        |
| 9.2.2     | Modeling of NNIs  | 135        |
| 9.3       | Service Profiles  | 136        |
| 9.3.1     | Bearer Services, Teleservices, and Supplementary Services   | 137        |
| 9.3.2     | Modeling of Supplementary Services                          | 138        |
| 9.3.3     | Customizing Services for Addresses                          | 140        |
| 9.3.4     | The Circuit Emulation Service                               | 140        |
| 9.4       | Configuration of the Routing Algorithm                      | 141        |
| 9.4.1     | Modification of Destination Addresses                       | 142        |
| 9.4.2     | Local Destinations  | 142        |
| 9.4.3     | Abstract (Remote) Destinations                              | 143        |
| 9.4.4     | Routes to Remote Destinations<br>(Post Analysis Evaluation) | 143        |
| 9.5       | Summary   | 144        |
|           | References  | 145        |
| <b>10</b> | <b><u>Internet Communication</u></b>                        | <b>147</b> |
| 10.1      | Introduction  | 147        |
| 10.2      | IP Addresses and Address Resolution                         | 149        |
| 10.2.1    | The Address Resolution Protocol (ARP)                       | 150        |
| 10.2.2    | The Reverse Address Resolution Protocol (RARP)              | 152        |

|           |  |            |
|-----------|--|------------|
| 10.2.3    | Multicasting on the Internet   | 153        |
| 10.2.4    | Advanced Address Registration:<br>BOOTP and DHCP                     | 154        |
| 10.3      | IP Over ATM  | 155        |
| 10.3.1    | ATM Link-Level Addresses   | 156        |
| 10.3.2    | The ATM Address Resolution Protocol<br>(ATMARP)                      | 157        |
| 10.4      | Internet Control Messages  | 159        |
| 10.4.1    | Control on the Local Network   | 160        |
| 10.4.2    | Reporting Discarded Datagrams  | 161        |
| 10.4.3    | End-to-End Control   | 163        |
| 10.5      | End-to-End Data Transport  | 164        |
| 10.5.1    | The User Datagram Protocol (UDP)                                     | 165        |
| 10.5.2    | The Transmission Control Protocol (TCP)                              | 167        |
| 10.6      | Routing  | 171        |
| 10.6.1    | Algorithms: Distance Vector and Shortest Path                        | 171        |
| 10.6.2    | Autonomous Systems, Gateway Protocols, and<br>the Internet Core      | 172        |
| 10.6.3    | The Exterior Gateway Protocol (EGP)                                  | 173        |
| 10.6.4    | The Routing Information Protocol (RIP) and<br>Routing Loop Avoidance | 176        |
| 10.6.5    | The Border Gateway Protocol (BGP)                                    | 176        |
| 10.6.6    | Open Shortest Path First (OSPF)                                      | 177        |
| 10.7      | Summary  | 177        |
|           | References   | 179        |
| <b>11</b> | <b><u>Internet Applications</u></b>                                  | <b>181</b> |
| 11.1      | Introduction   | 181        |
| 11.2      | User-Friendly Addresses:<br>The Domain Name System                   | 182        |
| 11.3      | The Internet Trinity   | 184        |

---

|           |   |            |
|-----------|---|------------|
| 11.3.1    | Remote Login: TELNET                                      | 184        |
| 11.3.2    | The File Transfer Protocol (FTP)                          | 185        |
| 11.3.3    | Electronic Mail (e-mail)                                  | 186        |
| 11.4      | Hypertext and the World Wide Web                          | 187        |
| 11.4.1    | HTTP Messages   | 188        |
| 11.4.2    | HTTP Methods  | 188        |
| 11.4.3    | Responses to HTTP Requests                                | 189        |
| 11.5      | Remote Procedure Calls                                    | 190        |
| 11.6      | Summary   | 191        |
|           | References  | 193        |
| <b>12</b> | <b>Management of the Internet (SNMP)</b>                  | <b>195</b> |
| 12.1      | Messages and MIBs   | 196        |
| 12.1.1    | Abstract Syntax Notation One (ASN.1) and<br>SNMP Messages | 196        |
| 12.1.2    | MIBs and Internet Management                              | 198        |
| 12.2      | Basic MIB-II Groups and Their Evolution                   | 198        |
| 12.2.1    | The System Group  | 198        |
| 12.2.2    | The Interfaces Group                                      | 198        |
| 12.2.3    | The Internet Protocol (IP) Group                          | 201        |
| 12.2.4    | The Internet Control Message Protocol<br>(ICMP) Group     | 201        |
| 12.2.5    | The Transmission Control Protocol (TCP) Group             | 201        |
| 12.2.6    | The User Datagram Protocol (UDP) Group                    | 202        |
| 12.2.7    | The Exterior Gateway Protocol (EGP) Group                 | 202        |
| 12.2.8    | The Simple Network Management Protocol<br>(SNMP) Group    | 203        |
| 12.3      | Additional Groups   | 203        |
| 12.3.1    | Internet Additions  | 203        |
| 12.3.2    | Network Groups  | 205        |
| 12.3.3    | Other Groups  | 206        |
| 12.4      | The Technology-Specific Groups                            | 207        |

|           |   |            |
|-----------|---|------------|
| 12.5      | Summary                                       | 207        |
|           | References                                    | 208        |
| <b>13</b> | <b>ADSL Transmission</b>                      | <b>211</b> |
| 13.1      | Tones, Modulation, and Coding                 | 212        |
| 13.1.1    | Tones   | 212        |
| 13.1.2    | Modulation                                    | 213        |
| 13.3.3    | Trellis Coding                                | 214        |
| 13.2      | Frames, Superframes, and Symbols              | 216        |
| 13.2.1    | Frames, Superframes, and Tone Allocation      | 216        |
| 13.2.2    | Payload Frames and ADSL Channels              | 216        |
| 13.3      | Forward Error Correction                      | 217        |
| 13.3.1    | Error Detection and Error Correction          | 217        |
| 13.3.2    | Forward Error Correction in ADSL              | 219        |
| 13.4      | Channels, Ports, and Framing                  | 219        |
| 13.4.1    | Bearer Channels, ADSL Channels, and ATM Ports | 219        |
| 13.4.2    | Framing and Overheads                         | 220        |
| 13.5      | Summary                                       | 221        |
|           | References                                    | 222        |
| <b>14</b> | <b>ADSL Management</b>                        | <b>223</b> |
| 14.1      | The ADSL MIB Module                           | 224        |
| 14.1.1    | Technology-Independent Information            | 224        |
| 14.1.2    | ADSL-Specific Information                     | 224        |
| 14.2      | The CMIP Model for the Management of ADSL     | 229        |
| 14.2.1    | Configuration, Status, and Alarms             | 231        |
| 14.2.2    | Profiles                                      | 231        |
| 14.2.3    | Performance Monitoring                        | 231        |
| 14.3      | Summary                                       | 234        |
|           | References                                    | 234        |

|           |  |            |
|-----------|--|------------|
| <b>15</b> | <b><u>VB5 Access Architecture</u></b>                    | <b>237</b> |
| 15.1      | Service Nodes (SNs) and VB5 Interfaces                   | 237        |
| 15.2      | Logical Ports and Physical Ports                         | 238        |
| 15.2.1    | Logical User Ports (LUPs)                                | 239        |
| 15.2.2    | The Logical Service Port (LSP)                           | 240        |
| 15.2.3    | System Configuration                                     | 241        |
| 15.3      | Signaling and UNI Accesses                               | 242        |
| 15.3.1    | The VB5 Protocols  | 242        |
| 15.3.2    | User Signaling and UNI Accesses                          | 244        |
| 15.4      | Comments on the VB5 Architecture                         | 244        |
| 15.5      | Summary  | 245        |
|           | References   | 245        |
| <b>16</b> | <b><u>VB5 Protocols</u></b>                              | <b>247</b> |
| 16.1      | VB5 Messages and Message Format                          | 247        |
| 16.2      | Protocol Errors  | 249        |
| 16.2.1    | The Protocol Error Cause Information Element             | 250        |
| 16.3      | The Real-Time Management Coordination (RTMC) Protocol    | 250        |
| 16.3.1    | Some Problems with I.610                                 | 250        |
| 16.3.2    | RTMC Messages  | 251        |
| 16.3.3    | RTMC Information Elements                                | 261        |
| 16.4      | The Broadband Bearer Connection Control (B-BCC) Protocol | 263        |
| 16.4.1    | B-BCC Messages   | 263        |
| 16.4.2    | B-BCC Information Elements                               | 271        |
| 16.4.3    | B-BCC Protocol Anomalies                                 | 273        |
| 16.5      | Summary  | 275        |
|           | References   | 275        |

---

|           |   |            |
|-----------|---|------------|
| <b>17</b> | <b><u>VB5 Management</u></b>                        | <b>277</b> |
| 17.1      | Background  | 277        |
| 17.2      | VPs, Logical User Ports, and Logical Service Ports  | 279        |
| 17.2.1    | VP Level Configuration in the Service Node          | 279        |
| 17.2.2    | VP Level Configuration in the Access Network        | 281        |
| 17.2.3    | Configuration of VB5 Protocols                      | 281        |
| 17.3      | The Relationship with VB5 Messages                  | 282        |
| 17.3.1    | Start-Up of an Interface                            | 282        |
| 17.3.2    | Checking the Interface                              | 283        |
| 17.3.3    | Resetting the VB5 Interface                         | 283        |
| 17.3.4    | The State of Resources                              | 283        |
| 17.4      | Broadband Access Coordination: X-VB5                | 284        |
| 17.4.1    | Specific X-VB5 Transactions                         | 284        |
| 17.4.2    | Generalized X-VB5 Transactions                      | 285        |
| 17.4.3    | RPC Specification of X-VB5 Transaction Requirements | 286        |
| 17.5      | Summary   | 287        |
|           | References  | 288        |
| <b>18</b> | <b><u>Optical Access</u></b>                        | <b>289</b> |
| 18.1      | Background  | 289        |
| 18.2      | ATM PON Architecture                                | 290        |
| 18.2.1    | ATM PON Transmission                                | 291        |
| 18.2.2    | VDSL Transmission on Hybrid Architectures           | 293        |
| 18.3      | PLOAM Cells on ATM PONs                             | 294        |
| 18.3.1    | Common PLOAM Fields                                 | 295        |
| 18.3.2    | Downstream-Only PLOAM Fields                        | 296        |
| 18.3.3    | Upstream-Only PLOAM Fields                          | 297        |
| 18.4      | OLT/ONU Coordination                                | 298        |

|           |   |            |
|-----------|---|------------|
| 18.5      | Summary   | 298        |
|           | References  | 299        |
| <b>19</b> | <b><u>ATM Enhancements</u></b>                          | <b>301</b> |
| 19.1      | Background  | 301        |
| 19.2      | Enhanced OAM Flows                                      | 302        |
| 19.3      | ATM (Automatic Protection Switching) APS                | 304        |
| 19.3.1    | Types of Protection Switching                           | 304        |
| 19.3.2    | The Protection Protocol                                 | 305        |
| 19.3.3    | Conditions, Commands, and States                        | 306        |
| 19.4      | Paths and Connections                                   | 307        |
| 19.4.1    | Switched Virtual Paths                                  | 307        |
| 19.4.2    | Soft Permanent Virtual Connections (S-PVCs)             | 308        |
| 19.4.3    | Multipoint Connections                                  | 309        |
| 19.5      | Traffic, Services, and Quality                          | 311        |
| 19.5.1    | ATMF Service Categories and ITU-T Transfer Capabilities | 312        |
| 19.5.2    | Traffic Parameters, QoS Parameters, and QoS Classes     | 313        |
| 19.6      | Summary   | 314        |
|           | References  | 315        |
| <b>20</b> | <b><u>Optical Technology for IP</u></b>                 | <b>317</b> |
| 20.1      | Background  | 317        |
| 20.2      | IP over Serial Data Links                               | 318        |
| 20.3      | Optical IP Transmission                                 | 320        |
| 20.3.1    | IP over SONET/SDH                                       | 320        |
| 20.3.2    | ATM Versus SONET/SDH                                    | 321        |
| 20.3.3    | IP over WDM   | 322        |

|           |                                      |            |
|-----------|--------------------------------------|------------|
| 20.4      | Optical IP Networks                  | 323        |
| 20.4.1    | Optical Burst Switching              | 323        |
| 20.4.2    | Optical Flow Switching               | 324        |
| 20.4.3    | WDM LANs and WANs                    | 325        |
| 20.4.4    | Superimposed Optical Topologies      | 326        |
| 20.5      | Summary                              | 326        |
|           | References                           | 327        |
| <b>21</b> | <b>The Way Forward</b>               | <b>329</b> |
| 21.1      | Background                           | 330        |
| 21.2      | Multiprotocol Label Switching        | 330        |
| 21.2.1    | Forwarding Equivalent Classes        | 331        |
| 21.2.2    | Creating Label-Switched Paths (LSPs) | 332        |
| 21.2.3    | MPLS Versus ATM                      | 333        |
| 21.3      | Internet Protocol Version 6          | 334        |
| 21.3.1    | Datagram Format                      | 334        |
| 21.3.2    | Fields and Headers                   | 334        |
| 21.4      | The Resource Reservation Protocol    | 336        |
| 21.5      | Shortcut Routing                     | 337        |
| 21.5.1    | Policy-Based Shortcuts               | 338        |
| 21.5.2    | Next Hop Resolution Protocol         | 339        |
| 21.5.3    | Topology-Independent Shortcuts       | 340        |
| 21.6      | RSVP for ATM                         | 341        |
| 21.6.1    | Quality in IP and ATM                | 341        |
| 21.6.2    | Making Shortcuts with Reservations   | 342        |
| 21.6.3    | Proxy Addresses and VB5              | 343        |
| 21.7      | Summary                              | 343        |
|           | References                           | 345        |

|  |            |
|--|------------|
| <b><u>Acronyms and Abbreviations</u></b> | <b>347</b> |
|--|------------|

|                                |            |
|--------------------------------|------------|
| <b><u>About the Author</u></b> | <b>363</b> |
|--------------------------------|------------|

|                     |            |
|---------------------|------------|
| <b><u>Index</u></b> | <b>365</b> |
|---------------------|------------|