WILEY-VCH

Marko Zlokarnik

Stirring

Theory and Practice



Contents

Preface *xii*
Symbols *xv*

1 **Stirring, general** *1*
1.1 Stirring operations *1*
1.2 Mixing equipment *2*
1.2.1 Mixing tanks and their fittings *2*
1.2.2 Stirrer types and their operating characteristics *6*
1.2.3 Nozzles and spargers *11*
1.2.4 Sealing of stirrer shafts *12*
1.3 Mechanical stress *14*
1.3.1 Stress on baffles *14*
1.3.2 Stress on stirrer heads *14*
1.3.3 Tank vibrations *15*
1.3.4 Wear of stirrer heads *15*
1.3.5 Shear stress on the particulate material beinig mixed *16*
1.4 Flow and Turbulence *20*
1.4.1 Introduction *20*
1.4.2 Statistical theory of turbulence *21*
1.4.2.1 Description of turbulent flow *23*
1.4.2.2 Energy spectra *25*
1.4.3 Experimental determination of state of flow flow and its mathematical modeling *27*
1.4.3.1 Homogeneous material systems *27*
1.4.3.2 Heterogeneous G/L material systems *34*
1.4.3.3 Heterogeneous L/L material systems *34*
1.4.4 Pumping capacity of stirrers *34*
1.4.5 Surface motion *36*
1.4.5.1 Vortex formation. Definition of geometric parameters *36*
1.4.5.2 Gas entrainment via vortex *39*
1.4.6 Micro-mixing and reactions *40*
1.4.6.1 Introduction *40*
1.4.6.2 Theoretical prediction of micro-mixing *43*
1.4.6.3 Chemical reactions for determining micro-mixing *45*

1.4.6.4 Experimental determination of micro-mixing *48*
1.5 Short introduction to rheology *50*
1.5.1 Newtonian liquids *50*
1.5.2 Non-Newtonian liquids *51*
1.5.3 Dimensionless representation of material functions *57*
1.6 Short introduction to dimensional analysis and scale-up *60*
1.6.1 Introduction *60*
1.6.2 Dimensional analysis *62*
1.6.2.1 Fundamentals *62*
1.6.2.2 Dimensions and physical quantities *62*
1.6.2.3 Primary and secondary quantities; dimensional constants *62*
1.6.2.4 Dimensional systems *63*
1.6.2.5 Dimensional homogeneity of a physical relationship *63*
1.6.2.6 The pi theorem *66*
1.6.3 Construction of pi sets using matrix transformation *66*
1.6.3.1 Drawing-up of a relevance list for a problem *66*
1.6.3.2 Determination of the characteristic geometric parameter *67*
1.6.3.3 Constructing and solving of the dimensional matrix *68*
1.6.3.4 Determination of the process characteristics *69*
1.6.4 Fundamentals of the model theory and scale-up *70*
1.6.4.1 Model theory *70*
1.6.4.2 Model experiments and scale-up *71*
1.6.5 Remarks regarding the relevance list and experimental technique *72*
1.6.5.1 Taking into consideration of the acceleration due to gravity g *72*
1.6.5.2 Introduction of intermediate quantities *72*
1.6.5.3 Dealing with material systems with unknown physical properties *72*
1.6.5.4 Experimental methods for scale-up *73*
1.6.6 Conclusions *73*
1.6.6.1 Advantages of use of dimensional analysis *73*
1.6.6.2 Range of applicability of dimensional analysis *74*

2 Stirrer power *76*
2.1 Stirrer power in a homogeneous liquid *76*
2.1.1 Newtonian liquids *76*
2.1.2 Non-Newtonian liquids *82*
2.2 Stirrer power in G/L systems *83*
2.2.1 Newtonian liquids *83*
2.2.2 Non-Newtonian liquids *90*
2.3 Flooding point *94*

3 Homogenization *97*
3.1 Definition of macro- and micro-mixing *97*
3.2 Definition of degree of mixing *98*
3.3 Determination of the degree of mixing and the mixing time *100*
3.3.1 Physical methods *101*

3.3.2 Chemical measurement methods *102*
3.3.3 Degree of mixing and molar excess *102*
3.4 Homogenization characteristics *104*
3.4.1 Material systems without density and viscosity differences *104*
3.4.2 Material systems with density and viscosity differences *110*
3.4.3 Non-Newtonian mixtures *112*
3.5 Optimization to minimum mixing work *116*
3.6 Scale-up of the homogenization process *118*
3.7 Homogenization in storage tanks *122*
3.7.1 Homogenization with propellers *122*
3.7.2 Homogenization with liquid jets *123*
3.7.3 Homogenization through rising up gas bubbles *123*

4 Gas-liquid contacting *126*
4.1 Introduction *126*
4.2 Physical fundamentals of mass transfer *126*
4.2.1 Determining the driving force *126*
4.2.2 Temperature dependence of $k_L a$ *129*
4.2.3 Saturation concentration c_s of the gas in the liquid *130*
4.2.4 Definition of the characteristic concentration difference Δc *130*
4.2.5 Consideration of the absorption process from a physical and industrial viewpoint *132*
4.3 Determination of $k_L a$ *132*
4.3.1 Unsteady-state measurement methods *132*
4.3.1.1 Measurement with oxygen electrodes *133*
4.3.1.2 Pressure gauge method *133*
4.3.1.3 Dynamic response methods *134*
4.3.2 Steady-state methods *134*
4.3.2.1 Sulfite methods *134*
4.3.2.2 Hydrazine methods *136*
4.3.2.3 Sodium sulfite feed technique *137*
4.3.2.4 Hydrogen peroxide method *137*
4.4 Mass transfer characteristics for the G/L system *138*
4.4.1 Establishing mass transfer relationships *138*
4.4.2 Mass transfer relationship: experimental data *139*
4.4.3 Sorption characteristics in the coalescing system water/air *141*
4.4.4 Sorption characteristics in coalescence-inhibited systems *143*
4.4.5 Sorption characteristics in rheological material systems *145*
4.4.6 Sorption characteristic in biological material systems *149*
4.5 Interfacial area per unit volume a *151*
4.5.1 Definition of a *151*
4.5.2 Determination of a *152*
4.5.2.1 Physical methods *152*
4.5.2.2 Chemical methods *152*
4.5.3 Process relationships for a *152*

4.6 Gas fraction (gas hold-up) in gassed liquids *153*
4.6.1 Definition of ε *154*
4.6.2 Determination of ε *154*
4.6.3 Process relationships for ε *155*
4.7 Gas bubble diameter d_b and its effect upon k_L *156*
4.8 Gas-absorption in oil/water dispersions *161*
4.9 Chemisorption *162*
4.10 Bubble coalescence *165*
4.11 Foam breaking *175*
4.11.1 Methods and devices for foam breaking *176*
4.11.2 Foam centrifuge and foam turbine *177*
4.11.3 Minimum rotor tip speed *179*
4.11.4 Process characteristic of the foam centrifuge and its scale-up *180*
4.12 Special gas-liquid contacting techniques *183*
4.12.1 Hollow stirrers *183*
4.12.1.1 Application areas *183*
4.12.1.2 Suction, power and efficiency characteristics *185*
4.12.1.3 Comparison of hollow stirrer and turbine stirrer *187*
4.12.1.4 Sorption characteristics *190*
4.12.2 Surface aerators *190*
4.12.2.1 Centrifugal surface aerators *190*
4.12.2.2 Power characteristic *191*
4.12.2.3 Sorption characteristic *192*
4.12.2.4 Plunging water jet aerators *194*
4.12.2.5 Horizontal blade-wheel reactor *197*
4.12.3 Gas spargers *199*
4.12.3.1 Sintered glass or ceramics plates, perforated metal plates and static mixers *200*
4.12.3.2 Injectors (G/L nozzles) *201*
4.12.3.3 Funnel shaped nozzle as ejectors *205*

5 Suspension of Solids in Liquids (S/L System) *206*
5.1 Classification of the suspension condition *206*
5.1.1 Complete suspension *206*
5.1.2 Homogeneous suspension *207*
5.2 Distribution of solids upon suspension *208*
5.3 Suspension characteristics *211*
5.3.1 Relevance lists and pi spaces *211*
5.3.1.1 Specification according to the nature of the target quantity n_x *211*
5.3.1.2 Specification according to particle property d_p and/or w_{ss} *211*
5.3.2 Suspension characteristics with d_p as the characteristic particle dimension *212*
5.3.2.1 Relevance list and pi space *212*
5.3.2.2 The process relationship *213*
5.3.2.3 Power requirements upon suspension *216*

5.3.2.4 Power requirement for the critical stirrer speed n_x *217*
5.3.2.5 Scaling up in suspension according to the criterion n_x *217*
5.3.3 Suspension characteristic with w_{ss} as the characteristic particle property *217*
5.3.3.1 Determination of the particle sinking velocity in the swarm w_{ss} *217*
5.3.3.2 The relevance list and the pi space *220*
5.3.3.3 The process relationship *220*
5.3.3.4 Final discussion from the viewpoint of the dimensional analysis *229*
5.3.3.5 Establishing of scale-up criteria *230*
5.3.4 Suspension characteristic with the energy dissipation number E^* *231*
5.3.5 Effect of geometric and device-related factors on the suspension characteristic *233*
5.4 Homogenization of the liquid in the S/L system *235*
5.5 Mass transfer in the S/L system *236*
5.5.1 Physical basis of mass transfer in the S/L system *236*
5.5.2 Process characteristics of mass transfer in the S/L system *237*
5.6 Suspension in the $S/L/G$-system: hydrodynamics and power requirement *241*
5.7 Mass transfer in the $S/L/G$ system *241*

6 Dispersion in L/L Systems *244*
6.1 Lowest stirrer speed for dispersion *244*
6.2 Dispersion characteristics *246*
6.2.1 The target quantity d_{32} *246*
6.2.2 Coalescence in the L/L system *247*
6.2.3 Determination method for d_{32} *247*
6.2.4 Dimensional-analytical description *248*
6.2.5 The process characteristics *249*
6.2.6 Effect of coalescence and of φ_v on d_{32} *250*
6.2.7 Effect of viscosity *251*
6.2.8 Effect of stirring duration *252*
6.3 Droplet size distribution *253*
6.3.1 Fundamentals *253*
6.3.2 Effect of stirrer speed *254*
6.3.3 Effect of stirrer type and material system *255*
6.3.4 Effect of the mixing time *262*
6.4 Stirrer power for dispersion *263*
6.5 Scaling up of dispersion processes *263*
6.6 Mass and heat transfer upon dispersion *264*
6.7 Mathematical modeling of the dispersion process *267*

7 Intensification of heat transfer by stirring *272*
7.1 Physical fundamentals of heat transfer *272*
7.1.1 Determination of α_i *273*
7.1.2 Dimensional-analytical description *273*

7.2 Heat transfer between a homogeneous liquid and a heat transfer surface *275*
7.2.1 Flow range $Re = 10^2 - 10^6$ *275*
7.2.2 Flow range $Re < 10^2$ *278*
7.3 Generalized representation of the heat transfer characteristic by including the stirrer power per unit volume *282*
7.4 Effect of the Vis-term *284*
7.4.1 Taking non-Newtonian viscosity into consideration *286*
7.5 Optimization of stirrers for a maximum removal of reaction heat *288*
7.6 Heat transfer for G/L material systems *291*
7.6.1 Dimensionally analytical description *291*
7.7 Heat transfer in S/L systems *293*
7.7.1 Direct heat exchange ice cubes/water *293*
7.7.2 Indirect heat exchange for $\Delta\rho > 0$ *294*
7.7.3 Indirect heat exchange at $\Delta\rho \approx 0$ *295*
7.8 Heat transfer in L/L material systems *298*
7.8.1 Direct heat exchange *298*
7.8.2 Indirect heat exchange *298*
7.9 Heat transfer in $G/L/S$ material systems *299*

8 Mixing and stirring in pipes *300*
8.1 Mixing and homogenization *300*
8.1.1 Straight, smooth or rough pipe without fittings *300*
8.1.2 Pipe with a jet mixer or with a Tee piece *302*
8.1.2.1 Jet mixers *302*
8.1.2.2 Tee pieces *304*
8.1.3 Flow deflecting fittings ("motionless or static mixers") *305*
Kenics mixer *307*
Sulzer mixers SMV and SMX [533] *308*
Ross-ISG mixer *309*
8.2 G/L-mass transfer *309*
8.2.1 Mass transfer in pipe flow *309*
8.2.2 Mass transfer in pipe with static mixer *310*
8.3 Heat transfer *311*
8.3.1 Heat transfer in pipe flow *311*
8.3.2 Heat transfer in pipe with static mixer *311*
8.4 Dispersion in L/L system *314*
8.4.1 Dispersion in pipe flow *314*
8.4.2 Dispersion in pipe with static mixer *315*
8.5 Micro-mixing and chemical reaction *316*
8.5.1 Pipe reactor *317*
8.5.2 Pipe reactor with a jet mixer *319*
8.5.3 Pipe reactor with static mixer *320*
8.6 Modeling of mixing processes in pipes *322*
8.6.1 Pipe flow *322*

8.6.2 Pipe with Tee mixer *323*
8.6.3 Pipe with static mixer *323*
8.7 Stirring in pipes and mixing columns *324*

Literature *328*

Subject Index *360*