

Handbook of Residue Analytical Methods for Agrochemicals



Editor in Chief:
Philip W. Lee

Associate Editors
Hiroyasu Aizawa • Aldos C. Barefoot • John J. Murphy

 **WILEY**

Contents of Volume 1

| | |
|---|-------|
| Preface | xli |
| List of contributors | xliii |
| Introduction | 1 |
| <i>James N. Seiber</i> | |
| Introduction | 1 |
| Relationship of pesticide residue analysis, regulation, and risk assessment | 4 |
| Who does residue analysis and why | 5 |
| Challenges | 7 |
| References | 8 |
| Regulatory guidance and scientific consideration for residue analytical method development and validation | |
| Assessment of residue analytical methods for crops, food, feed, and environmental samples: the approach of the European Union | 13 |
| <i>Johannes Siebers and Ralf Hänel</i> | |
| Introduction | 13 |
| Legal background | 14 |
| General | 14 |
| Council Directive 91/414/EEC | 14 |
| Legislation related to MRLs | 15 |
| Legislation related to residues limits for soil, water, and air | 18 |
| Provisions for residue analytical methods | 18 |
| Evaluation of the submitted methods | 20 |
| Institutional background | 20 |
| Validation parameters | 21 |
| Requirements for post-registration and monitoring (enforcement) methods | 23 |
| General requirements | 23 |
| Specific requirements | 27 |
| Requirements for data generation methods | 31 |
| General requirements | 32 |
| Specific requirements | 33 |
| Availability of analytical methods | 34 |
| Perspectives | 35 |
| Acknowledgement | 36 |
| References | 36 |

| | |
|--|-----------|
| Regulatory considerations for residue analysis and methods on crops and food: the approach of Japan | 38 |
| <i>Kazuo Ogura, Hisayoshi Yamagishi and Shigeji Sugimoto</i> | |
| Background | 38 |
| Plant metabolism studies | 40 |
| Residue studies on crops | 41 |
| Residue analytical method | 41 |
| Preferred methodology for conducting supervised field trials | 41 |
| Field data (field report) presentation | 46 |
| Extrapolation among the formulation types | 47 |
| Residue definition | 47 |
| Market basket survey in Japan | 48 |
| Conclusion | 49 |
| Further reading | 49 |
| | |
| General approaches for residue analytical method development and validation | 50 |
| <i>Thomas J. Class and Reiner Bacher</i> | |
| Introduction | 50 |
| Approaches to analytical method development | 51 |
| Properties of the analyte(s) | 51 |
| Functional groups of the analyte(s) | 52 |
| Properties of the sample material | 53 |
| Availability and practicality of analytical instrumentation | 54 |
| Consideration of time, throughput, ruggedness and quality | 54 |
| Practical examples | 55 |
| Extending the scope of the multi-residue method DFG S19 | 55 |
| What can go wrong? | 57 |
| Beyond the limits | 58 |
| References | 58 |
| | |
| Best practices in establishing detection and quantification limits for pesticide residues in foods | 59 |
| <i>Johannes Corley</i> | |
| Introduction | 59 |
| Definitions | 61 |
| Methods for defining LOD and LOQ | 63 |
| IUPAC method | 63 |
| Propagation of errors method | 66 |
| Hubaux-Vos approach | 67 |
| Two-step approach (proposed by the US EPA) | 67 |
| RMSE method | 68 |
| The $t_{99S_{LLMV}}$ method | 70 |
| Confirmation | 71 |
| Representative data | 72 |
| Conclusions | 73 |
| Acknowledgements | 74 |
| References | 74 |

**The process of development and validation of animal drug residue methods for
US Food and Drug Administration regulatory use** 76

Philip James Kijak and Valerie B. Reeves

| | |
|--|----|
| Introduction | 76 |
| The method | 78 |
| Determinative procedures | 79 |
| Confirmatory procedures | 79 |
| Development of methods for regulatory use | 80 |
| Practicability of methods | 80 |
| Analyte selection | 80 |
| Specificity | 81 |
| Ruggedness | 81 |
| Stability | 82 |
| System suitability | 82 |
| Method criteria | 83 |
| Standards | 83 |
| Precision | 83 |
| Accuracy | 84 |
| Other considerations | 84 |
| Confirmatory procedure criteria | 85 |
| Standard operating procedures (SOPs) | 85 |
| Determinative procedure | 85 |
| Confirmatory procedure | 87 |
| Other considerations | 87 |
| The method trial | 88 |
| Second analyst/laboratory check | 88 |
| FDA review | 88 |
| Inter-laboratory method trial | 89 |
| Confirmatory procedure method trial | 91 |
| Non-NADA method trial | 91 |
| Evaluation of data and recommendation for use | 92 |
| Conclusion | 92 |
| References | 93 |

**Validation of analytical methods for post-registration control and monitoring
purposes in the European Union** 94

Lutz Alder

| | |
|---|-----|
| Introduction | 94 |
| Evaluation of enforcement methods for food provided by manufacturers | 95 |
| The need for enforcement methods from the applicant | 95 |
| The problem with residue definition | 96 |
| Elements and format of method description | 98 |
| Assessment of validation results | 101 |
| Matrices in validation experiments | 105 |
| Test of multi-residue methods | 107 |
| Independent laboratory validation | 108 |
| Statement on extraction efficiency | 108 |
| Perspectives | 109 |

| | |
|---|-----|
| Validation of European standard (CEN) methods | 110 |
| Scope and format of CEN methods | 110 |
| CEN requirements for widely accepted multi-matrix/multi-residue methods | 112 |
| Requirements for (newer) methods with limited scope | 112 |
| Assessment and documentation of validation results | 113 |
| Validation of official methods of EU member states | 115 |
| Overview of existing method collections and validation requirements | 115 |
| Single-laboratory validation in the UK | 115 |
| Validation procedures of the Nordic countries | 119 |
| Validation of official methods in Germany | 124 |
| The problem of appropriate documentation of validation data of multi-matrix/multi-residue methods | 127 |
| Summary and conclusion | 128 |
| References | 130 |

Best practices in the generation and analysis of residues in crop, food and feed

| | |
|--|-----|
| Conducting crop residue field trials in the USA | 135 |
| <i>William W. John</i> | |
| Introduction | 135 |
| Description of the different types of field crop residue studies | 137 |
| EPA guidelines and requirements | 137 |
| Planning phase | 140 |
| Testing strategy | 140 |
| Crop and crop grouping | 141 |
| Site/location selection | 143 |
| Good Agricultural Practice (GAP) and use patterns | 144 |
| Test substance | 145 |
| Residue decline trials | 145 |
| Processing study requirement | 146 |
| Contract research organizations | 147 |
| Best practices in conducting field study | 148 |
| Protocol development | 148 |
| The test site | 149 |
| Test material | 153 |
| Application phase | 155 |
| Sampling phase | 157 |
| Sample storage and shipping | 159 |
| Sample preparation | 162 |
| Field QA components | 163 |
| Data presentation and communication | 165 |
| Summary | 167 |
| References | 167 |

| | |
|---|------------|
| Conducting crop residue field trials in Europe | 169 |
| <i>Jeff Old</i> | |
| Introduction | 169 |
| General issues and considerations in conducting residue studies in Europe | 169 |
| Regulation guidelines | 169 |
| European comparable climatic zones/weather influences | 170 |
| Crop and grouping | 170 |
| Study planning phase | 173 |
| Study objectives | 173 |
| Role and responsibility of study personnel | 173 |
| Preparing the study plan | 176 |
| Product use pattern | 177 |
| Test site requirements, evaluation and selection | 177 |
| Best practices to conduct field studies | 178 |
| Evaluation and selection of field investigators and testing personnel | 178 |
| Preparation of field testing study plan | 179 |
| Test item (previously termed test substance) | 179 |
| Trial layout | 180 |
| Growing and maintenance of trial site crops | 181 |
| Calibration/servicing of application equipment | 181 |
| Test item application | 182 |
| Sampling of crops | 184 |
| Sample shipping and transportation | 188 |
| Sample storage | 189 |
| Record keeping | 191 |
| Good Laboratory Practice | 193 |
| Field QA audits and study involvement | 194 |
| Archiving | 195 |
| Conclusion | 196 |
| Further reading | 197 |
| | |
| Conducting crop residue field trials in Mexico and Latin America | 198 |
| <i>Louis Russo</i> | |
| Introduction | 198 |
| Regulatory requirements | 199 |
| Planning a field residue trial in Latin America | 201 |
| Number and locations of trials | 201 |
| Personnel requirements | 202 |
| Protocol preparation | 203 |
| Test materials | 203 |
| Quality assurance | 204 |
| Budget considerations | 204 |
| Communications | 206 |
| Pre-implementation activities | 206 |
| Translation of critical documents | 206 |
| Preparation of the field notebook formats | 207 |
| Pre-meetings in testing regions | 207 |
| Implementation of testing procedures | 210 |
| GLP training and protocol discussion | 210 |
| Safety training | 211 |

| | |
|--|-----|
| First application | 211 |
| Sampling and shipping | 212 |
| Food Quality Protection Act (FQPA) considerations | 213 |
| Reporting and closure | 213 |
| Abbreviations | 213 |
| | |
| Food processing of raw agricultural commodities for residue analysis | 215 |
| <i>William J. Englar, Neal Ewing, John C. Peterson and Cheryl M. Englar-Coulter</i> | |
| Overview of processing of agricultural commodities | 215 |
| Historical background | 215 |
| Basis for selecting a process method | 216 |
| Laboratory/pilot processing of agricultural commodities | 218 |
| Processing requirements of individual agricultural commodities | 218 |
| Pilot laboratory processing versus commercial processing | 219 |
| Effect of processing on pesticide residues | 223 |
| Good Laboratory Practice (GLP) regulations and their impact on the small-scale processing procedures | 224 |
| Development and validation of SOPs | 224 |
| Development of processing protocol | 224 |
| Role of study personnel | 226 |
| Protocol deviations | 227 |
| Organization of a processing report | 227 |
| Raw data notebook | 227 |
| Summary report of processing procedures | 228 |
| Summary | 230 |
| References | 230 |
| | |
| Best practices in the implementation of a large-scale market basket residue survey study | 231 |
| <i>David J. Brookman, Kay K. Curry and Beth M. Polakoff</i> | |
| Introduction | 231 |
| General considerations | 231 |
| Case study (Organophosphates Market Basket Survey) | 232 |
| Development of study protocol | 233 |
| Definition of study objectives | 234 |
| Role and responsibilities of study personnel | 235 |
| Selection of products and of properties to be evaluated | 236 |
| Sample collection strategy | 237 |
| Analyses and data reporting | 238 |
| Implementation of sampling plan | 239 |
| Shopper selection and training | 239 |
| Sample collection, storage, shipment, receipt, and documentation | 240 |
| Analytical phase | 241 |
| Analytical method | 241 |
| Obtaining control commodities | 242 |
| Assignment of products to laboratories | 242 |
| Standardization of results reporting | 243 |
| Presentation and review of study findings | 245 |

| | |
|--|------------|
| Quality assurance functions | 246 |
| Interpretation of study findings | 247 |
| Procedures and best practices for conducting residue studies of animal health drugs in food animals | 248 |
| <i>David J. Smith, Guy R. Stehly and Michael P. Turberg</i> | |
| Introduction | 248 |
| Purpose of residue studies | 249 |
| Studies sponsored by the animal health industry | 249 |
| Other studies | 257 |
| Protocol development | 259 |
| Animal selection and animal receipt | 261 |
| Animal considerations for GLP studies | 262 |
| Other considerations in animal selection | 264 |
| Preparation of test article | 265 |
| Animal dosing | 267 |
| Oral administration | 268 |
| Parenteral administration | 271 |
| Other methods of drug administration | 272 |
| In-life sample collection | 274 |
| Facility considerations | 274 |
| Animal weights, feed and water intakes, and dose | 275 |
| Nutritional and environmental considerations | 276 |
| Sample collection | 276 |
| Residue analysis | 281 |
| Radiochemical analysis | 281 |
| Analysis of the marker residue | 283 |
| Quality control | 291 |
| Report | 292 |
| Conclusions | 292 |
| References | 293 |
| Sampling and analyses of foodstuffs from animal origin | 300 |
| <i>Robin S. Readnour, Thomas J. Burnett, Douglas E. Kiehl and Lisa D. Spurlock-Brouwer</i> | |
| Introduction | 300 |
| Sample collection and storage | 302 |
| Sampling and homogenization | 302 |
| Stability | 303 |
| Extraction and sample preparation | 304 |
| Extraction | 304 |
| Sample preparation | 307 |
| Separation and detection | 310 |
| Liquid chromatography | 311 |
| Liquid chromatography/mass spectrometry | 314 |
| Gas chromatography | 315 |
| Immunoassay | 317 |
| Data handling and presentation | 318 |
| Method validation | 319 |

| | |
|--|-----|
| Regulatory guidelines | 319 |
| Inter-laboratory/collaborative studies | 321 |
| Conclusion | 321 |
| References | 321 |

Compound class

| | |
|--|-----|
| Anilides | 327 |
| <i>Hiroko Kobayashi</i> | |
| Introduction | 327 |
| Residue analytical methods for plant materials | 327 |
| Nature of the residue | 327 |
| Analytical method | 329 |
| Residue analytical methods for soil | 336 |
| Nature of the residues | 336 |
| Analytical method | 336 |
| Analytical methodology for water | 339 |
| Nature of the residues | 339 |
| Analytical method | 339 |
| References | 342 |
| Chloroacetanilide herbicides | 344 |
| <i>Amy Hackett, John Fuhrman and Chantel Van Bellinghan</i> | |
| Introduction | 344 |
| Analytical methodology for plant and animal products | 347 |
| Nature of the residue | 347 |
| Rationale for the presented methods | 347 |
| Description of methodology | 347 |
| Analytical methodology for water and soil | 348 |
| Nature of the residue | 348 |
| Rationale for the methods presented | 349 |
| Description of methodology | 350 |
| Analytical method for the determination of acetochlor and its metabolites in plants and animals | 350 |
| Outline of method | 351 |
| Apparatus | 351 |
| Reagents | 352 |
| Analytical standards | 354 |
| Analytical procedure | 355 |
| Instrumentation | 359 |
| Calculation of residues | 359 |
| Evaluation | 360 |
| Analytical method for the determination of propachlor and its metabolites in plants and animals | 361 |
| Outline of method | 361 |
| Apparatus | 361 |
| Reagents | 362 |
| Analytical standards | 363 |
| Analytical procedure | 363 |
| Instrumentation | 366 |

| | |
|---|-----|
| Calculation of residues | 367 |
| Evaluation | 367 |
| Multi-residue analytical method for the determination of acetochlor, alachlor, and metolachlor in aqueous samples | 368 |
| Outline of method | 369 |
| Apparatus | 369 |
| Reagents | 370 |
| Analytical standards | 371 |
| Analytical procedure | 373 |
| Calculation of residues | 376 |
| Evaluation | 377 |
| Multi-residue analytical method for the determination of acetochlor, alachlor, and metolachlor soil metabolites in aqueous samples | 378 |
| Outline of method | 380 |
| Apparatus | 380 |
| Reagents | 381 |
| Analytical standards | 381 |
| Analytical procedures | 382 |
| Calculation of residues | 385 |
| Evaluation | 385 |
| Future directions for environmental monitoring | 387 |
| Acknowledgements | 387 |
| References | 387 |
| | |
| Dinitroaniline herbicides | 389 |
| <i>Masako Ueji</i> | |
| Introduction | 389 |
| Analytical methodology for plant materials | 390 |
| Nature of the residues | 390 |
| Method principle | 391 |
| Analytical methodology for soil | 395 |
| Nature of the residues | 395 |
| Method principle | 395 |
| Analytical method for soil metabolites | 397 |
| Analytical methodology for water | 398 |
| Nature of the residues | 398 |
| Analytical method | 398 |
| References | 399 |
| | |
| Sulfonylurea herbicides | 400 |
| <i>Charles R. Powley</i> | |
| Introduction | 400 |
| Analytical methodology | 402 |
| LC/MS/MS analysis | 402 |
| Crops, food and feed | 405 |
| Soil | 407 |
| Water | 408 |
| Conclusions and future directions | 409 |
| Acknowledgements | 410 |
| References | 410 |

| | |
|--|------------|
| Triazine herbicide methodology | 412 |
| <i>Robert A. Yokley</i> | |
| Introduction/general description | 412 |
| Analytical methodology for water samples | 416 |
| Water sample preparation | 416 |
| Analytical methodology for soil samples | 429 |
| Liquid–solid extraction | 430 |
| Sonication | 431 |
| Microwave extraction | 432 |
| Supercritical fluid extraction | 432 |
| Subcritical fluid extraction | 434 |
| On-line SFE | 435 |
| Analytical methodology for crops, food, feed, and animal tissues | 435 |
| Analytical methodology for biological fluids | 437 |
| Analytical methodology for air samples | 438 |
| Instrumentation | 439 |
| Gas chromatography | 439 |
| Liquid chromatography | 441 |
| Supercritical fluid chromatography | 442 |
| Electrochemical analysis | 443 |
| Other techniques | 443 |
| Future directions | 443 |
| References | 445 |

| | |
|------------------------|------------|
| Diphenyl ethers | 451 |
| <i>Masako Ueji</i> | |

| | |
|--|-----|
| Introduction | 451 |
| Analytical methodology for plant materials | 453 |
| Nature of the residues | 453 |
| Analytical method | 453 |
| Analytical methodology for soil | 458 |
| Nature of the residues | 458 |
| Analytical method | 459 |
| Analytical method for the metabolites of diphenyl ether herbicides in soil | 460 |
| Analytical methodology for water | 461 |
| Nature of the residues | 461 |
| Analytical method | 462 |
| References | 464 |

Individual compounds

| | |
|--|------------|
| Bispyribac-sodium | 469 |
| <i>Yoshihiro Saito, Mitsumasa Ikeda and Akira Yagi</i> | |
| Introduction | 469 |
| Outline of method | 469 |
| Apparatus | 470 |
| Reagents | 470 |
| Sampling and sample preparation | 471 |

| | |
|---|------------|
| Procedure | 471 |
| Extraction | 471 |
| Cleanup | 472 |
| Gas-chromatographic determination | 473 |
| Evaluation | 473 |
| Method | 473 |
| Recoveries, limit of detection and limit of determination | 473 |
| Calculation of residues | 474 |
| Important points | 474 |
| Carfentrazone-ethyl | 475 |
| <i>Audrey Chen</i> | |
| Introduction | 475 |
| Outline of method | 476 |
| Apparatus | 477 |
| Reagents | 479 |
| Sampling and preparation | 479 |
| Analytical procedures for nonoil crop matrices | 480 |
| Sample extraction, filtration and concentration | 480 |
| Partition | 480 |
| Determination of carfentrazone-ethyl | 480 |
| Determination of acid metabolites | 481 |
| Analytical procedures for crop refined oils | 482 |
| Analytical procedures for animal matrices | 483 |
| Instrumentation | 483 |
| Method validation and quality control | 484 |
| Experimental design | 484 |
| Preparation of standards | 484 |
| Calculation | 485 |
| Time required for analysis | 486 |
| Accuracy and precision | 486 |
| Important points | 486 |
| Storage stability | 488 |
| Acknowledgements | 488 |
| Flucarbazone-sodium | 489 |
| <i>Thomas J. Gould and Chung K. Lam</i> | |
| Introduction | 489 |
| Outline of method | 490 |
| Apparatus | 490 |
| Reagents and consumable supplies | 491 |
| Sampling and preparation | 491 |
| Procedure | 491 |
| Extraction | 491 |
| Cleanup/concentration | 492 |
| Chromatographic determination | 493 |
| Evaluation | 494 |
| Method | 494 |
| Recoveries, limit of detection and limit of quantitation | 495 |
| Calculation of residues | 496 |

| | |
|--|------------|
| Important points | 497 |
| References | 497 |
| Flumetralin | 498 |
| <i>Robert A. Yokley</i> | |
| Introduction | 498 |
| Outline of methods | 498 |
| Apparatus | 499 |
| Reagents | 499 |
| Sample preparation | 499 |
| Soil | 499 |
| Plant materials | 500 |
| Instrumentation | 500 |
| Evaluation | 501 |
| Method | 501 |
| Recoveries, limit of detection (LOD) and limit of quantitation (LOQ) | 501 |
| Calculation of residues | 501 |
| Reference | 501 |
| Flumioxazin | 502 |
| <i>Thomas Schreier</i> | |
| Introduction | 502 |
| Outline of method | 503 |
| Plant matrices | 503 |
| Soil | 503 |
| Water | 503 |
| Apparatus | 503 |
| Reagents | 503 |
| Sampling and preparation | 504 |
| Procedure | 504 |
| Extraction | 504 |
| Cleanup | 505 |
| Determination | 506 |
| Evaluation | 507 |
| Method | 507 |
| Recoveries, limit of detection and limit of quantitation | 507 |
| Calculation of residues | 507 |
| Important points | 508 |
| Isoxaflutole | 509 |
| <i>Robert J. Seymour, Craig A. Smitley and Sabrina X. Zhao</i> | |
| Introduction | 509 |
| Outline of method | 510 |
| Reagents and standards | 510 |
| Equipment and supplies | 510 |
| Sampling and preparation | 511 |
| Extraction procedure | 511 |
| Manual procedure | 511 |

| | |
|---|------------|
| Automated procedure using a Zymark Benchmate Workstation with EasyFill module | 512 |
| Determination by LC/MS/MS | 514 |
| Evaluation | 515 |
| Performance criteria | 515 |
| Recoveries, limit of detection and limit of quantification | 515 |
| Calculation | 515 |
| Orbencarb | 519 |
| <i>Mitsumasa Ikeda, Yoshihiro Saito and Akira Yagi</i> | |
| Introduction | 519 |
| Outline of method | 519 |
| Equipment | 520 |
| Reagents | 520 |
| Sample preparation | 521 |
| Procedure | 521 |
| Extraction | 521 |
| Cleanup | 522 |
| Gas-chromatographic determination | 523 |
| Evaluation | 524 |
| Method | 524 |
| Recoveries and limits of detection | 524 |
| Calculation of residues | 524 |
| Important points | 524 |
| Liquid-liquid partition | 524 |
| Cleanup | 525 |
| Evaporation | 525 |
| Detection | 525 |
| Determination of Metabolite II in soil | 525 |
| Reference | 525 |
| Further reading | 525 |
| Prodiamine | 526 |
| <i>Robert A. Yokley</i> | |
| Introduction | 526 |
| Outline of method | 527 |
| Apparatus | 527 |
| Reagents | 527 |
| Sample preparation | 528 |
| Air | 528 |
| Soil | 528 |
| Water | 528 |
| Instrumentation | 529 |
| Evaluation | 530 |
| Method | 530 |
| Recoveries, limit of detection(LOD) and limit of quantitation (LOQ) | 530 |
| Calculation of residues | 530 |
| Important point | 531 |

| | |
|---|------------|
| Prohexadione-calcium | 532 |
| <i>Akira Yagi, Mitsumasa Ikeda and Yoshihiro Saito</i> | |
| Introduction | 532 |
| Outline of method | 532 |
| Apparatus | 533 |
| Reagents | 533 |
| Sampling and sample preparation | 534 |
| Procedure | 534 |
| Extraction | 534 |
| Ion-exchange column chromatography | 535 |
| Methylation | 536 |
| Reversed-phased silica gel column chromatography cleanup | 536 |
| High-performance liquid chromatographic determination | 536 |
| Evaluation | 537 |
| Method | 537 |
| Recoveries and limits of detection | 537 |
| Calculation of residues | 537 |
| Important points | 538 |
| References | 538 |
| | |
| Pyraflufen-ethyl | 540 |
| <i>Yuji Ikemoto</i> | |
| Introduction | 540 |
| Outline of method | 541 |
| Multi-residue analytical method | 542 |
| Apparatus | 542 |
| Reagents and supplies | 543 |
| Procedure | 543 |
| Total toxic residue analytical method | 547 |
| Apparatus | 547 |
| Reagents and supplies | 547 |
| Procedure | 547 |
| Evaluation | 549 |
| Important points | 550 |
| References | 550 |
| | |
| Pyriminobac-methyl | 551 |
| <i>Akira Yagi, Mitsumasa Ikeda and Yoshihiro Saito</i> | |
| Introduction | 551 |
| Outline of method | 551 |
| Apparatus | 552 |
| Reagents | 552 |
| Sampling and sample preparation | 552 |
| Procedure | 553 |
| Extraction | 553 |
| Liquid-liquid partition (rice grain, rice straw and soil) | 553 |
| Cleanup | 553 |
| Gas-chromatographic determination | 554 |

| | |
|---|-----|
| Evaluation | 555 |
| Method | 555 |
| Recoveries and limit of detection | 555 |
| Calculation of residues | 555 |
| Important points | 555 |
| Method for extraction of pyriminobac-methyl from soil | 555 |
| Extraction of pyriminobac-methyl from rice grain and rice straw | 556 |
| Cleanup | 556 |
| GC column | 556 |
| Sample storage stability | 556 |
| References | 557 |

Pyriithiobac-sodium 558

Yoshihiro Saito, Mitsumasa Ikeda and Akira Yagi

| | |
|---|-----|
| Introduction | 558 |
| Outline of method | 558 |
| Apparatus | 559 |
| Reagents | 559 |
| Sampling and sample preparation | 560 |
| Procedure | 560 |
| Extraction | 560 |
| Cleanup | 560 |
| Gas-chromatographic determination | 561 |
| Evaluation | 562 |
| Method | 562 |
| Recoveries, limit of detection and limit of determination | 562 |
| Calculation of residues | 562 |
| Important points | 563 |
| Reference | 563 |

Sulfentrazone 564

Andrey Chen

| | |
|--|-----|
| Introduction | 564 |
| Method description | 566 |
| Method development history | 566 |
| Outline of method | 566 |
| Apparatus | 566 |
| Reagents | 568 |
| Sampling and preparation | 568 |
| Analytical procedures for nonoil crop matrices | 569 |
| Sample extraction, filtration and concentration | 569 |
| Second reflux (<i>conversion of SCA to DMS and release of conjugated HMS</i>) and filtration | 569 |
| C ₈ SPE cartridge | 569 |
| C ₈ SPE cartridge/first silica gel SPE cartridge | 570 |
| Derivatization (<i>silylation of 3-hydroxymethyl sulfentrazone</i>) | 570 |
| Second (post-derivatization) silica gel SPE cartridge | 570 |
| Analytical procedures for oily crop matrices | 571 |

| | |
|---|-----|
| Analytical procedures for crop refined oils | 571 |
| Instrumentation | 571 |
| Method validation and quality control | 573 |
| Experimental design | 573 |
| Preparation of standards | 573 |
| Calculation | 573 |
| Time required for analysis | 575 |
| Accuracy and precision | 575 |
| Important points | 575 |
| Storage stability | 576 |
| Acknowledgments | 577 |
| | |
| Terbacil | 578 |
| <i>Janine E. Rose</i> | |
| Introduction | 578 |
| Outline of method | 578 |
| Apparatus | 579 |
| Reagents | 580 |
| Sampling and preparation | 580 |
| Procedure | 580 |
| Extraction | 580 |
| Derivatization | 581 |
| Cleanup | 581 |
| Determination | 582 |
| Evaluation | 582 |
| Method | 582 |
| Recoveries, limit of detection and limit of determination | 583 |
| Calculation of residues | 583 |
| Important points | 583 |
| Reference | 584 |
| | |
| Thenylchlor | 585 |
| <i>Hiroko Kobayashi</i> | |
| Introduction | 585 |
| Outline of method | 585 |
| Apparatus | 586 |
| Reagents | 586 |
| Sampling and preparation | 586 |
| Procedure | 586 |
| Extraction | 586 |
| Cleanup | 587 |
| Determination (rice grain, soil and water) | 588 |
| Evaluation | 588 |
| Method | 588 |
| Recoveries and limit of detection | 588 |
| Calculation of residues | 589 |
| Important points | 589 |
| References | 589 |

| | |
|--|-----|
| Trinexapac-ethyl | 590 |
| <i>Yi Lin</i> | |
| Introduction | 590 |
| Outline of methods | 591 |
| Trinexapac-ethyl | 591 |
| Trinexapac | 592 |
| Apparatus | 592 |
| Reagents | 592 |
| Sampling and preparation | 593 |
| Extraction and cleanup | 593 |
| Trinexapac-ethyl | 593 |
| Trinexapac | 594 |
| Determination | 595 |
| Evaluation | 597 |
| Method | 597 |
| Recoveries, limit of detection (LOD) and limit of quantitation (LOQ) | 597 |
| Calculation of residues | 598 |
| Acknowledgments | 599 |
| References | 599 |
| Abbreviations and acronyms | I |
| Index | III |