

Introduction to

PLANT PHYSIOLOGY

3rd Edition

WILEY
INTERNATIONAL
EDITION

Restricted: Not for Sale
in North America

WILLIAM G. HOPKINS • NORMAN P. A. HÜNER

Contents



Chapter 1 • Cells, Tissues, and Organs: The Architecture of Plants 1

1.1 The Plant Cell 2

1.2 Building Blocks: Lipids, Proteins, and Carbohydrates 2

- 1.2.1 Lipids Are a Class of Molecules That Includes Fats, Oils, Sterols, and Pigments 4
- 1.2.2 Proteins Play a Central Role in the Biochemistry of Cells and Are Responsible for Virtually All the Properties of Life as We Know it 6
- 1.2.3 Carbohydrates Are the Most Abundant Class of Biological Molecules 8

1.3 Biological Membranes 11

- 1.3.1 The Membrane Lipid Forms a Bilayer, a Highly Fluid but Very Stable Structure 11
- 1.3.2 Membranes Contain Significant Amounts of Protein 12

1.4 Cellular Organelles 13

- 1.4.1 Most Mature Plant Cells Contain a Large, Central Vacuole 13
- 1.4.2 The Nucleus Is the Information Center of the Cell 13
- 1.4.3 The Endoplasmic Reticulum and Golgi Apparatus Are Centers of Membrane Biosynthesis and Secretory Activities 14
- 1.4.4 The Mitochondrion Is the Principal Site of Cellular Respiration 15
- 1.4.5 Plastids Are a Family of Organelles with a Variety of Functions 15
- 1.4.6 Microbodies Are Metabolically Very Active 16

1.5 Cytoskeleton 16

1.6 The Extracellular Matrix 17

- 1.6.1 The Primary Cell Wall Is a Flexible Network of Cellulose Microfibrils and Cross-Linking Glycans 17
- 1.6.2 The Cellulose–Glycan Lattice is Embedded in a Matrix of Pectin and Protein 19
- 1.6.3 Cellulose Microfibrils Are Assembled at the Plasma Membrane as They Are Extruded into the Cell Wall 20

- 1.6.4 The Secondary Cell Wall Is Deposited on the Inside of the Primary Wall in Maturing Cells 21
- 1.6.5 Plasmadesmata Are Cytoplasmic Channels Extend Through the Wall to Connect the Protoplasts of Adjacent Cells 21

1.7 Tissues and Organs 22

- 1.7.1 Tissues Are Groups of Cells That Form an Organized, Functional Unit 22
- 1.7.2 Meristems Are Regions of Perpetually Dividing Cells 22
- 1.7.3 Parenchyma Is the Most Abundant Living Tissue in Plants 24
- 1.7.4 Supporting Tissues Are Distributed Throughout the Primary and Secondary Plant Bodies 24
- 1.7.5 Vascular Tissues Are the Principal Conducting Tissues for Water and Nutrients 25
- 1.7.6 Epidermis Is a Superficial Tissue That Forms a Continuous Layer over the Surface of the Primary Plant Body 25

1.8 Plant Organs 26

- 1.8.1 Roots Anchor the Plant and Absorb Water and Minerals from the Soil 26
- 1.8.2 Stems Elevate the Photosynthetic Organs, the Leaves, Toward the Sun 26
- 1.8.3 Leaves Are the Principal Photosynthetic Organs 27

Summary 27

Chapter Review 28

Further Reading 28

Part 1 • Plants and Energy 29

Chapter 2 • Bioenergetics and ATP Synthesis 31

2.1 Bioenergetics and Energy Transformations in Living Organisms 31

- 2.1.1 The Sun Is a Primary Source of Energy 31
 - 2.1.2 What Is Bioenergetics? 32
-

Chapter 8 • Nitrogen Assimilation 167

- 8.1 The Nitrogen Cycle: A Complex Pattern of Exchange 167**
- 8.1.1 Ammonification, Nitrification, and Denitrification Are Essential Processes in the Nitrogen Cycle 168
- 8.1.2 Nitrogen Fixation Reduces N_2 to Ammonia 168
- 8.2 Biological Nitrogen Fixation Is Exclusively Prokaryotic 169**
- 8.2.1 Some Nitrogen-Fixing Bacteria Are Free-Living Organisms 169
- 8.2.2 Symbiotic Nitrogen Fixation Involves Specific Associations Between Bacteria and Plants 169
- 8.3 Legumes Exhibit Symbiotic Nitrogen Fixation 170**
- 8.3.1 Rhizobia Infect the Host Roots Which Induces Nodule Development 170
- 8.4 The Biochemistry of Nitrogen Fixation 174**
- 8.4.1 Nitrogen Fixation Is Catalyzed by the Enzyme Dinitrogenase 174
- 8.4.2 Nitrogen Fixation Is Energetically Costly 175
- 8.4.3 Dinitrogenase Is Sensitive to Oxygen 175
- 8.4.4 Dinitrogenase Results in the Production of Hydrogen Gas 176
- 8.5 The Genetics of Nitrogen Fixation 177**
- 8.5.1 *nif* Genes Code for Nitrogenase 177
- 8.5.2 *nod* Genes and *nif* Genes Regulate Nodulation 177
- 8.5.3 What Is the Source of Heme for Leghemoglobin? 177
- 8.6 NH_3 Produced by Nitrogen Fixation is Converted to Organic Nitrogen 178**
- 8.6.1 Ammonium Is Assimilated by GS/GOGAT 178
- 8.6.2 Fixed Nitrogen Is Exported As Asparagine and Ureides 179
- 8.7 Plants Generally Take up Nitrogen in the Form of Nitrate 181**
- 8.8 Nitrogen Cycling: Simultaneous Import and Export 182**
- 8.9 Agricultural and Ecosystem Productivity Is Dependent on Nitrogen Supply 183**
- Summary 184*
- Chapter Review 185*
- Further Reading 185*
- BOX 8.1 • Lectins—Proteins with a Sweet Tooth 172**

Chapter 9 • Carbon Assimilation and Productivity 187

- 9.1 Productivity Refers to an Increase in Biomass 187**
- 9.2 Carbon Economy Is Dependent on the Balance Between Photosynthesis and Respiration 188**
- 9.3 Productivity Is Influenced by a Variety of Genetic and Environmental Factors 189**
- 9.3.1 Fluence Rate 189
- 9.3.2 Available CO_2 190
- 9.3.3 Temperature 192
- 9.3.4 Soil Water Potential 193
- 9.3.5 Nutrient Supply, Pathology, and Pollutants 193
- 9.3.6 Leaf Factors 194

9.4 Primary Productivity on a Global Scale 196

- Summary 197*
- Chapter Review 197*
- Further Reading 198*

Part 2 • Plants, Water, and Minerals 200**Chapter 10 • Plant Cells and Water 201**

- 10.1 Water Has Unique Physical and Chemical Properties 202**
- 10.2 The Thermal Properties of Water Are Biologically Important 203**
- 10.2.1 Water Exhibits a Unique Thermal Capacity 203
- 10.2.2 Water Exhibits a High Heat of Fusion and Heat of Vaporization 203
- 10.3 Water Is the Universal Solvent 204**
- 10.4 Polarity of Water Molecules Results in Cohesion and Adhesion 205**
- 10.5 Water Movement May Be Governed by Diffusion or by Bulk Flow 205**
- 10.5.1 Bulk Flow Is Driven by Hydrostatic Pressure 205
- 10.5.2 Fick's First Law Describes the Process of Diffusion 206
- 10.6 Osmosis Is the Diffusion of Water Across a Selectively Permeable Membrane 207**
- 10.6.1 Osmosis in Plant Cells Is Indirectly Energy Dependent 207
- 10.6.2 The Chemical Potential of Water Has an Osmotic as Well as Pressure Component 209
- 10.7 Hydrostatic Pressure and Osmotic Pressure Are Two Components of Water Potential 210**
- 10.8 Water Potential Is the Sum of Its Component Potentials 211**
- 10.9 Dynamic Flux of H_2O Is Associated with Changes in Water Potential 212**
- 10.10 How Elastic Are Cell Walls? 213**
- Summary 217*
- Chapter Review 217*
- Further Reading 217*

BOX 10.1 • Osmosensors 214**Chapter 11 • Whole Plant Water Relations 219**

- 11.1 Transpiration Is Driven by Differences in Vapor Pressure 220**
- 11.2 Transpiration Can Be Measured by Weight Loss and Gas Exchange 221**
- 11.3 The Driving Force of Transpiration Is Differences in Vapor Pressure 221**
- 11.4 The Rate of Transpiration Is Influenced by Environmental Factors 222**
- 11.4.1 What Are the Effects of Humidity? 223
- 11.4.2 What Is the Effect of Temperature? 224
- 11.4.3 What Is the Effect of Wind? 224
- 11.5 Water Conduction Occurs via Tracheary Elements 225**

- 11.6 The Ascent of Xylem Sap Is Explained by Combining Transpiration with Cohesive Forces of Water 228**
- 11.6.1 Root Pressure Is Related to Root Structure 229
- 11.6.2 Water Rise by Capillarity Is Due to Adhesion and Surface Tension 231
- 11.6.3 The Cohesion Theory Best Explains the Ascent of Xylem Sap 231
- 11.7 Water Loss Due to Transpiration Must Be Replenished 235**
- 11.7.1 Soil Is a Complex Medium 235
- 11.8 Roots Absorb and Transport Water 237**
- 11.9 The Permeability of Roots to Water Varies 237**
- 11.10 Radial Movement of Water Through the Root Involves Two Possible Pathways 238**
- Summary 240
- Chapter Review 240
- Further Reading 240
- Box 11.1 • Why Transpiration? 226**
- Box 11.2 • Forces Involved in Capillary Rise 232**
- Chapter 12 • Plants and Inorganic Nutrients 241**
- 12.1 Methods and Nutrient Solutions 242**
- 12.1.1 Interest in Plant Nutrition Is Rooted in the Study of Agriculture and Crop Productivity 242
- 12.1.2 The Use of Hydroponic Culture Helped to Define the Mineral Requirements of Plants 242
- 12.1.3 Modern Techniques Overcome Inherent Disadvantages of Simple Solution Culture 243
- 12.2 The Essential Nutrient Elements 245**
- 12.2.1 Seventeen Elements Are Deemed to Be Essential for Plant Growth and Development 245
- 12.2.2 The Essential Nutrients Are Generally Classed as either Macronutrients or Micronutrients 245
- 12.2.3 Determining Essentiality of Micronutrients Presents Special Problems 245
- 12.3 Beneficial Elements 246**
- 12.3.1 Sodium Is an Essential Micronutrient for C4 Plants 247
- 12.3.2 Silicon May Be Beneficial for a Variety of Species 247
- 12.3.3 Cobalt Is Required by Nitrogen-Fixing Bacteria 247
- 12.3.4 Some Plants Tolerate High Concentrations of Selenium 247
- 12.4 Nutrient Functions and Deficiency Symptoms 247**
- 12.4.1 A Plant's Requirement for a Particular Element Is Defined in Terms of Critical Concentration 248
- 12.4.2 Nitrogen Is a Constituent of Many Critical Macromolecules 249
- 12.4.3 Phosphorous Is Part of the Nucleic Acid Backbone and Has a Central Function in Intermediary Metabolism 249
- 12.4.4 Potassium Activates Enzymes and Functions in Osmoregulation 250
- 12.4.5 Sulfur Is an Important Constituent of Proteins, Coenzymes, and Vitamins 250
- 12.4.6 Calcium Is Important in Cell Division, Cell Adhesion, and as a Secondary Messenger 251
- 12.4.7 Magnesium Is a Constituent of the Chlorophyll Molecule and Is an Important Regulator of Enzyme Reaction 251
- 12.4.8 Iron Is Required for Chlorophyll Synthesis and Electron Transfer Reactions 251
- 12.4.9 Boron Appears to Have a Role in Cell Division and Elongation and Contributes to the Structural Integrity of the Cell Wall 253
- 12.4.10 Copper Is a Necessary Cofactor for Oxidative Enzymes 254
- 12.4.11 Zinc Is an Activator of Numerous Enzymes 254
- 12.4.12 Manganese Is an Enzyme Cofactor as Well as Part of the Oxygen-Evolving Complex in the Chloroplast 254
- 12.4.13 Molybdenum Is a Key Component of Nitrogen Metabolism 254
- 12.4.14 Chlorine Has a Role in Photosynthetic Oxygen Evolution and Balances Charge Across Cellular Membranes 255
- 12.4.15 The Role of Nickel Is Not Clear 255
- 12.5 Toxicity of Micronutrients 256**
- Summary 256
- Chapter Review 256
- Further Reading 257
- Chapter 13 • Roots, Soils, and Nutrient Uptake 259**
- 13.1 The Soil as a Nutrient Reservoir 260**
- 13.1.1 Colloids Are a Significant Component of Most Soils 260
- 13.1.2 Colloids Present a Large, Negatively Charged Surface Area 260
- 13.1.3 Soil Colloids Reversibly Adsorb Cations from the Soil Solution 261
- 13.1.4 The Anion Exchange Capacity of Soil Colloids Is Relatively Low 261
- 13.2 Nutrient Uptake 262**
- 13.2.1 Nutrient Uptake by Plants Requires Transport of the Nutrient across Root Cell Membranes 262
- 13.2.2 Simple Diffusion Is a Purely Physical Process 262
- 13.2.3 The Movement of Most Solutes across Membranes Requires the Participation of Specific Transport Proteins 263
- 13.2.4 Active Transport Requires the Expenditure of Metabolic Energy 263
- 13.3 Selective Accumulation of Ions by Roots 266**
- 13.4 Electrochemical Gradients and Ion Movement 266**
- 13.4.1 Ions Move in Response to Electrochemical Gradients 266
- 13.4.2 The Nernst Equation Helps to Predict Whether an Ion Is Exchanged Actively or Passively 267
- 13.5 Active Transport and Electrogenic Pumps 269**
- 13.5.1 Active Transport Is Driven by ATPase-Proton Pumps 269
- 13.5.2 The ATPase-Proton Pumps of Plasma Membranes and Vacuolar Membranes Are Different 270
- 13.5.3 K⁺ Exchange Is Mediated by Two Classes of Transport Proteins 271

- 13.6 Ion Uptake by Roots 272**
 13.6.1 A First Step in Mineral Uptake by Roots Is Diffusion into the Apparent Free Space 272
 13.6.2 Apparent Free Space Is Equivalent to the Apoplast of the Root Epidermal and Cortical Cells 273
- 13.7 The Radial Path of Ion Movement Through Roots 274**
 13.7.1 Ions Entering the Stele Must First Be Transported from the Apparent Free Space into the Symplast 274
 13.7.2 Ions Are Actively Secreted into the Xylem Apoplast 274
 13.7.3 Emerging Secondary Roots May Contribute to the Uptake of Some Solutes 275
- 13.8 Root-Microbe Interactions 276**
 13.8.1 Bacteria Other Than Nitrogen Fixers Contribute to Nutrient Uptake by Roots 276
 13.8.2 Mycorrhizae Are Fungi that Increase the Volume of the Nutrient Depletion Zone Around Roots 276
Summary 279
Chapter Review 279
Further Reading 280
- Box 13.1 • Electrophysiology—Exploring Ion Channels 264**

Part 3 • Plant Development 281

Chapter 14 • Patterns in Plant Development 283

- 14.1 Growth, Differentiation, and Development 283**
 14.1.1 Development Is the Sum of Growth and Differentiation 283
 14.1.2 Growth Is an Irreversible Increase in Size 284
 14.1.3 Differentiation Refers to Qualitative Changes That Normally Accompany Growth 284
- 14.2 Control of Development 285**
 14.2.1 The Orderly Development of a Plant Requires a Programmed Sequence of Gene Expression 285
 14.2.2 Hormones Coordinate Cell-Cell Interactions 287
 14.2.3 A Continuous Stream of Environmental Signals Provide Information That Plants Use to Modify Their Development 287
- 14.3 Signal Perception and Transduction 287**
 14.3.1 Signals Are Perceived by Protein Receptors 288
 14.3.2 Signal Transduction Includes a Diverse Array of Second Messengers and Biochemical Mechanisms 288
 14.3.3 There Is Extensive Cross-Talk among Signal Pathways 291
- 14.4 Cell Walls and Cell Growth 291**
 14.4.1 Cell Growth Is Driven by Water Uptake and Limited by the Strength and Rigidity of the Cell Wall 291
 14.4.2 Extension of the Cell Wall Requires Wall-Loosening Events That Enable Load-Bearing Elements in the Wall to Yield to Turgor Pressure 292
 14.4.3 Wall Loosening and Cell Expansion Are Stimulated by Low pH and Expansins 293

- 14.5 A Survey of Plant Development 294**
 14.5.1 Seed Structure and Development 294
 14.5.2 Seed Germination 295
 14.5.3 Shoot Development 295
 14.5.4 Root Development 299
 14.5.5 Flower Evocation and Development 301
 14.5.6 Flower and Fruit Development 301
 14.5.7 Senescence and Programmed Cell Death Are the Final Stages of Development 302
- 14.6 Kinetic Analysis of Growth 303**
 14.6.1 Growth of Microorganisms in Culture Exhibit Exponential Growth 303
 14.6.2 Growth of Multicellular Organisms Is Determined by the Activity of the Meristem 306
Summary 306
Chapter Review 306
Further Reading 306

- Box 14.1 • Development in a Mutant Weed 286**
Box 14.2 • Ubiquitin and Proteosomes—Cleaning Up Unwanted Proteins 304

Chapter 15 • The Plant Hormones: Biochemistry and Metabolism 309

- 15.1 Do Plants Have Hormones? 309**
 15.1.1 There Are Subtle Differences Between Animal and Plant Hormones 310
 15.1.2 The List of Plant Hormones Is Growing 312
 15.1.3 The Amount of Hormone in a Tissue Is Governed by Several Factors 312
- 15.2 Auxin 313**
 15.2.1 The Principal Auxin in Plants Is Indole-3-Acetic Acid (IAA) 314
 15.2.2 IAA Is Synthesized from the Amino Acid L-Tryptophan 316
 15.2.3 Some Plants Do Not Require Tryptophan for IAA Biosynthesis 316
 15.2.4 IAA May Be Stored As Inactive Conjugates 318
 15.2.5 There Are Two Principal Mechanisms for Deactivation of IAA 318
- 15.3 Gibberellins 320**
 15.3.1 There Are Three Principal Sites for Gibberellin Biosynthesis 320
 15.3.2 Gibberellins Are Terpenes, Sharing a Core Pathway with Several Other Hormones and a Wide Range of Secondary Products 322
 15.3.3 Gibberellins Are Synthesized from Geranylgeranyl Pyrophosphate (GGPP) 323
 15.3.4 Growth Retardants Block the Synthesis of Gibberellins 324
 15.3.5 Gibberellins Are Deactivated by 2 β -Hydroxylation 324
 15.3.6 Gibberellin Transport Is Poorly Understood 325
- 15.4 Cytokinins 325**
 15.4.1 Cytokinins Are Synthesized Primarily in the Root 325
 15.4.2 Cytokinin Biosynthesis Begins with the Condensation of an Isopentenyl Group with the Amino Group of Adenosine Monophosphate 326
 15.4.3 Cytokinins May Be Reversibly or Irreversibly Deactivated by Conjugation and Irreversibly Deactivated by Oxidation 329

15.5. Abscisic Acid 329

- 15.5.1 Abscisic Acid Is Synthesized Primarily in Mature Leaves 330
- 15.5.2 Abscisic Acid Is Synthesized from the Cleavage Product of a 40-Carbon Carotenoid Precursor 330
- 15.5.3 Abscisic Acid Is Degraded by Oxidation to Phaseic Acid 332

15.6 Ethylene 332

- 15.6.1 Ethylene Is Synthesized from the Amino Acid Methionine 332
- 15.6.2 Ethylene and Polyamine Biosynthesis Share a Common Precursor 334
- 15.6.3 Excess Ethylene Is Subject to Oxidation 334

15.7 Brassinosteroids 334

- 15.7.1 Brassinosteroids Are Polyhydroxylated Sterols Derived from the Triterpene Squalene 335
- 15.7.2 Several Routes for Deactivation of Brassinosteroids Have Been Identified 335

15.8 Polyamines 335

- 15.8.1 The Pathway for Polyamine Biosynthesis Is the Same in Plants, Microorganisms, and Mammals 337
- Summary 338*
- Chapter Review 338*
- Further Reading 339*

BOX 15.1 • Historical Perspectives—Discovering Plant Hormones 311**Chapter 16 • The Plant Hormones: Control of Development 341****16.1 Cell Division, Enlargement, and Differentiation 341**

- 16.1.1 Cytokinins Are a Significant Factor in Regulating Cell Division 341
- 16.1.2 Cytokinins Regulate Progression Through the Cell Cycle 342
- 16.1.3 Auxins Stimulate Cell Enlargement in Excised Tissues 344
- 16.1.4 The Acid-Growth Hypothesis Explains Auxin Control of Cell Enlargement 344
- 16.1.5 Maintenance of Auxin-Induced Growth Requires Gene Activation 347
- 16.1.6 Many Aspects of Plant Development Are Linked to the Polar Transport of Auxin 349
- 16.1.7 Auxins and Cytokinins Regulate Vascular Differentiation 351

16.2 Seed Development and Germination 352

- 16.2.1 The Level and Activities of Various Hormones Change Dramatically During Seed Development 352
- 16.2.2 Gibberellins Stimulate Mobilization of Nutrient Reserves During Germination of Cereal Grains 353

16.3 Shoot and Root Development 356

- 16.3.1 Gibberellins Stimulate Hyperelongation of Intact Stems, Especially in Dwarf and Rosette Plants 356
- 16.3.2 Inhibition of Gibberellin Biosynthesis Has Commercial Applications 357
- 16.3.3 Hormone Mutants Indicate a Role for Brassinosteroids and Ethylene in Stem Growth 358

16.3.4 The Ratio of Auxin to Cytokinin Controls the Growth of Axillary Buds 358

16.3.5 Root Elongation and Development Is Particularly Sensitive to Auxin and Ethylene 359

16.4 Senescence and Abscission 360

- 16.4.1 Cytokinins and Ethylene Are Antagonistic in the Regulation of Nutrient Mobilization and Senescence 360
- 16.4.2 Auxin Regulates Leaf Abscission 362

16.5 Flower and Fruit Development 362

- 16.5.1 Gibberellins Promote Precocious Flowering in Some Species 363
- 16.5.2 Auxin and Gibberellin Influence the Sex of Flowers 363
- 16.5.3 Hormones Influence Fruit Set and Development 364

16.6 Ethylene 364

- 16.6.1 The Study of Ethylene Presents a Unique Set of Problems 364
- 16.6.2 Ethylene Affects Many Aspects of Vegetative Development 364
- Summary 365*
- Chapter Review 366*
- Further Reading 366*

BOX 16.1 • The Cell Cycle and Control of Cell Division 343**BOX 16.2 • Commercial Applications of Hormones 348****Chapter 17 • Photomorphogenesis: Responding to Light 367****17.1 Photomorphogenesis 368****17.2 Phytochrome: Responses to Red and Far-Red Light 368**

- 17.2.1 Photoreversibility Is the Hallmark of Phytochrome Action 370
- 17.2.2 Phytochromes Are Phycobilin Pigments 371
- 17.2.3 Conversion of Pr to Pfr in Etiolated Seedlings Leads to a Loss of Both Pfr and Total Phytochrome 372

17.3 Phytochrome Responses Can Be Grouped According to Their Fluence Requirements 374

- 17.3.1 The Most Studied Low Fluence Responses (LFRs) Are De-etiolation and Seed Germination 374
- 17.3.2 Very Low Fluence Responses Are Not Photoreversible 376
- 17.3.3 High Irradiance Reactions Require Prolonged Exposure to Relatively High Fluence Rates 377

17.4 Phytochrome under Natural Conditions 377

- 17.4.1 PhA May Function to Detect the Presence of Light 378
- 17.4.2 Phytochrome Detects Canopy Shading and End-of-Day Signals 378

17.5 Responses to Blue and UV-A Light 381

- 17.5.1 Cryptochrome Is a Flavoprotein 381
- 17.5.2 Phototropin Is a Blue Light-Dependent Kinase 382
- 17.5.3 A Hybrid Blue-Light Photoreceptor Has Been Isolated from a Fern 382

17.6 De-etiolation in Arabidopsis. A Case Study in Photoreceptor Interactions 383**17.7 Photoreceptor Signal Transduction 384**

17.7.1 Phytochromes Have Kinase Activity 384

17.7.2 Pfr Regulates Gene Expression 384

17.7.3 Phytochrome May Migrate from the Cytoplasm to the Nucleus 386

17.8 Some Plant Responses Are Regulated by UV-B Light 387*Summary 387**Chapter Review 388**Further Reading 388***Box 17.1 • Historical Perspectives: The Discovery of Phytochrome 369****Chapter 18 • Plant Movements—Orientation in Space 391****18.1 Phototropism 392**

18.1.1 Phototropism Is a Response to a Light Gradient across an Organ 392

18.1.2 Phototropism in Coleoptiles Is Mediated by a Flavoprotein 393

18.1.3 Fluence Response Curves Illustrate the Complexity of Phototropic Responses 394

18.1.4 The Phototropic Response Is Attributed to a Lateral Redistribution of Diffusible Auxin 395

18.2 Gravitropism 398

18.2.1 Gravitropism Is More Than Simply Up and Down 398

18.2.2 The Gravitational Stimulus Is the Product of Intensity and Time 399

18.2.3 In Roots, Gravity Is Perceived in the Root Cap 401

18.2.4 The Sedimentation of Starch-Filled Amyloplasts Is an Initial Gravity-Sensing Event 402

18.2.5 Gravitropism, Like Phototropism, Is an Auxin-Dependent Differential Growth Response 403

18.2.6 The Gravitropic Signal Transduction Chain May Involve Stretch-Activated Ion Channels, pH Changes in the Root Cap, and Redistribution of Calcium Ions 405

18.2.7 Gravitropism in Grass Stems Occurs in the False Pulvinus 407

18.2.8 Plants Follow Different Rules in the Microgravity Environment of Space 408

18.3 Nastic Movements 408

18.3.1 Nyctinastic Movements Are Rhythmic Movements Involving Reversible Turgor Changes 408

18.3.2 Nyctinastic Movements Are Due to Ion Fluxes and Resulting Osmotic Responses in Specialized Motor Cells 409

18.3.3 Seismonasty Is a Response to Mechanical Stimulation 412

*Summary 413**Chapter Review 414**Further Reading 414***Box 18.1 • Methods in the Study of Gravitropism 400****Chapter 19 • Measuring Time: The Control of Development by Photoperiod and Endogenous Clocks 415****19.1 Photoperiodism 416**

19.1.1 Photoperiodic Responses May Be Characterized by a Variety of Response Types 416

19.1.2 Critical Daylength Defines Short-Day and Long-Day Responses 417

19.1.3 Plants Actually Measure the Length of the Dark Period 419

19.1.4 The Photoperiodic Signal Is Perceived by the Leaves 420

19.1.5 Phytochrome Is the Principal Photoreceptor for Photoperiodism 421

19.1.6 Photoperiodism Normally Requires a Period of High Fluence Light Before or After the Dark Period 422

19.1.7 Three Different Hypotheses Have Been Proposed to Account for the Floral Stimulus 422

19.1.8 Photoperiodic Behavior Is Often Modified by Temperature 423

19.2 The Biological Clock 426

19.2.1 Clock-Driven Rhythms Persist under Constant Conditions 426

19.2.2 The Circadian Clock Is Temperature-Compensated 428

19.2.3 Light Resets the Biological Clock on a Daily Basis 428

19.2.4 The Circadian Clock Is a Significant Component in Photoperiodic Time Measurement 429

19.2.5 Several Clock-Associated Genes Have Been Identified 431

19.2.6 The Circadian Clock in Insects, Animals, and Cyanobacteria Is a Negative Feedback Loop 432

19.3 Floral Induction 433

19.3.1 Flower Initiation and Development Involves the Sequential Action of Three Sets of Genes 433

19.3.2 Flowering Time Genes Influence the Duration of Vegetative Growth 434

19.3.3 Floral Identity Genes and Organ Identity Genes Overlap in Time and Function 435

19.4 Photoperiodism in Nature 436*Summary 438**Chapter Review 438**Further Reading 439***Box 19.1 • Historical Perspectives: The Discovery of Photoperiodism 416****Box 19.2 • Historical Perspectives: The Biological Clock 424****Chapter 20 • Temperature: Plant Development and Distribution 441****20.1 Temperature in the Plant Environment 441****20.2 Temperature and Flowering Response 443**

20.2.1 Vernalization Occurs Most Commonly in Winter Annuals and Biennials 443

20.2.2 The Effective Temperature for Vernalization Is Variable 444

- 20.2.3 The Vernalization Treatment Is Perceived by the Shoot Apex 445
- 20.2.4 The Vernalized State Is Transmissible 445
- 20.2.5 Gibberellin and Vernalization Operate Through Independent Genetic Pathways 446
- 20.3 Bud Dormancy 446**
- 20.3.1 Bud Dormancy Is Induced Primarily by Photoperiod 447
- 20.3.2 Temperature Is a Significant Factor in Breaking Bud Dormancy 447
- 20.4 Seed Dormancy and Germination 448**
- 20.4.1 Numerous Factors Influence Seed Dormancy and Germination 448
- 20.4.2 Temperature Has a Significant Impact on Seed Dormancy 449
- 20.5 Responses to Change in Temperature 450**
- 20.6 Influence of Temperature on Growth and Plant Distribution 451**
- 20.6.1 Coasts and Deserts: A Case Study 452
- 20.6.2 Temperature Influences the Distribution of C3 and C4 Grasses on Mountain Slopes 454
- Summary 454*
- Chapter Review 455*
- Further Reading 455*
-
- Part 4 • Stress and Secondary Metabolism 457**
- Chapter 21 • Plant Environmental Stress Physiology 459**
- 21.1 What Is Plant Stress? 459**
- 21.2 Plants Respond to Stress in Several Different Ways 460**
- 21.3 Abiotic Stress 461**
- 21.3.1 Water Stress Is a Persistent Threat to Plant Survival 461
- 21.3.2 Water Stress Leads to Membrane Damage 462
- 21.3.3 Photosynthesis Is Particularly Sensitive to Water Stress 462
- 21.3.4 Stomata Respond to Water Deficit 463
- 21.3.5 Osmotic Adjustment Is a Response to Water Stress 465
- 21.3.6 Water Deficit Affects Shoot and Root Growth 466
- 21.3.7 Water Stress May Induce a Decrease in Leaf Area 467
- 21.4 Temperature Stress 467**
- 21.4.1 Many Plants Are Chilling Sensitive 468
- 21.4.2 North Temperate Overwintering Plants Survive Freezing Stress 468
- 21.4.3 Cold Acclimation Increases Resistance to Freezing Stress 470
- 21.4.4 Cold Acclimation and Freezing Tolerance in Herbaceous Species Is a Complex Interaction Between Light and Low Temperature 471
- 21.4.5 High Temperature Stress Is a Major Factor in Plant Productivity 472
- 21.5 Salt Stress, Water Deficits and Ion Toxicity 474**
- 21.6 Pollution Represents a Relatively New Abiotic Stress 476**
- 21.6.1 Heavy Metals 476
- 21.6.2 Air Pollution 477
- 21.7 Insects and Disease Represent Potential Biotic Stresses 479**
- 21.7.1 Hypersensitive Reaction Is a Sensing/Signalling Mechanism Initiated by a Biotic Stress 479
- 21.7.2 How Do Plants Recognize Potential Pathogens and Initiate Defense Responses? 479
- 21.7.3 Systemic Acquired Resistance Represents a Plant Immune Response 480
- 21.7.4 Jasmonates Mediate Insect and Disease Resistance 481
- Summary 490*
- Chapter Review 491*
- Further Reading 491*
- Box 21.1 • Monitoring Plant Stress by Chlorophyll Fluorescence 482**
- Box 21.2 • Ecophysiology, Plant Biomes, and Weather 484**
- Chapter 22 • Secondary Plant Metabolites 493**
- 22.1 Primary and Secondary Metabolites 493**
- 22.2 Terpenoids 494**
- 22.2.1 The Terpenoids Are a Chemically and Functionally Diverse Group of Molecules That Share a Common Biosynthetic Pathway 494
- 22.2.2 Many Terpenoids Are Active against Insect Herbivory 495
- 22.2.3 Steroids and Sterols Are Tetracyclic Triterpenoids 497
- 22.2.4 Polyterpenes Include the Carotenoid Pigments and Natural Rubber 497
- 22.3 Glycosides 499**
- 22.3.1 Saponins Are Terpene Glycosides with Detergent Properties 499
- 22.3.2 Cardian Glycosides Are Highly Toxic, Modified Steroid Glycosides 500
- 22.3.3 Cyanogenic Glycosides Are a Natural Source of Hydrogen Cyanide 501
- 22.3.4 Glucosinolates Are Sulfur-Containing Precursors to Mustard Oils 502
- 22.4 Phenylpropanoids 503**
- 22.4.1 Shikimic Acid Is a Key Intermediate in the Synthesis of Aromatic Amino Acids and Phenylpropanoids 503
- 22.4.2 The Simplest Phenolic Molecules Are Essentially Deaminated Versions of the Corresponding Amino Acids 503
- 22.4.3 Coumarins and Coumarin Derivatives Function as Anticoagulants 506
- 22.4.4 Lignin Is a Major Structural Component of Secondary Cell Walls 507
- 22.4.5 Flavonoids and Stilbenes Have Parallel Biosynthetic Pathways 508
- 22.4.6 Tannins Denature Proteins and Provide an Astringent Taste to Foods 508
- 22.5 Alkaloids 510**
- 22.5.1 Alkaloids Are a Large Family of Chemically Unrelated Molecules 510
- 22.5.2 Alkaloids Are Noted Primarily for Their Pharmacological Properties and Medical Applications 510

- 22.5.3 Like Many Other Secondary Metabolites,
Alkaloids Serve as Preformed Chemical Defense
Molecules 512

Summary 513

Chapter Review 513

Further Reading 513

Part 5 • Biotechnology 515

Chapter 23 • Biotechnology: Engineering Plants for the Future 517

23.1 Modern Biotechnology Is Synonymous with Recombinant DNA Technology 518

- 23.1.1 DNA Recombination Allows the Movement of
Selected Genes Between Organisms 518
- 23.1.2 The Most Widely Used Vector for Introducing
Foreign Genes into Plants is the Ti Plasmid of the
Crown-Gall Bacterium *Agrobacterium Tumefaciens*
519
- 23.1.3 Electroporation and Biolistics Are Methods
for Direct Delivery of DNA into Plant Cells 522
- 23.1.4 Genetic Engineering Is a New Chapter in the
Long History of Plant Breeding 522

23.2 Tissue and Cell Culture and Protoplast Fusion 523

- 23.2.1 The Culture of Plant Cells and Tissues Has Been
Exploited Since the 1930s 523
- 23.2.2 Protoplasts Are Naked Plant Cells That Can Be
Fused to Make Somatic Hybrids 523
- 23.2.3 Tissue Culture Has Made Possible Large-Scale
Cloning of Plants 524

23.3 Plant Protection 524

- 23.3.1 Herbicide-Resistant Crops Encourage More
Efficient Use of Herbicides 525
- 23.3.2 Herbicide Resistance Can Be Achieved by
Overexpression of Tolerant Enzymes 525

- 23.3.3 Herbicide Resistance in Weeds Is a Potentially
Undesirable Side-Effect of Herbicide Use 526
- 23.3.4 Several Strategies Are Available for Protection
against Insects and Disease 527

23.4 Metabolic Engineering: Improving Yield and Nutrition 528

- 23.4.1 One Target of Biotechnology Is Improved
Carbon Gain and Nitrogen Metabolism 528
- 23.4.2 Boosting Vitamin Content Is One Way to
Improve the Nutritional Quality of Foods 529
- 23.4.3 Oilseed Crops May Be Engineered to Produce
Healthier Edible Oils 529

23.5 Molecular Farming Uses Plants as Living Factories 530

- 23.5.1 Transgenic Plants May Provide a Low-Cost
Delivery System for Vaccines 531
- 23.5.2 Plants Can Be Engineered to Produce
Biodegradable Plastics 531

23.6 Plants Have Potential as an Alternative Source of Renewable Fuels 532

23.7 Plants Remain Useful as a Source of Secondary Products 533

Summary 533

Chapter Review 534

Further Reading 534

Box 23.1 • Engineering Plants with Their Own Genes 519

Appendix I • Standard Amino Acids and Their Structures 535

Appendix II • Measuring Water Potential and Its Components 539

Index 545