



DETECTION *and*
PREVENTION *of*
LEAKS *from* DAMS

Antonio Plata Bedmar
Luís Araguás Araguás

Contents

PREFACE	XIII
1 GENERAL CONSIDERATIONS	1
1.1 Introduction: Understanding leakage and seepage in relation to dam safety	1
1.2 Leakage and seepage	3
1.3 Mechanisms of failure	4
1.4 Nature and objectives of the studies on dam leakage	6
1.5 Risk analysis	11
1.6 Typical features of geological formations	12
1.7 Available techniques	15
References	17
2 WATER BALANCE, LEAKAGE LAW AND PIEZOMETRY	19
2.1 Water balance of a reservoir	19
2.2 Effects related to the water level at the reservoir	21
2.2.1 Leakage law	21
2.2.2 Response velocity of springs and boreholes to level changes at the reservoir	25
2.2.3 Time evolution of the leakage	27
2.3 Piezometric studies	29
References	31
3 PERMEABILITY TESTS IN BOREHOLES	33
3.1 Generalities	33
3.2 Gilg-Gavard tests	35
3.2.1 Constant level method	35
3.2.1.1 Traditional method	35
3.2.1.2 Method based on the measurement of the induced descending vertical flow	36
3.2.2 Variable level method	42

3.3	Lugeon test	45
3.4	Lefranc test	46
3.5	Method based upon the induction of a vertical ascending flow through pumping	48
3.5.1	Fundamentals of the method	48
3.5.2	Gauges for measurement of vertical flows (flow meter)	50
3.6	Test for the determination of the effective porosity	51
3.7	Estimation of the transmissibility from the level recovery after pumping	53
	References	54
4	GEOPHYSICAL TECHNIQUES	57
4.1	Generalities	57
4.2	Surface prospecting geological methods	58
4.2.1	Self-potential	58
4.2.1.1	Theoretical considerations	58
4.2.1.2	Experimental procedure	59
4.2.2	Electrical resistivity	61
4.2.3	Seismic waves refraction	62
4.2.4	Microgravity	63
4.2.5	Penetrating radar	64
4.3	Geophysical well-logging	65
4.3.1	Generalities	65
4.3.2	Natural gamma logging	66
4.3.3	Self-potential and resistivity	72
4.3.4	Electromagnetic induction method	73
4.3.5	Gamma-gamma logging method (γ - γ)	74
4.3.5.1	Theoretical considerations	74
4.3.5.2	Suggested uses	76
4.3.6	Neutron-neutron (n-n) logging	77
4.3.6.1	Theoretical considerations	77
4.3.6.2	Suggested uses	78
4.3.7	Sonic velocity log	78
4.3.8	Caliper	80
	References	80
5	NATURAL TRACERS OF WATER: (A) TEMPERATURE, ELECTRICAL CONDUCTIVITY AND CHEMICAL COMPOSITION	83
5.1	Introduction	83
5.2	Water temperature	85
5.2.1	Theoretical considerations	85
5.2.2	Obtainable information	89

5.3 Electrical conductivity	94
5.3.1 Theoretical considerations	94
5.3.2 Applications	96
5.3.3 Case studies	98
5.4 Chemical composition of water	107
5.4.1 General considerations	107
5.4.2 Major chemical components of water	108
5.4.3 Evaluation of the quality of the chemical analyses	110
5.4.4 Common concentrations and the origin of the ionic components	112
5.4.5 Solubility of minerals	113
5.4.6 Applications	116
References	120
6 NATURAL TRACERS OF WATER: (B) STABLE ISOTOPES, TRITIUM AND CARBON ISOTOPES	123
6.1 Basic concepts	123
6.2 Stable isotopes of water	126
6.2.1 Molecular species of water	126
6.2.2 δ -notation: isotope deviation	126
6.2.3 Isotopic fractionation	127
6.2.4 Isotopic fractionation under equilibrium and kinetic conditions	128
6.2.5 The Rayleigh condensation model	131
6.2.6 Relation between δD and $\delta^{18}O$ in precipitation	132
6.2.7 Temperature control of the isotope composition of meteoric waters	134
6.2.8 Other factors controlling the isotope composition of meteoric waters	134
6.2.8.1 Conditions prevailing during the formation of clouds and humid air masses	135
6.2.8.2 Mixing of atmospheric vapour of oceanic origin with water vapour of local origin	135
6.2.8.3 Latitude effect	135
6.2.8.4 Altitude effect	135
6.2.8.5 Partial evaporation of falling raindrops	136
6.2.8.6 Evaporation from surface waters	136
6.2.8.7 Continentality effect	138
6.2.8.8 Amount effect	138
6.2.9 Offered possibilities	138
6.3 Tritium	142
6.3.1 Generalities	142
6.3.2 Measurement of natural tritium	143

6.3.3 Tritium distribution models	144
6.3.4 Applications	148
6.4 Carbon-13	150
6.4.1 Fundamentals of the technique	150
6.4.2 Case studies	152
6.5 Carbon-14	155
References	156
7 ARTIFICIAL TRACERS	159
7.1 Introduction	159
7.2 Suspended solids	160
7.3 Ionic tracers	162
7.3.1 Generalities	162
7.3.2 Chloride ion	163
7.3.3 Iodide ion	165
7.3.4 Bromide ion	165
7.4 Gaseous fluoro-compounds	166
7.5 Fluorescent tracers	167
7.5.1 Generalities	167
7.5.2 Measuring techniques	168
7.5.2.1 Filter fluorometers	168
7.5.2.2 Fluorometers for in situ measurement	170
7.5.2.3 Spectral fluorometers	170
7.5.3 Types of fluorescent tracers	170
7.5.3.1 Generalities	170
7.5.3.2 Uranine	172
7.5.3.3 Rhodamine B and WT	173
7.5.4 Further information	174
7.5.4.1 Photolysis effect	174
7.5.4.2 Turbidity effect	175
7.5.4.3 Temperature effect	175
7.5.4.4 Quenching effect	176
7.5.4.5 Effect of oxidising products	176
7.5.4.6 Natural background fluorescence	176
7.5.5 Enrichment methods	176
7.5.5.1 Using activated carbon	176
7.5.5.2 Use of exchange resins	178
7.5.5.3 Liquid-liquid extraction method	178
7.5.5.4 Enrichment through evaporation	179
7.6 Artificial radioactive tracers	179
7.6.1 Generalities	179
7.6.2 Bromine-82	180

7.6.3 Iodine-131	180
7.6.4 Gold-198	183
7.6.5 Tritium	183
7.6.6 Comments on radiological risk	184
References	187
8 LOCALISATION AND MEASUREMENT OF FLOWS IN BOREHOLES	193
8.1 Introduction	193
8.2 Appropriate tracers	194
8.3 Filtration velocity	195
8.4 Point dilution technique for the measurement of horizontal groundwater flow	195
8.4.1 Principle of the method	195
8.4.2 Coefficient of hydrodynamic disturbance	197
8.4.3 Experimental methodology	199
8.4.4 Limitations	201
8.5 Method based on the labelling of the entire water column	202
8.5.1 Experimental methodology	202
8.5.2 Borehole requirements	205
8.5.3 Tracer injection techniques	206
8.5.4 Interpretation of results	208
8.5.5 Case studies	211
8.5.6 Advantages of the method	222
8.6 Measurement of vertical flows	223
8.6.1 Generalities	223
8.6.2 Measurement techniques using tracers	224
8.6.2.1 Previous tests	224
8.6.2.2 Migration of the tracer cloud	224
8.6.2.3 The two peak method	228
8.6.2.4 Movable measuring line	229
8.6.2.5 Point injection with a peristaltic pump	231
8.6.3 Use of measuring gauges	232
8.6.4 Interpretation of the results	233
References	234
9 INTERCONNECTION EXPERIMENTS	237
9.1 Introduction	237
9.2 Theoretical considerations	238
9.2.1 Flow equations	238
9.2.2 Point injection	240
9.2.3 Continuous injection	241
9.2.4 The longitudinal dispersion coefficient	242

9.3	Guidelines for conducting interconnection experiments	243
9.3.1	Tracer injection	243
9.3.1.1	Injection inside the reservoir	243
9.3.1.2	Injection in a borehole	244
9.3.2	Experimental methodology	245
9.3.3	Tracer amount	249
9.4	Case studies	250
9.4.1	Canelles reservoir, Spain	250
9.4.2	Lake Laja, Chile	252
9.4.3	Tous reservoir, Spain	254
9.4.4	Joumine reservoir, Tunisia	255
9.4.5	PUNA reservoir, Africa	255
	References	257
10	TESTS INSIDE THE RESERVOIR	259
10.1	Introduction	259
10.2	Use of float drogues	261
10.3	Tracing of the reservoir water	263
10.4	Free migration of the tracer cloud	266
10.5	Method of filter tubes	268
10.6	Labelling of the infiltration zone (adsorbed tracer)	269
10.7	Direct measurement of infiltration	271
10.7.1	Generalities	271
10.7.2	DWICA meter	272
10.7.3	Method proposed by Zuber	272
10.7.4	Method proposed by Easey	274
10.7.5	Method suggested by Gaillard et al.	276
10.7.6	Point dilution method	277
10.7.7	Additional suggestions	280
10.7.7.1	Point dilution system for the identification of infiltration through the walls	280
10.7.7.2	Point dilution using a long porous tube	282
10.7.7.3	Measurement of the vertical component of the bottom flow velocity using tracer techniques	283
10.7.7.4	Measurement of the vertical descending flow component using current meters	284
10.7.7.5	Three-dimensional measuring systems	285
	References	287
11	GENERAL STRATEGY OF STUDIES	289
11.1	Introduction	289
11.2	Preconstruction studies	290
11.2.1	Generalities	290

11.2.2	General recommendations	290
11.2.3	Risk of leakage	292
11.2.4	Recommended techniques	293
11.2.5	Case studies	296
11.2.5.1	Cuyaguajeje reservoir, Cuba	296
11.2.5.2	Pangué reservoir, Chile	296
11.2.5.3	Santa Liestra dam, Spain	297
11.2.5.4	Lake San Marcos, Ecuador	299
11.2.5.5	Poçeme reservoir, Albania	302
11.2.5.6	Atance reservoir, Spain	304
11.2.5.7	Rules reservoir, Spain	308
11.2.5.8	Bellús reservoir, Spain	312
11.2.5.9	Algar reservoir, Spain	315
11.3	Studies during the first filling of a reservoir	322
11.3.1	Introduction	322
11.3.2	Water balance	322
11.3.3	Follow-up of piezometric levels	323
11.3.4	Follow-up on water flow inside the boreholes	324
11.3.5	Follow-up on the flow rate of emerging waters	324
11.3.6	Study of the water infiltration through the fractures or cavities of the rock formation	325
11.3.7	Under-dam seepage	327
11.3.8	Dam sitting-down studies	328
11.4	Leakage investigation after its appearance	328
11.5	Relation of reservoir with local aquifers	332
	References	333
12	CASE STUDIES	335
12.1	Introduction	335
12.2	Arquillo de San Blas dam, Spain	335
12.3	Lake Managua, Nicaragua	344
12.4	Sabaneta reservoir, Dominican Republic	352
12.5	Lake Laja, Chile	357
12.6	The Colbún reservoir, Chile	367
	References	379
ANNEX 1: CALCULATION OF UNDER-DAM SEEPAGE IN CASE OF ISOTROPIC GRANULAR MEDIUM		381
	Reference	383
ANNEX 2: MEASUREMENT OF OPEN FLOWS USING TRACERS		385
1	Introduction	385
2	Methods	385

XII Contents

3	The continuous injection method	386
3.1	Fundamentals of the method	386
3.2	Basic conditions	387
4	The point injection method	388
4.1	Fundamentals of the method	388
4.2	Basic conditions	388
4.3	Methods for determining the value of the integral $\int C(t) dt$	389
5	Comparison of both methods	393
6	Good mixing distance	394
7	Tracers	396
8	Tracer amount	397
	References	398
ANNEX 3: ISOTOPIC BALANCE OF LAKES AND RESERVOIRS		401
1	The Craig–Gordon evaporation model	401
2	Isotopic composition of the net evaporation flux	402
3	Isotopic composition of an evaporating closed lake	403
4	Lake balance	404
	References	406
ANNEX 4: HYDRAULIC CONDUCTIVITY OF THE BOREHOLE CASING		407
	Reference	410
ANNEX 5: ESTIMATION OF THE TOTAL VOLUME OF CAVITIES IN KARSTIC AQUIFERS FROM THE CONCENTRATION OF NATURAL TRITIUM		411
	References	413
AUTHOR INDEX		415
SUBJECT INDEX		417