

SHORT PROTOCOLS IN
CELL
BIOLOGY

A COMPENDIUM OF METHODS FROM
CURRENT PROTOCOLS IN
CELL BIOLOGY

EDITED BY:

JUAN S. BONIFACINO

MARY DASSO

JOE B. HARFORD

JENNIFER LIPPINCOTT-SCHWARTZ

KENNETH M. YAMADA

 **WILEY**

CONTENTS

Preface	xvii
Contributors	xxi

1 Cell Culture

1.1	Basic Techniques for Mammalian Cell Tissue Culture	1-2
	Basic Protocol: Trypsinizing and Subculturing Cells from a Monolayer	1-3
	Alternate Protocol: Passaging Cells in Suspension Culture	1-3
	Support Protocol 1: Freezing Human Cells Grown in Monolayer Cultures	1-4
	Support Protocol 2: Freezing Cells Grown in Suspension Culture	1-4
	Support Protocol 3: Thawing and Recovering Human Cells	1-5
	Support Protocol 4: Determining Cell Number and Viability with a Hemacytometer and Trypan Blue Staining	1-5
	Support Protocol 5: Preparing Cells for Transport	1-6
1.2	Media for Culture of Mammalian Cells	1-7
	Basic Protocol 1: Preparation of Serum-Containing Media	1-7
	Basic Protocol 2: Preparing Media for Reduced-Serum or Serum-Free Growth	1-8
	Basic Protocol 3: Preparation of Selective Media: HAT Medium	1-10
	Basic Protocol 4: Growth of Transformed Cells in Soft Agar	1-10
	Support Protocol 1: pH Control in Media	1-11
	Support Protocol 2: Use of Antibiotics in Media	1-11
1.3	Aseptic Technique for Cell Culture	1-12
	Basic Protocol 1: Aseptic Technique	1-12
	Basic Protocol 2: Use of the Laminar-Flow Hood	1-14
1.4	Sterilization and Filtration	1-15
	Basic Protocol 1: Autoclaving Liquids	1-15
	Alternate Protocol: Autoclaving Dry Goods	1-17
	Basic Protocol 2: Dry-Heat Sterilization and Depyrogenation	1-17
	Basic Protocol 3: Use of Disinfectants: 70% Ethanol	1-18
	Filter Sterilization of Solutions	1-19
	Basic Protocol 4: Vacuum Filtration	1-19
	Basic Protocol 5: Small-Volume Positive-Pressure Filtration of Nonaqueous Solutions	1-20
1.5	Assessing and Controlling Microbial Contamination in Cell Cultures	1-21
	Basic Protocol 1: Testing for Bacterial and Fungal Contaminants	1-21
	Basic Protocol 2: Testing for Mycoplasma Contamination by Direct Culture	1-23
	Basic Protocol 3: Use of Antibiotics to Control Microbial Contamination	1-25
1.6	Media and Culture of Yeast	1-26
	Preparation of Media	1-27
	General Considerations for Culturing Yeast	1-32

2 Preparation and Isolation of Cells

2.1	Establishment of Fibroblast Cultures	2-2
	Basic Protocol	
2.2	Preparation and Culture of Human Lymphocytes	2-6
	Basic Protocol 1: Preparation of Lymphocytes by Ficoll-Hypaque Gradient Centrifugation	2-6
	Basic Protocol 2: Preparation of Monocytes/Macrophages and "Dendritic-Like" Cells from Lymphocyte Populations	2-8
	Basic Protocol 3: Positive Selection of T and B Cells by Monoclonal Antibody-Coated Magnetic Beads	2-9

2.3	Preparation of Endothelial Cells from Human Umbilical Vein	2-10
	Basic Protocol	2-10
2.4	Generation of Continuously Growing B Cell Lines by Epstein-Barr Virus Transformation	2-12
	Basic Protocol	2-12
2.5	Laser Capture Microdissection	2-13
	Basic Protocol: Isolation of a Pure Cell Population from Tissue Sections	2-13
	Support Protocol: Hematoxylin and Eosin Staining of Tissues for LCM	2-16

3 Subcellular Fractionation and Isolation of Organelles

3.1	Overview of Cell Fractionation	3-2
	Basic Principles of Centrifugation	3-3
	Instrumentation	3-4
	Fractionation Media	3-7
	Evaluation of Fractionation	3-9
	Definitive Procedures	3-10
3.2	Isolation of Rat Hepatocyte Plasma Membrane Sheets and Plasma Membrane Domains	3-10
	Basic Protocol 1: Isolation of Plasma Membrane Sheets	3-10
	Support Protocol 1: Assay for Alkaline Phosphodiesterase I Activity	3-12
	Basic Protocol 2: Isolation of Plasma Membrane Domains	3-14
	Support Protocol 2: Assay for K ⁺ -Stimulated <i>p</i> -Nitrophenylphosphatase Activity	3-14
	Support Protocol 3: Assay for 5'-Nucleotidase Activity	3-15
	Support Protocol 4: Indirect Immunofluorescent Detection of Proteins Associated with Plasma Membrane Sheets	3-16
3.3	Isolation of Golgi Membranes from Tissues and Cells by Differential and Density Gradient Centrifugation	3-17
	Basic Protocol 1: Rapid Isolation of Golgi Membranes from Rat Liver Using a Sucrose Density Barrier	3-18
	Basic Protocol 2: Isolation of Golgi Membranes from a Rat Liver Light Mitochondrial Fraction by Flotation Through a Discontinuous Sucrose Gradient	3-19
	Basic Protocol 3: Isolation of Golgi Membranes from Cultured Cells by Flotation Through a Discontinuous Sucrose Gradient	3-21
	Basic Protocol 4: Isolation of Golgi Membranes from a Microsomal Fraction of Hepatocytes in a Self-Generated Gradient of Iodixanol	3-21
	Support Protocol: Assay for UDP-Galactose Galactosyltransferase	3-23
3.4	Isolation of Lysosomes from Tissues and Cells by Differential and Density Gradient Centrifugation	3-24
	Basic Protocol 1: Isolation of Lysosomes from Rat Liver Using a Self-Generated Percoll Gradient	3-24
	Basic Protocol 2: Isolation of Lysosomes from Human HL-60 Cultured Cells Using a Self-Generated Percoll Gradient	3-26
	Support Protocol 1: Assay for Acid Phosphatase	3-27
	Support Protocol 2: Assay for β - <i>N</i> -Acetylglucosaminidase	3-27
3.5	Isolation of Mitochondria from Tissues and Cells by Differential Centrifugation	3-28
	Basic Protocol 1: Preparation of the Heavy Mitochondrial Fraction from Rat Liver	3-28
	Basic Protocol 2: Large-Scale Preparation of Mitochondria from Bovine Heart	3-30
	Basic Protocol 3: Preparation of Mitochondria from Skeletal Muscle	3-31
	Basic Protocol 4: Preparation of Mitochondria from Cultured Cells	3-32
	Basic Protocol 5: Preparation of Mitochondria from Yeast (<i>Saccharomyces cerevisiae</i>)	3-32
3.6	Purification of a Crude Mitochondrial Fraction by Density-Gradient Centrifugation	3-33
	Basic Protocol 1: Resolution of a Rat Liver Mitochondrial Fraction in a Continuous Sucrose Gradient	3-34
	Basic Protocol 2: Isolation of Mitochondria from Rat Brain Using a Discontinuous Percoll Gradient	3-35
	Basic Protocol 3: Resolution of a Mitochondrial Fraction in a Self-Generated Percoll Gradient	3-36
	Support Protocol 1: Succinate Dehydrogenase Assay for Mitochondria	3-37
	Support Protocol 2: β -Galactosidase Assay for Lysosomes	3-37
	Support Protocol 3: Catalase Assay for Peroxisomes	3-38

3.7	Isolation of Peroxisomes from Tissues and Cells by Differential and Density Gradient Centrifugation	3-39
	Basic Protocol 1: Isolation of a Light Mitochondrial Fraction from Rat Liver	3-40
	Basic Protocol 2: Isolation of Peroxisomes from a Rat Liver Light Mitochondrial Fraction Using a Preformed Continuous Iodixanol Gradient	3-41
	Basic Protocol 3: Isolation of Peroxisomes from a Rat Liver Light Mitochondrial Fraction Using a Preformed Continuous Nycodenz Gradient	3-41
	Basic Protocol 4: Isolation of Peroxisomes from Yeast Spheroplasts Using a Preformed Continuous Nycodenz Gradient	3-42
	Basic Protocol 5: Isolation of Peroxisomes from Cultured Cells (HepG2) Using a Preformed Continuous Nycodenz Gradient	3-43
	Support Protocol: Assay for Endoplasmic Reticulum Marker Enzyme NADPH-Cytochrome c Reductase	3-44
3.8	Isolation of Nuclei and Nuclear Membranes from Animal Tissues	3-45
	Basic Protocol 1: Isolation of Nuclei from Rat-Liver Homogenate Using a Sucrose Density Barrier	3-45
	Alternate Protocol: Isolation of Nuclei from Animal or Plant (Wheat Germ) Cells Using an Iodixanol Gradient	3-47
	Basic Protocol 2: Isolation of Nuclear Membranes: High-Ionic-Strength Method	3-47
	Basic Protocol 3: Isolation of Nuclear Membranes: Low-Ionic-Strength Method	3-48
	Support Protocol 1: Diphenylamine Assay for DNA	3-49
	Support Protocol 2: Orcinol Assay for RNA	3-50
	Support Protocol 3: Ethidium Bromide Assay for DNA and RNA	3-50
3.9	Isolation of Subcellular Fractions from the Yeast <i>Saccharomyces cerevisiae</i>	3-52
	Basic Protocol 1: Fractionation of Spheroplasts by Differential Centrifugation	3-52
	Support Protocol: Preparation of Yeast Spheroplasts Using Zymolyase	3-67
	Basic Protocol 2: Equilibrium Density Gradient Fractionation Using Nycodenz	3-68
	Basic Protocol 3: Fractionation of P _{13,000} Membranes on Sucrose Step Gradients	3-70
	Basic Protocol 4: Isolation of Intact Vacuoles Using Ficoll Step Gradients	3-72
	Basic Protocol 5: Isolation of Intact Nuclei with Ficoll Step Gradients	3-74
	Basic Protocol 6: Isolation of Lactate-Induced Mitochondria Using Nycodenz Step Gradients	3-78
	Basic Protocol 7: Isolation of Oleate-Induced Peroxisomes Using Sucrose Step Gradients	3-81
	Basic Protocol 8: Isolation of Endoplasmic Reticulum Using Sucrose Step Gradients	3-84
	Basic Protocol 9: Isolation of Plasma Membranes from Whole Yeast Cells Using Sucrose Step Gradients	3-85
	Basic Protocol 10: Preparation of Cytosol from Whole Yeast Cells	3-87

4 Antibodies As Cell Biological Tools

4.1	Production of Monoclonal Antibodies	4-2
	Basic Protocol 1: Immunization to Produce Monoclonal Antibodies	4-2
	Basic Protocol 2: Cell Fusion and Selection of Hybridomas	4-3
	Support Protocol 1: Screening Primary Hybridoma Supernatants	4-6
	Support Protocol 2: Establishment of Hybridoma Lines	4-6
	Support Protocol 3: Cloning by Limiting Dilution	4-7
	Support Protocol 4: Preparation of Cloning/Expansion Medium	4-8
4.2	Production of Polyclonal Antisera	4-8
	Basic Protocol: Immunization to Produce Polyclonal Antibodies Using Freund's Adjuvant	4-8
	Alternate Protocol: Immunization to Produce Polyclonal Antiserum Using Other Adjuvants	4-10
	Support Protocol: Preparation of Serum from Blood	4-11
4.3	Purification of Immunoglobulin G	4-12
	Basic Protocol 1: Ammonium Sulfate Precipitation and Size-Exclusion Chromatography	4-12
	Basic Protocol 2: Affinity Chromatography Using Protein A-Sepharose	4-13
	Alternate Protocol 1: Affinity Chromatography Using Protein G-Sepharose	4-14
	Alternate Protocol 2: Affinity Chromatography Using Anti-Rat κ Chain Monoclonal Antibody Coupled to Sepharose	4-15
	Basic Protocol 3: DE52 Ion-Exchange Chromatography with Tris-Cl	4-15

4.4	Antibody Conjugates for Cell Biology	4-16
	Basic Protocol: Conjugating Antibodies to Fluorophores or Biotin	4-16
	Support Protocol: Methods to Estimate Antibody Concentration	4-21

5 Microscopy

5.1	Proper Alignment and Adjustment of the Light Microscope	5-3
	Major Components of the Light Microscope	5-3
	Basic Imaging and Kohler Illumination Light Paths for Bright-Field and Fluorescence Microscopy	5-8
	Basic Protocol 1: Alignment for Kohler Illumination in Bright-Field, Transmitted Light Microscopy	5-9
	Basic Protocol 2: Alignment of the Eyepieces	5-11
	Basic Protocol 3: Alignment for Kohler Illumination in Epifluorescence Microscopy	5-12
	Basic Protocol 4: Alignment for Phase-Contrast Microscopy	5-13
	Support Protocol: Care and Cleaning of Microscope Optics	5-15
5.2	Fluorescence Microscopy	5-16
	Fluorescence Microscope Optics	5-16
	Components of the Fluorescence Microscope	5-17
	The Digital Darkroom	5-21
5.3	Immunofluorescence Staining	5-22
	Basic Protocol: Immunofluorescence Labeling of Cultured Cells	5-22
5.4	Organelle Staining with Fluorescent Dyes and Fluorescent Lipid Derivatives	5-24
	Basic Protocol 1: Staining the Endoplasmic Reticulum in Fixed Cells	5-26
	Alternate Protocol: Staining the Endoplasmic Reticulum in Living Cells	5-28
	Basic Protocol 2: Staining the Golgi Complex in Living Cells	5-28
	Basic Protocol 3: Staining Mitochondria	5-30
5.5	Basic Confocal Microscopy	5-31
	Basis of Optical Sectioning	5-31
	Types of Confocal Microscopes	5-32
	Practical Guidelines	5-35
5.6	Immunoperoxidase Methods for Localization of Antigens in Cultured Cells and Tissues	5-38
	Strategic Planning	5-39
	Basic Protocol 1: Immunoperoxidase Staining of Cultured Cells	5-40
	Basic Protocol 2: Immunoperoxidase Staining of Tissue Sections	5-42
5.7	Cryo-Immunogold Electron Microscopy	5-45
	Basic Protocol: Immunogold Labeling	5-45
	Support Protocol 1: Fixation of Cells for Immunogold Labeling	5-47
	Support Protocol 2: Fixation of Tissue for Immunogold Labeling	5-47
	Support Protocol 3: Cryosectioning for Immunogold Labeling	5-48
	Support Protocol 4: Preparation of Carbon- and Formvar-Coated Copper Grids	5-49
5.8	Correlative Video Light/Electron Microscopy	5-50
	Basic Protocol: Correlative Video Light/Electron Microscopy	5-50
5.9	Fluorescent Speckle Microscopy (FSM) of Microtubules and Actin in Living Cells	5-54
	Strategic Planning	5-54
	Basic Protocol 1: Designing a Microscope System for Time-Lapse Digital FSM	5-54
	Basic Protocol 2: Time-Lapse FSM Imaging of the Cytoskeleton in Living Cells	5-58
	Basic Protocol 3: Qualitative and Quantitative Analysis of Time-Lapse FSM Image Series	5-61
	Support Protocol 1: Preparation of Fluorescently Labeled Tubulin for FSM	5-62
	Support Protocol 2: Preparation of Fluorescently Labeled Actin for FSM	5-65
5.10	GFP As a Live Cell Imaging Tool	5-67
	Preparing a Fusion Construct	5-68

6 Characterization of Cellular Proteins

6.1	Analysis of the Association of Proteins with Membranes	6-2
	Basic Protocol 1: Alkaline Carbonate Extraction	6-2
	Alternate Protocol 1: Urea Extraction	6-3
	Alternate Protocol 2: High-Salt Extraction	6-3
	Alternate Protocol 3: Triton X-114 Phase Separation	6-3
	Support Protocol 1: Triton X-114 Precondensation	6-4
	Basic Protocol 2: PI-PLC Cleavage of GPI-Linked Proteins	6-5
	Basic Protocol 3: Detergent Solubilization of Triton X-100 Insoluble Integral Membrane and GPI-Linked Proteins	6-6
6.2	Determination of Molecular Size by Zonal Sedimentation Analysis on Sucrose Density Gradients	6-6
	Basic Protocol 1: Zonal Sedimentation Using Sucrose Gradients Formed by a Gradient Master	6-7
	Alternate Protocol 1: Zonal Sedimentation Using Sucrose Gradients Formed by a Gradient Maker	6-9
	Support Protocol 1: Use and Preparation of Common Molecular Size Markers	6-11
	Basic Protocol 2: Fractionation by Puncture and Elution from the Bottom of the Gradient	6-12
	Alternate Protocol 2: Fractionation by Peristaltic Elution from the Bottom of the Gradient	6-13
	Support Protocol 2: Determination of Sedimentation Coefficients by Extrapolation from Migration of Standard Proteins	6-14
6.3	Determination of Molecular Size by Size-Exclusion Chromatography (Gel Filtration)	6-15
	Strategic Planning	6-15
	Basic Protocol 1: SE-HPLC	6-16
	Basic Protocol 2: Conventional SEC	6-19

7 Electrophoresis and Immunoblotting

7.1	One-Dimensional SDS Gel Electrophoresis of Proteins	7-3
	Electricity and Electrophoresis	7-3
	Basic Protocol 1: Denaturing (SDS) Discontinuous Gel Electrophoresis: Laemmli Gel Method	7-5
	Alternate Protocol 1: Electrophoresis in Tris-Tricine Buffer Systems	7-10
	Alternate Protocol 2: Separation of Proteins on Gradient Gels	7-11
7.2	One-Dimensional Electrophoresis Using Nondenaturing Conditions	7-14
	Basic Protocol: Continuous Electrophoresis in Nondenaturing Polyacrylamide Gels	7-14
	Alternate Protocol: Native Discontinuous Electrophoresis and Generation of Molecular Weight Standard Curves (Ferguson Plots)	7-16
7.3	Two-Dimensional Gel Electrophoresis	7-19
	Basic Protocol 1: High-Resolution Equilibrium Isoelectric Focusing in Tube Gels	7-20
	Support Protocol 1: Conducting pH Profile Measurements	7-23
	Alternate Protocol 1: Nonequilibrium Isoelectric Focusing of Very Acidic Proteins	7-23
	Alternate Protocol 2: Nonequilibrium Isoelectric Focusing of Basic Proteins	7-24
	Support Protocol 2: Preparing Cell Extracts for Isoelectric Focusing	7-24
	Basic Protocol 2: Second-Dimension Electrophoresis of IEF Tube Gels	7-26
	Support Protocol 3: Preparing Molecular Weight Standards for Two-Dimensional Gels	7-27
	Alternate Protocol 3: Diagonal Gel Electrophoresis (Nonreducing/Reducing Gels)	7-28
7.4	One-Dimensional Isoelectric Focusing of Proteins in Slab Gels	7-29
	Basic Protocol: Isoelectric Focusing in Slab Gels Under Denaturing Conditions	7-29
	Support Protocol: Electroblobting from Denaturing Isoelectric-Focusing Slab Gels	7-30
7.5	Agarose Gel Electrophoresis of Proteins	7-31
	Basic Protocol: Agarose Gel Electrophoresis and Blotting with Immunodetection	7-31
7.6	Staining Proteins in Gels	7-32
	Basic Protocol 1: Staining Protein Gels with Coomassie Blue	7-32
	Alternate Protocol: Staining Protein Gels with Coomassie Blue After Isoelectric Focusing	7-33
	Basic Protocol 2: Staining Protein Gels with Silver	7-34
	Basic Protocol 3: Fluorescence Detection of Proteins in Gels	7-35
	Basic Protocol 4: Reversible Protein Staining with Zinc	7-37

7.7	Immunoblotting and Immunodetection	7-38
	Basic Protocol 1: Protein Blotting with Tank Transfer Systems	7-38
	Alternate Protocol 1: Protein Blotting with Semidry Systems	7-40
	Support Protocol 1: Reversible Staining of Transferred Proteins	7-41
	Basic Protocol 2: Immunoprobng with Directly Conjugated Secondary Antibody	7-42
	Alternate Protocol 2: Immunoprobng with Avidin-Biotin Coupling to Secondary Antibody	7-42
	Basic Protocol 3: Visualization with Luminescent Substrates	7-43
	Support Protocol 2: Stripping and Reusing Membranes	7-44
7.8	Detection and Quantitation of Radiolabeled Proteins in Gels and Blots	7-44
	Basic Protocol: Autoradiography	7-44
	Support Protocol 1: Fixing and Drying Gels for Autoradiography	7-46
	Support Protocol 2: Use of Intensifying Screens	7-47
	Alternate Protocol 1: Fluorography	7-47
	Support Protocol 3: Densitometry	7-48
	Alternate Protocol 2: Phosphor Imaging	7-48

8 Protein Labeling and Immunoprecipitation

8.1	Metabolic Labeling with Radiolabeled Amino Acids	8-2
	Safety Precautions for Working with ³⁵ S-Labeled Compounds	8-2
	Basic Protocol: Pulse-Labeling of Cells in Suspension with [³⁵ S]Methionine	8-4
	Alternate Protocol 1: Pulse-Labeling of Adherent Cells with [³⁵ S]Methionine	8-4
	Alternate Protocol 2: Pulse-Chase Labeling of Cells with [³⁵ S]Methionine	8-5
	Alternate Protocol 3: Long-Term Labeling of Cells with [³⁵ S]Methionine	8-6
	Alternate Protocol 4: Metabolic Labeling with Other Radiolabeled Amino Acids	8-6
	Support Protocol: TCA Precipitation to Determine Label Incorporation	8-7
8.2	Metabolic Labeling of Glycoproteins with Radiolabeled Sugars	8-7
	Basic Protocol: Pulse-Chase Labeling with Radiolabeled Sugars	8-8
	Alternate Protocol: Long-Term Labeling with Radiolabeled Sugars	8-9
8.3	Metabolic Labeling with Radiolabeled Fatty Acids	8-11
	Basic Protocol: Biosynthetic Labeling with Fatty Acids	8-11
8.4	Radioiodination of Cellular Proteins	8-13
	Safety Precautions for Working with ¹²⁵ I-Labeled Compounds	8-13
	Basic Protocol 1: Cell Surface Labeling with ¹²⁵ I Using Lactoperoxidase	8-13
	Basic Protocol 2: Radioiodination of Detergent-Solubilized Membrane Proteins	8-14
	Support Protocol: Membrane Preparation by Homogenization	8-15
	Basic Protocol 3: Lactoperoxidase-Catalyzed Radioiodination of Soluble Proteins	8-16
8.5	Immunoprecipitation	8-17
	Basic Protocol 1: Immunoprecipitation Using Cells in Suspension Lysed with a Nondenaturing Detergent Solution	8-18
	Alternate Protocol 1: Immunoprecipitation Using Adherent Cells Lysed with a Nondenaturing Detergent Solution	8-21
	Alternate Protocol 2: Immunoprecipitation Using Cells Lysed with Detergent Under Denaturing Conditions	8-22
	Alternate Protocol 3: Immunoprecipitation Using Cells Lysed Without Detergent	8-22
	Basic Protocol 2: Immunoprecipitation-Recapture	8-23
8.6	Metabolic Labeling and Immunoprecipitation of Yeast Proteins	8-23
	Basic Protocol: Labeling and Immunoprecipitating Yeast Proteins	8-24
	Alternate Protocol: Making Yeast Spheroplasts	8-26

9 Protein Phosphorylation

9.1	Labeling Cultured Cells with ³²P, and Preparing Cell Lysates for Immunoprecipitation	9-2
	Basic Protocol: Labeling Cultured Cells with ³² P, and Lysis Using Mild Detergent	9-2
	Alternate Protocol: Lysis of Cells by Boiling in SDS	9-3

9.2	Immunological Detection of Phosphorylation	9-4
	Basic Protocol 1: Immunodetection of Protein Phosphorylation by Immunoblotting	9-4
	Basic Protocol 2: Immunodetection of Protein Phosphorylation by Immunoprecipitation Followed by Immunoblotting	9-7
	Basic Protocol 3: Fluorescent Immunostaining of Tissue Culture Cells	9-8
9.3	Detection of Map Kinase Signaling	9-9
	Basic Protocol 1: Determination of Map Kinase (ERK) Activity by Immunoprecipitation	9-10
	Basic Protocol 2: In-Gel Kinase Assay	9-12
	Basic Protocol 3: JNK Assay	9-13
	Support Protocol: Preparation of GST-JUN-Glutathione Beads	9-14

10 Protein Trafficking

10.1	Use of Glycosidases to Study Protein Trafficking	10-2
	Basic Protocol 1: Endoglycosidase H Digestion	10-3
	Basic Protocol 2: Peptide: N-Glycosidase F Digestion	10-3
	Basic Protocol 3: Sialidase (Neuraminidase) Digestion	10-5
	Basic Protocol 4: Endo- α -N-Acetylgalactosaminidase Digestion	10-5
10.2	Endocytosis	10-6
	Basic Protocol 1: Measuring the Steady-State Surface-to-Internal Distribution of the Transferrin Receptor	10-7
	Basic Protocol 2: Measuring the Kinetics of Transferrin Internalization	10-8
	Alternate Protocol 1: Measuring the Kinetics of Membrane Protein Internalization Using 125 I-Labeled Antibodies	10-9
	Alternate Protocol 2: Measuring the Kinetics of Transferrin Internalization in Cells Grown in Suspension	10-10
	Basic Protocol 3: Measuring the Kinetics of Transferrin Receptor Recycling	10-11
	Support Protocol 1: Iron-Loading Transferrin	10-12
	Support Protocol 2: Radiolabeling of Diferric Transferrin	10-12
	Basic Protocol 4: Measuring Fluid-Phase Uptake	10-13
	Support Protocol 3: Inhibition of Clathrin-Mediated Endocytosis by Potassium Depletion	10-14
	Support Protocol 4: Inhibition of Clathrin-Mediated Endocytosis by Cytosol Acidification	10-14
10.3	Protein Transport to the Plasma Membrane	10-15
	Basic Protocol: Measuring Arrival at the Cell Surface by Digestion with Sialidase	10-15
	Alternate Protocol: Measuring Arrival at the Cell Surface by Biotinylation of Cell-Surface Molecules	10-16
10.5	Membrane Traffic in Polarized Epithelial Cells	10-17
	Basic Protocol 1: Transfection of Polarized Epithelial Cells in Suspension and Selection of Resistant Clones	10-18
	Support Protocol 1: Picking Stably Transfected Clones	10-19
	Support Protocol 2: Culture of Epithelial Cells on Filters	10-20
	Support Protocol 3: Determining the Leakiness of a Monolayer of Cells Grown on a Filter	10-21
	Basic Protocol 2: Pulse-Chase Experiments in Polarized Epithelial Cells	10-22
	Basic Protocol 3: Biotinylation of Newly Synthesized Epithelial Cell Surface Proteins	10-23
	Basic Protocol 4: Indirect Immunofluorescence of Proteins in Polarized Epithelial Cells	10-24

11 Cell Proliferation, Cell Aging, and Cellular Death

11.1	Determining Cell Cycle Stages by Flow Cytometry	11-2
	Basic Protocol 1: Cell Cycle Analysis of Fixed Cells Stained with Propidium Iodide	11-2
	Alternate Protocol 1: Cell Cycle Analysis of Fixed Cells Stained with DAPI	11-4
	Basic Protocol 2: Cell Cycle Analysis of Unfixed, Detergent-Permeabilized Cells Stained with PI	11-6
	Alternate Protocol 2: Cell Cycle Analysis of Unfixed, Detergent-Permeabilized Cells Stained with DAPI	11-6
	Basic Protocol 3: Staining of Live Cells with Hoechst 33342	11-6
	Basic Protocol 4: Bivariate Analysis of DNA Content and Expression of Cyclins D, E, A, or B1	11-7

11.2	Methods for Synchronizing Cells At Specific Stages of the Cell Cycle	11-8
	Basic Protocol 1: Enrichment of Mitotic Cells by Mitotic Shake-Off	11-9
	Alternate Protocol 1: Pre-Enrichment of Exponential Cultures for Mitotic Cells	11-10
	Alternate Protocol 2: Enrichment of Mitotic Cells by Nocodazole Arrest	11-10
	Basic Protocol 2: Enrichment of Cells At G ₀ /G ₁ by Serum Starvation	11-10
	Alternate Protocol 3: Enrichment of Cells At G ₀ /G ₁ by Amino Acid Starvation	11-11
	Basic Protocol 3: Enrichment of G ₁ -Phase Cells Using Lovastatin	11-11
	Alternate Protocol 4: Enrichment of G ₁ -Phase Cells by Mimosine Arrest	11-12
	Basic Protocol 4: Synchronizing Cells At the Onset of S Phase by Double-Thymidine Block	11-13
	Alternate Protocol 5: Performing Sequential G ₁ /S Blocks	11-14
	Support Protocol 1: Determining Mitotic Index	11-14
	Support Protocol 2: Monitoring [³ H]Thymidine Incorporation into DNA by TCA Precipitation	11-15
11.3	Assays for CDK Activity and DNA Replication in the Cell Cycle	11-16
	Basic Protocol 1: Measuring CDK Activity	11-16
	Basic Protocol 2: Measuring DNA Replication Using Incorporation of BrdU	11-19
11.4	Assessment of Apoptosis and Necrosis by DNA Fragmentation and Morphological Criteria	11-21
	Morphology Assays	11-21
	Basic Protocol 1: Measurement of Cell Death by Trypan Blue Exclusion	11-21
	Basic Protocol 2: Differential Staining of Cells	11-23
	Basic Protocol 3: Hoechst Staining of Cells	11-24
	Support Protocol: Cytospin Preparation of Cells for Analysis	11-24
	Assays for Chromatin Cleavage	11-25
	Basic Protocol 4: TUNEL Assay for DNA Fragmentation in Cells	11-25
	Alternate Protocol 1: TUNEL Assay in Paraffin-Embedded Sections	11-26
	Basic Protocol 5: Detection of DNA Fragmentation in Whole Cells	11-27
	Alternate Protocol 2: Detection of DNA Fragmentation in Total Genomic DNA	11-28
	Alternate Protocol 3: Simple Protocol for Detection of DNA Fragments	11-29
	Alternate Protocol 4: Phenol Extraction of DNA Fragments for Agarose Gel Electrophoresis	11-29
	Basic Protocol 6: Quantitative Assay of DNA Fragmentation	11-30
	Basic Protocol 7: Detection of High-Molecular-Weight Chromatin Fragments by Pulsed-Field Agarose Gel Electrophoresis	11-31
11.5	Analysis of Caspase Activation During Apoptosis	11-33
	Basic Protocol 1: Enzymatic Assays for Caspase Activity	11-33
	Basic Protocol 2: Detection of Caspase Activation by Immunoblotting	11-35
	Alternate Protocol 1: Cell Lysis with Guanidine Hydrochloride for Immunoblotting	11-36
	Support Protocol 1: Removing (Stripping) Primary and Secondary Antibodies from Blots	11-37
	Basic Protocol 3: Labeling and Detecting Active Caspases Using Biotinylated Substrate Analogs	11-38
	Alternate Protocol 2: In Vitro Activation of Caspases in Naive Lysates Followed by Affinity Labeling	11-39
	Support Protocol 2: Controls for Specificity of Affinity-Labeled Active Caspases	11-40
	Support Protocol 3: Stripping Membrane in the Presence of d-Biotin for Reprobing with Antibody	11-40

12 In Vitro Reconstitution

12.1	In Vitro Translation	12-3
	Basic Protocol 1: Production and Use of mRNA-Dependent Cell-Free Translation System from Rabbit Reticulocytes	12-3
	Basic Protocol 2: Production and Use of mRNA-Dependent Cell-Free Translation System from Wheat Germ	12-5
	Basic Protocol 3: In Vitro Protein Synthesis in Coupled Transcription/Translation Systems	12-7
	Support Protocol 1: Production of Uncapped In Vitro Transcripts	12-8
	Support Protocol 2: Production of Capped In Vitro Transcripts	12-9
	Alternate Protocol: In Vitro Translation with Biotinylated Amino Acids	12-10
	Support Protocol 3: Capture of Biotinylated Proteins with Streptavidin-Agarose	12-11

12.2	Cotranslational Translocation of Proteins into Canine Rough Microsomes	12-11
	Basic Protocol: Translocation into Canine Rough Microsomes	12-12
	Support Protocol 1: Preparation of RMs from Canine Pancreas	12-13
	Support Protocol 2: Preparation of EDTA-Stripped Rough Microsomes	12-15
	Support Protocol 3: Preparation of Column-Washed Rough Microsomes	12-15
12.3	In Vitro Analysis of Endoplasmic Reticulum-To-Golgi Transport in Mammalian Cells	12-16
	Basic Protocol 1: Reconstitution of ER-to-Golgi Transport in Semi-Intact Cells	12-16
	Alternate Protocol: Reconstitution of ER-to- <i>cis</i> -Golgi Transport in Semi-Intact Cells	12-18
	Basic Protocol 2: In Vitro Reconstitution of ER-to-Golgi Transport in Mammalian Microsomes	12-19
	Basic Protocol 3: In Vitro Formation and Isolation of ER-Derived Vesicles	12-20
	Support Protocol 1: Preparation of Microsomal Membranes from NRK Cells	12-22
	Support Protocol 2: Propagation of VSV ts045	12-23
	Basic Protocol 4: Fusion of ER-Derived Vesicles with Golgi Membranes	12-23
	Support Protocol 3: Preparation of Rat Liver Cytosol	12-24
	Support Protocol 4: Preparation of Golgi Membranes from Rat Liver	12-25
12.4	Nuclear Import in Digitonin-Permeabilized Cells	12-26
	Basic Protocol: Nuclear Import Assay in Attached HeLa Cells	12-27
	Support Protocol 1: Preparation of <i>Xenopus</i> Ovarian Cytosol	12-28
	Support Protocol 2: Production of Fluorescent Import Substrate: TRITC-BSA-NLS	12-30
	Support Protocol 3: Production of Fluorescent Recombinant Import Substrate: GFP-GST-NLS	12-31
12.5	Preparation and Use of Interphase <i>Xenopus</i> Egg Extracts	12-33
	Basic Protocol 1: Preparation of Interphase Egg Extracts	12-33
	Alternate Protocol 1: Preparing Fractionated Interphase Extracts	12-34
	Support Protocol 1: Injection of Frogs to Obtain Eggs	12-35
	Basic Protocol 2: Nuclear Assembly in the Interphase Egg Extract	12-36
	Support Protocol 2: Preparation of Demembranated Sperm Chromatin to Use as Templates for Nuclear Assembly	12-38
	Basic Protocol 3: Nuclear Protein Import In Vitro	12-40
	Basic Protocol 4: DNA Replication with Continuous Labeling	12-41
	Alternate Protocol 2: Pulse-Labeling DNA to Assess Replication	12-42
	Basic Protocol 5: Preparation of Oocyte Extract	12-43
	Support Protocol 3: Immunodepletion of Extracts	12-44
	Support Protocol 4: Addition of Protein to Extracts	12-45
12.6	Analysis of the Cell Cycle Using <i>Xenopus</i> Egg Extracts	12-45
	Basic Protocol 1: Preparation of the Cycling Extract	12-45
	Basic Protocol 2: Preparation of CSF-Arrested Extracts	12-47
	Basic Protocol 3: Preparing a Mitotic Extract	12-49
	Basic Protocol 4: Driving Interphase Extracts into Mitosis	12-49
	Alternate Protocol: Generating a Replication Checkpoint In Vitro	12-50
	Support Protocol 1: Monitoring the Cell Cycle State of Extracts	12-51
	Support Protocol 2: Assaying Histone H1 Kinase Activity	12-51
	Support Protocol 3: Release of CSF-Arrested Extracts and Their Progression into Interphase	12-52
12.7	Mitotic Spindle Assembly In Vitro	12-53
	Basic Protocol 1: Analyzing DMSO and Centrosome Aster Reactions	12-53
	Basic Protocol 2: Analyzing Sperm DNA "Half-Spindle" Reactions	12-54
	Basic Protocol 3: Analyzing Sperm DNA "Cycling" Reactions	12-55
	Basic Protocol 4: Analyzing DNA-Bead Reactions	12-56
	Support Protocol 1: Preparation of CSF Extract	12-57
	Support Protocol 2: Preparation of Rhodamine-Labeled Tubulin	12-58
	Support Protocol 3: Motor Disruption	12-59
	Support Protocol 4: Reaction Spin-Downs	12-60
	Support Protocol 5: DNA-Coated Beads	12-62

12.8	Analysis of Apoptosis Using <i>Xenopus</i> Egg Extracts	12-63
	Basic Protocol: Preparation of Apoptotic Extracts and Assessing Apoptosis	12-63
	Alternate Protocol: Separating Apoptosis into Latent and Execution Phases	12-64
	Support Protocol 1: Measuring Caspase 3-Like Activity	12-65
	Support Protocol 2: Preparation of Mitochondria from <i>Xenopus</i> Egg Extracts	12-65
	Support Protocol 3: Cytochrome <i>c</i> Release Assays	12-66
	Support Protocol 4: Cytochrome <i>c</i> Release Assay Using Purified Mitochondria and Cytosol	12-66
12.9	In Vitro Transcription	12-67
	Basic Protocol: In Vitro Transcription Reactions with Nuclear Extracts	12-67
	Support Protocol 1: Preparation of a Nuclear Extract from HeLa Cells	12-68
	Support Protocol 2: Preparation of High-Salt <i>Drosophila</i> Extracts	12-70
	Support Protocol 3: Preparation of the Soluble Nuclear Fraction from Isolated <i>Drosophila</i> Embryo Nuclei	12-73
	Support Protocol 4: Primer Extension Analyses of In Vitro Transcription Products	12-73

13 Cell Adhesion and Extracellular Matrix

13.1	Cell-Substrate Adhesion Assays	13-3
	Basic Protocol 1: Spreading Assay	13-4
	Basic Protocol 2: Attachment Assay	13-5
	Support Protocol: Preparation of Peptide-Protein Conjugates	13-6
13.2	Quantitative Measurement of Cell Adhesion Using Centrifugal Force	13-7
	Basic Protocol: Centrifugation Cell Adhesion Assay	13-7
13.3	Cadherin-Dependent Cell-Cell Adhesion	13-9
	Strategic Planning	13-10
	Basic Protocol 1: Short-Term Aggregation Culture	13-10
	Alternate Protocol: Long-Term Aggregation Culture	13-12
	Basic Protocol 2: Mixed-Cell Aggregation Culture	13-12
	Support Protocol 1: Dissociation of Fibroblasts by TC Treatment	13-13
	Support Protocol 2: Dissociation of Embryonic Cells by TC Treatment	13-14
	Support Protocol 3: Dissociation of Cells by LTE or TE Treatment	13-15
	Basic Protocol 3: Detection of Cadherins and Catenins	13-15
	Basic Protocol 4: Inhibition of Cadherin Function	13-16
	Basic Protocol 5: Restoration of Cadherin Activity in Cadherin- or Catenin-Deficient Cell Lines	13-17
13.4	Analyzing Integrin-Dependent Adhesion	13-18
	Basic Protocol 1: Analyzing Integrin-Dependent Adhesion in Cell-Based Assays	13-18
	Basic Protocol 2: Analyzing Integrin-Ligand Interactions in Solid-Phase Assays	13-20
	Support Protocol 1: Integrin Purification	13-21
	Support Protocol 2: Coupling of Antibodies to Sepharose	13-24
	Support Protocol 3: Biotinylation of Integrin Ligands	13-25
13.5	Analysis of Cell-Cell Contact Mediated by Ig Superfamily Cell Adhesion Molecules	13-26
	Basic Protocol 1: Purification of IgSF-CAMS by Immunoaffinity Chromatography	13-26
	Support Protocol 1: Preparation of the Affinity Column	13-27
	Support Protocol 2: Solubilizing Membrane Proteins	13-27
	Basic Protocol 2: Analysis of Protein Interactions with Fluorescent Microspheres	13-29
	Support Protocol 3: Coupling Proteins to Fluorescent Microspheres	13-30
	Basic Protocol 3: Binding of Protein-Conjugated Microspheres to Cultured Cells	13-30
	Basic Protocol 4: <i>Trans</i> -Interaction Assay with Myeloma Cells	13-31
	Support Protocol 4: Stable Transfection of Myeloma Cells by Protoplast Fusion	13-32
	Basic Protocol 5: Neurite Outgrowth Assay	13-35
	Basic Protocol 6: Inhibiting CAM-CAM Interactions In Vitro	13-36
	Support Protocol 5: Coating Culture Dishes with IgSF-CAM	13-37
	Support Protocol 6: Pre-Coating Glass Surfaces with Nitrocellulose	13-37

13.6	Purification of Fibronectin	13-38
	Basic Protocol 1: Purification of Plasma Fibronectin	13-38
	Basic Protocol 2: Purification of Fibronectin from Cultured Cells	13-39
	Alternate Protocol 1: Affinity Purification of Extracted Cellular Fibronectin	13-40
	Alternate Protocol 2: Purification of Human Cellular Fibronectin from Conditioned Medium	13-41
13.7	Purification of Vitronectin	13-42
	Basic Protocol	
13.8	Preparation of Gelled Substrates	13-45
	Basic Protocol 1: Preparation of Type I Collagen Substrates	13-45
	Basic Protocol 2: Preparation of Gelled Matrigel Substrates	13-46
	Alternate Protocol 1: Growth of Cells Inside Matrigel	13-46
	Alternate Protocol 2: Use of Matrigel In Vivo for Angiogenic Assays and Tumor Growth	13-47
13.9	Preparation of Extracellular Matrices Produced by Cultured Corneal Endothelial and PF-HR9 Endodermal Cells	13-48
	Basic Protocol: Preparation of Bovine Corneal Endothelial Cell ECM (BCE-ECM)	13-48
	Alternate Protocol: Preparation of HR9-ECM	13-50
	Support Protocol 1: Cell Proliferation Assay	13-51
	Support Protocol 2: Cell Differentiation Assay	13-51
13.10	Preparation of Extracellular Matrices Produced by Cultured Fibroblasts	13-52
	Basic Protocol: Preparation of Extracellular Matrices Produced by Cultured Fibroblasts	13-52
	Support Protocol 1: Cell Attachment Assay	13-54
	Support Protocol 2: Determination of Cell Shape	13-55
	Preparing Two-Dimensional Extracellular Matrix Controls	13-56
	Support Protocol 3: Mechanical Compression of the Fibroblast-Derived Three-Dimensional Matrix	13-56
	Support Protocol 4: Solubilization of Fibroblast-Derived Three-Dimensional Matrix	13-58
13.11	Proteoglycan Isolation and Analysis	13-58
	Basic Protocol 1: Isolation of Proteoglycans from Cultured Cells	13-59
	Alternate Protocol: Isolation of Proteoglycan Pools	13-59
	Support Protocol: Radiolabeling of Proteoglycans with $^{35}\text{SO}_4$ or [^3H]Glucosamine	13-60
	Basic Protocol 2: Anion-Exchange Chromatography Purification of Proteoglycans with DEAE-Sephacel	13-60
	Basic Protocol 3: Analysis of Proteoglycans by Size-Exclusion Chromatography	13-61
	Basic Protocol 4: Analysis of Glycosaminoglycan Size Following Alkaline Elimination	13-62
	Basic Protocol 5: Analysis of Glycosaminoglycan Size Following Papain Digestion	13-62
	Basic Protocol 6: Analysis of Glycosaminoglycan Content and Protein Core by GAG Degradation with Lyases	13-63
	Basic Protocol 7: Treatment with Nitrous Acid to Degrade Heparan Sulfate	13-64
	Basic Protocol 8: Analysis of GAG Type and Core Protein	13-64
	Basic Protocol 9: Analysis of GAG Size	13-65
	Basic Protocol 10: Immunoprecipitation of Proteoglycans	13-65
13.12	Matrix Metalloproteinases	13-66
	Basic Protocol 1: Dissolution and Degradation of Collagen Fibrils by Live Cells	13-66
	Support Protocol: Preparing Rat Tail Tendon Collagen Type I	13-67
	Basic Protocol 2: Gelatin/Casein Zymography	13-69
	Basic Protocol 3: Reverse Zymography	13-71

14 Cell Motility

14.1	Chemotaxis Assays for Eukaryotic Cells	14-1
	Strategic Planning	14-1
	Basic Protocol 1: Filter Assay for Chemotaxis	14-2
	Support Protocol 1: Calculating the Distance Cells Are Expected to Move in Thick Filters in the Absence of Chemotaxis	14-5
	Basic Protocol 2: Under-Agarose Chemotaxis Assay	14-6
	Basic Protocol 3: Small Population Chemotaxis Assay	14-7
	Basic Protocol 4: Bridge Chemotaxis Assay	14-8
	Basic Protocol 5: Pipet Chemotaxis Assay	14-9

14.2	Invasion Assays	14-10
	Basic Protocol: Measuring Invasion Through a Matrix	14-10
	Support Protocol: Preparation of Matrigel-Coated Filters	14-11
14.3	Cell Traction	14-12
	Basic Protocol 1: Measuring Cell Traction on Wrinkling Substrates	14-12
	Support Protocol 1: Calibrating Microneedles	14-13
	Alternate Protocol 1: Measuring Cell Traction on Wrinkling Substrates with an Alternative Polymer	14-14
	Alternate Protocol 2: Measuring Cell Traction on Nonwrinkling Substrates	14-14
	Support Protocol 2: Preparing a Modified Airbrush Apparatus	14-15
	Basic Protocol 2: Measuring Cell Traction on Micromachined Substrates	14-16
	Support Protocol 3: Silanizing Coverslips	14-19
	Support Protocol 4: Preparing a Polarized Reflection Cube	14-19
14.4	Cell Wound Assays	14-20
	Strategic Planning	14-20
	Basic Protocol: Wound Detection in Cultured Monolayers Using Fluorescein Dextran	14-21
	Alternate Protocol 1: Wound Detection in Mammalian Tissues Using Fluorescein Dextran	14-22
	Alternate Protocol 2: Wound Detection Using Albumin As a Wound Tracer	14-24
14.5	<i>Dictyostelium</i> Cell Dynamics	14-26
	Basic Protocol 1: Imaging GFP-Labeled Proteins in Live Single Cells	14-26
	Alternate Protocol 1: Imaging GFP-Labeled Proteins Following a Uniform Increase in Chemoattractant	14-27
	Alternate Protocol 2: Imaging GFP-Labeled Proteins in a Chemoattractant Gradient	14-28
	Basic Protocol 2: Imaging GFP-Labeled Proteins in Aggregation Stream and Mound Preparations	14-29
	Support Protocol 1: Plasmid Construction and Transformation	14-29
	Support Protocol 2: Phenotypic Screening by Development on Non-Nutrient Agar	14-31

15 Organelle Motility

15.1	Microtubule/Organelle Motility Assays	15-1
	Basic Protocol: MT/Organelle Motility Assays	15-1
	Support Protocol 1: Preparation of Simple Perfusion Chambers and Coverslips	15-4
	Support Protocol 2: Preparation of Sea Urchin Sperm Axonemes	15-5
	Support Protocol 3: Preparation of Porcine Brain Tubulin	15-7
	Support Protocol 4: Preparation of Rat Liver Cell Cytosol	15-10
	Support Protocol 5: Preparation of Rat Liver Organelle Fractions	15-11
15.2	In Vitro Motility Assay to Study Translocation of Actin by Myosin	15-12
	Basic Protocol: Analyzing Actin Translocation by Myosin	15-12
	Support Protocol 1: Preparation of Flow Cells	15-15
	Support Protocol 2: Purification of Actin	15-15
	Support Protocol 3: Preparation of Rhodamine Phalloidin-Labeled Actin	15-16
15.3	Organelle Motility in Plant Cells: Imaging Golgi and ER Dynamics with Green Fluorescent Protein (GFP)	15-17
	Basic Protocol: Transient Expression for Visualization of ER and Golgi Probes in Leaves	15-17
15.4	Movement of Nuclei	15-19
	Basic Protocol: Nuclear Motility Assay	15-20
	Support Protocol 1: Centrosome Isolation from Lymphocytes	15-22
	Support Protocol 2: Titration of Concentrated Centrosomes	15-25
	Support Protocol 3: Preparing Fractionated Interphase Extracts for Nuclear Assembly	15-25
	Support Protocol 4: Preparation of High-Speed Supernatant (HSS)	15-28
	Support Protocol 5: Nuclear Assembly Using DNA-Coated Magnetic Beads as Template	15-28

Appendices

A1	Reagents and Solutions	A1-1
A2	Useful Measurements and Data	A2-1
	2A Useful Measurements and Data	A2-1
	2B Compendium of Drugs Commonly Used in Cell Biology Research	A2-3
	2C Data on Radioisotopes	A2-17
	2D Absorption and Emission Maxima for Common Fluorophores	A2-20
	2E Centrifuges and Rotors	A2-25
A3	Commonly Used Techniques	A3-1
	3A Spectrophotometric Determination of Protein Concentration	A3-1
	3B Colorimetric Detection and Quantitation of Total Protein	A3-5
	3C Dialysis and Concentration of Protein Solutions	A3-19
	3D Quantification of DNA and RNA with Absorption and Fluorescence Spectroscopy	A3-22
	3E Enzymatic Amplification of DNA by PCR: Standard Procedures and Optimization	A3-26
	3F Micro RT-PCR	A3-32
A4	Selected Suppliers of Reagents and Equipment	A4-1
	References	

Index