

The background of the cover is a photograph of an industrial facility, likely a refinery or chemical plant. It features a large, complex network of pipes, valves, and a prominent large metallic vessel or storage tank in the upper right. The lighting is warm and orange-toned, creating a sense of industrial activity. The title text is overlaid on a semi-transparent white rectangular box in the center.

Applied Technology and Instrumentation for Process Control

Douglas O.J. deSá

Contents

| | |
|--|--------------|
| PREFACE | xvii |
| INTRODUCTION | xix |
| NOTATION USED IN THIS BOOK | xxi |
| INSTRUMENTATION SYMBOLS USED IN THIS BOOK | xxiii |
| TAG NUMBER SYSTEM USED IN THIS BOOK | xxv |
| CHAPTER I | |
| APPLICABILITY OF MISCELLANEOUS CONTROL STRATEGIES—INDUSTRYWIDE | 1 |
| PROPORTIONING OR RATIO CONTROL | 1 |
| Other Industries Using Similar Ratioing Techniques | 2 |
| SOLID MATERIAL CONVEYING SYSTEMS | 3 |
| Other Industries Using Conveyor Techniques | 5 |
| HEAT GENERATION | 5 |
| Furnace Control | 5 |
| Simplified Combustion Theory | 6 |
| Special (Analytical) Instruments | 8 |
| Other Industries Using Similar Space-Heating Techniques | 9 |
| Multiple Fuel Systems | 10 |
| Considerations for a Rapidly Changing Demand | 11 |
| PRODUCT QUALITY CONTROL | 14 |
| pH Measurement and Control | 14 |
| Mixing-Vessel Level Control | 15 |
| Industries That Use pH as a Measurement of Quality | 16 |
| Conductivity Measurement and Control | 16 |
| Industries That Use Conductivity as a Measurement of Quality | 18 |
| OTHER INDUSTRIES THAT REQUIRE CONTROL OF PARAMETERS ALREADY DISCUSSED | 18 |
| Glass Furnaces | 18 |
| Basic Oxygen Furnaces—Steel Making | 19 |
| SOME CONSIDERATIONS ON INSTRUMENTATION AND CONTROL METHODS | 20 |
| Instrumentation | 20 |
| Flow | 20 |

| | |
|--|-----------|
| Volumetric Flow | 20 |
| Mass Flow | 20 |
| Compensating Flow Measurement | 21 |
| Pressure | 21 |
| Level | 21 |
| Temperature | 22 |
| Mechanical Methods | 22 |
| Thermoelectric Devices | 23 |
| Element Protection | 23 |
| Analytical | 24 |
| Control | 24 |
| Mass Measurement with Differential-Creating Primary Devices | 24 |
| Corrected Volumetric Flow with Direct Flow-Measuring Devices | 25 |
| Flow Integration | 25 |
| Signal Selection | 26 |
| Integral Saturation or Reset Windup | 26 |
| Signal Characterizers | 27 |
| Ramp Generators | 28 |
| Controller Output Bias Adjustment | 28 |
| SUMMARY | 29 |
| CHAPTER 2 | |
| DIGESTERS—PAPER PULP | 35 |
| CONTROL OF CONTINUOUS PULP DIGESTERS IN PAPER MAKING | 35 |
| PRE-PULPING PROCESSES | 36 |
| Processing the Waste from Logging Operations | 36 |
| Offcut Processing | 36 |
| Solvent Extraction | 36 |
| Preparing the Logs of Wood for Pulping | 37 |
| The Abrasive Method | 38 |
| The Hydraulic Method | 39 |
| THE PULPING PROCESS | 39 |
| Operating Principles | 39 |
| Mechanical Pulping | 39 |
| Chemical Pulping | 42 |
| Alkaline Pulping | 42 |
| Sulfite Pulping | 43 |
| The Kraft Process | 44 |
| Semicheical and Chemimechanical Processes | 44 |
| A Simplified Explanation of the Mechanisms in the Fiber/Chemical Reactions Involved | 45 |

| | |
|---|-----------|
| A TYPICAL REAL PULPING PROCESS | 45 |
| Raw Chip Handling and Pre-Processing | 46 |
| Conveyor Belt or Chain Control | 47 |
| Motor and Conveyor Belt Controls | 51 |
| Motor Control—with Relay Ladder Logic | 51 |
| Enhancement to the Basic Motor Control | |
| Circuit—Motor Start/ Stop Feedback | 52 |
| Motor Start/Stop Feedback Circuit with Addition | |
| of Conveyor Belt Speed | 52 |
| Motor Control—with Binary Logic | 52 |
| Circuit Functional Description—Last Belt in | |
| the Series | 53 |
| Automatic Operation | 53 |
| Automatic Operation—Manual Stop | 55 |
| Manual Operation—Local Start/Stop | 55 |
| Manual Operation—Remote Start/Stop | 56 |
| First and Intermediate Conveyor Belt Control—Relay | |
| Ladder Circuit | 57 |
| Circuit Functional Description—First and Intermediate | |
| Belt in the Series with Binary Logic | 57 |
| Connecting the Control Circuit to the Drive Motor | 58 |
| The Full Electrical Contactor Circuit | 59 |
| Conveyor Belt Configuration and Material Weighing | 59 |
| Control of the Chip Silo | 60 |
| Control of the Chip Washer | 61 |
| Control of the Chip Hopper | 62 |
| The Low-Pressure Feeder | 63 |
| Control of the Steaming Vessel | 63 |
| Control of the Chip Chute and Level Tank | 63 |
| The Chip Chute | 63 |
| The Level Tank | 64 |
| The High Pressure Feeder | 64 |
| DIGESTER CONTROL | 65 |
| The Top Separator | 65 |
| The Control of the Digester | 68 |
| Chip/Liquor Level Control | 69 |
| Digester Temperature Control | 70 |
| Digester Pressure Control | 70 |
| Digester Liquor | 70 |
| Liquor Heating | 71 |
| Digester Bottom Scraper | 72 |

| | |
|---|------------|
| Primary Pulp Refining | 73 |
| Rotary Vacuum Washer | 75 |
| SUMMARY | 78 |
| CHAPTER 3 | |
| PAPER MACHINE | 83 |
| THE PAPER MACHINE | 83 |
| THE WET END | 83 |
| THE FOURDRINIER | 84 |
| THE MIXING CHEST | 85 |
| Stock-Proportioning Ratio Control | 85 |
| Stock-Proportioning Pacing Ratio Control | 86 |
| PULPERS | 88 |
| The Stand-Alone Pulper | 88 |
| THE PULPER LOCATED UNDER THE FOURDRINIER MACHINE | 89 |
| The Control of Pulp Consistency—Normal Operation | 90 |
| The Control of Pulp Consistency—Abnormal Operation | 91 |
| The Control of Pulp Consistency—Under Dry End Paper-Break Conditions | 92 |
| The Control of Pulp Consistency—Under Full Paper-Break Conditions | 93 |
| The Control of Pulp Consistency—Stand-Alone Pulper | 94 |
| PULP ADDITIVES | 94 |
| Sizing | 95 |
| Rosin Size | 95 |
| Latex | 96 |
| Starch | 96 |
| Alum | 96 |
| Fillers | 97 |
| SOME OF THE FILLERS USED | 97 |
| Clay | 97 |
| Calcium Sulfate— CaSO_4 | 97 |
| Calcium Carbonate— CaCO_3 | 98 |
| PULP PREPARATION EQUIPMENT | 98 |
| The Hollander | 98 |
| The Jordan | 99 |
| The Time-Proportioning Controller | 100 |
| The Refiner Control System | 102 |
| Disk Refiners | 103 |
| CONTROL OF HIGH-CONSISTENCY STUFF | 104 |
| Single Dilution of the Stock | 105 |

| | |
|--|------------|
| Double Dilution of the Stock | 105 |
| Double Dilution of the Stock—System Operation | 105 |
| THE HEADBOX | 106 |
| Open Type | 107 |
| Control Techniques Used to Ensure an Even Distribution of the Stock | 107 |
| The Headbox Slice | 108 |
| A Mechanical Method | 108 |
| Instrumentation-Assisted Stock-Level Control of the Headbox | 109 |
| Rush/Drag Control | 111 |
| Stock pH Control | 112 |
| WATER DRAINAGE FROM THE STOCK ON THE WIRE | 112 |
| Suction Box Vacuum Control | 113 |
| The Wire Pit | 115 |
| THE DRY END | 116 |
| STEAM DISTRIBUTION TO THE DRIER ROLLS | 118 |
| THE CONTROL SYSTEM FOR THE DRIER ROLL | 118 |
| The Auto-Selector Control System | 120 |
| The Control System for the Drier Rolls—Continued | 122 |
| THE YANKEE MACHINE | 123 |
| Heat Transfer and Drier Performance | 124 |
| Instrumentation and Control for the Yankee Drier | 125 |
| The Thermo-Compressor | 128 |
| MACHINE ROOM VENTILATION | 130 |
| Instrumentation and Control System Operation | 131 |
| Ventilation System for a Yankee Drier | 132 |
| THE VAT OR CYLINDER PAPER MACHINE | 133 |
| SUMMARY | 136 |
| CHAPTER 4 | |
| EVAPORATORS | 147 |
| PROCESS EVAPORATORS AND SOME TECHNIQUES TO CONTROL PRODUCTION | 147 |
| Basic Definition of Evaporation | 147 |
| The Principles Involved in the Evaporation Process | 147 |
| Basic Definition of Vaporization | 148 |
| Graphical Concepts of the Evaporation Process | 148 |
| The Results When Applied to Multiple-Effect Evaporator Systems | 151 |
| Some Types of Evaporators Used | 153 |

| | |
|--|------------|
| The Single-Effect Evaporator—The Short Tube Vertical Type | 153 |
| The Vacuum Pan—As Used in the Sugar Industry (Modified Short Tube Type) | 155 |
| Forced Circulation Evaporator | 156 |
| Long Tube Vertical Evaporator | 157 |
| Long Tube Vertical Black Liquor Evaporator—As Used in the Paper Industry | 158 |
| The Falling Film Evaporator | 158 |
| The Steam Condenser | 158 |
| Principle of Operation of the Steam Condenser | 160 |
| CONTROL OF A MULTIPLE-EFFECT EVAPORATOR PRODUCING A MILK CONCENTRATE | 163 |
| Raw Milk Receipt | 163 |
| Process Equipment | 164 |
| Construction Requirements | 164 |
| Cleaning Requirements | 165 |
| Raw Milk Handling | 165 |
| Pasteurization and First-Stage Evaporation | 166 |
| The Heat Demand | 168 |
| The Milk Concentrating Process | 171 |
| Converting the Milk Concentrate to Powdered Milk | 171 |
| THE MULTIPLE-EFFECT BLACK LIQUOR EVAPORATOR—FOR THE PAPER INDUSTRY | 174 |
| The Boiling Point Rise Sensor/Transmitter | 174 |
| Controlling the Multiple-Effect Black Liquor Evaporator Train | 177 |
| The Recovery Boiler for the Paper Industry—Functionality and Control Instrumentation | 178 |
| The Reduction Zone | 178 |
| The Water/Steam Circuit | 180 |
| The Fuel/Air Control Circuit | 181 |
| THE MULTIPLE-EFFECT EVAPORATOR—FOR THE CANE SUGAR INDUSTRY | 181 |
| System Operation | 183 |
| SUMMARY | 183 |
| CHAPTER 5 | |
| PRODUCT DISTILLATION | 187 |
| THE BASICS OF THE DISTILLATION PROCESS | 187 |
| Laboratory Equipment | 188 |
| Industrial Equipment | 188 |
| THE CONVERSION PROCESS | 191 |

| | |
|---|------------|
| THE PRACTICAL DISTILLATION COLUMN | 193 |
| Liquid/Liquid Solutions | 194 |
| OPERATING A COLUMN IN TOTAL REFLUX MODE | 196 |
| DESIGN OF A DISTILLATION COLUMN | 198 |
| Methods of Calculation | 198 |
| Typical Arrangements of Distillation Columns | 200 |
| The Flash Drum | 200 |
| The Absorption and Rectification Columns | 201 |
| Stripping Columns with and without Reboiler | 202 |
| The Azeotropic Distillation Column | 202 |
| Extractive Distillation Column | 204 |
| DISTILLATION COLUMN CONTROL SYSTEMS | 204 |
| Process Heaters—Control of the Inflow of Energy | 205 |
| The Dowtherm Heating System | 205 |
| Combustion Control of a Direct-Fired Process Heater | 207 |
| Indirect Heaters | 207 |
| Steam-Heated Reboilers | 209 |
| Reboiler Control | 210 |
| Column Feed Preheat | 211 |
| Column Differential Pressure | 212 |
| Condensers—Control of the Outflow of Energy | 212 |
| The Air-Cooled Condenser | 212 |
| The Cooling Fan | 214 |
| Determining Gas Velocity from Velocity Pressure | 214 |
| Velocity of Gases Other Than Air | 214 |
| Determining the Horsepower of the Fan | 215 |
| Fundamental Fan Rules | 215 |
| Measurement of Sound/Noise Intensity | 216 |
| Electric Motor Speed Control | 217 |
| The Direct Current (dc) Machine | 217 |
| The Alternating Current Machine | 219 |
| The Induction Motor | 219 |
| Torque/Rotor Power Factor Relationship | 220 |
| Starting Torque | 221 |
| The Effect of Supply Voltage Variation | 222 |
| Rotor Slip | 223 |
| Speed Control of an Induction Motor | 223 |
| By Rotor Resistance Change | 223 |
| By Pole Changing | 223 |
| Infinitely Variable Speed Control | 223 |
| The Recirculating Dry Air-Cooled Condenser | 224 |

| | |
|---|------------|
| EXAMPLE (a) | 226 |
| EXAMPLE (b) | 226 |
| EXAMPLE (c) | 226 |
| The Evaporative Condenser | 226 |
| Low-Pressure Columns | 227 |
| Floating Pressure Control of a Column | 228 |
| Implementing a Practical Floating Pressure Controller | 228 |
| Vapor-Pressure Control System for Two-Phase Overhead Products | 230 |
| Control of Internal Reflux in a Column | 230 |
| Basic Controls for a Distillation Column | 232 |
| Other Methods to Control a Distillation Column | 233 |
| Control System for Material (Mass) Balance | 234 |
| Controls Applied When Bottoms Product Is Less Than Distillate | 235 |
| Controls Applied When Distillate Flow Regulates Bottoms Product Quality | 236 |
| Starting Up and Shutting Down a Distillation Column | 238 |
| Conditions for Normal Running | 241 |
| SUMMARY | 241 |
| CHAPTER 6 | |
| PRODUCT BLENDING | 259 |
| IN-LINE PRODUCT BLENDING | 259 |
| Basic Blend-Loop Requirements | 260 |
| The Blending System in a Nonhazardous Environment | 260 |
| The Blending System in a Hazardous Environment | 261 |
| General Overview of a Microprocessor Based Blending System | 261 |
| Configuring a Basic Blend Loop | 262 |
| Functional Detail of the Blender—Single Master | 263 |
| Scaling | 263 |
| Functional Detail of the Blender—Multimaster | 265 |
| Functional Detail of the Multimaster Blender with Supervisory Computer | 266 |
| The Vital Blending Software Blocks | 266 |
| Master 0 Display | 266 |
| Master 0 Operation | 268 |
| Local Master | 270 |
| Local Master Operation | 271 |
| The Blend Loop | 273 |
| Blend Loop Operation | 273 |
| Design and Implementation of a (Specific) Blending System | 276 |
| System Application—Objectives and Overview, Brief System Specification—Physical Requirements | 276 |

| | |
|--|------------|
| Product Requirements | 277 |
| Operational Requirements | 277 |
| System Overview | 277 |
| Additional Equipment | 277 |
| System Inputs and Outputs | 279 |
| Component Pump Selection | 280 |
| Design Criteria for Pump Selection | 282 |
| Pump Selection Circuit Operation | 282 |
| No Pump Selection Made | 282 |
| Pump Selection and Pump Start from the Control Console (Remote Facility) | 282 |
| Automatic Start of Standby Pump #2 | 283 |
| Local Start/Stop Facility | 283 |
| Component Storage Tank Level | 284 |
| Tank Low-Level Alarm | 284 |
| Tank High-Level Alarm | 284 |
| Neither Component Pump Selected | 285 |
| One Component Pump Selected | 285 |
| The Microprocessor Blending Control Unit | 285 |
| Allocation of Input and Output Interfaces | 288 |
| Blender Control System Hierarchy | 288 |
| The RS232-C Serial Communications Link | 288 |
| SOFTWARE DESIGN REQUIREMENTS | 290 |
| Communication Between the Blending Controller and the Personal Computer | 290 |
| The On-Line Mode | 290 |
| Product Delivery | 292 |
| On-Line Manufactured Product Documentation | 292 |
| The Off-Line Mode | 294 |
| Uploading and Downloading the Blending Controller Database | 294 |
| Database Modification | 294 |
| Hard Copies of the Database, Configuration, and Products | 294 |
| Database Configuration | 295 |
| Recipe Handling | 295 |
| Implementing Changes | 296 |
| SUMMARY | 298 |
| CHAPTER 7 | |
| THE BREWING INDUSTRY | 299 |
| THE RAW MATERIALS | 299 |
| Barley (and the Malting Process) | 299 |
| Water | 300 |

| | |
|--|------------|
| Wheat | 301 |
| Oats | 301 |
| Millet | 301 |
| Corn | 301 |
| Yeast and Other Ingredients | 302 |
| Yeast | 302 |
| Hops | 302 |
| Additives | 302 |
| THE CHEMISTRY | 303 |
| Disaccharides | 303 |
| Maltose | 304 |
| A BRIEF GENERAL PROCESS OVERVIEW | 305 |
| Beers—Ales and Lagers | 305 |
| THE PRODUCTION OF MALT | 305 |
| Kiln Instrumentation and Control | 305 |
| Fuel/Air Ratio Control (Heat Input) | 307 |
| Position of the Dampers at the Start of the Malt Finishing Operation | 308 |
| Detailed Operation and Terminating the Malting Process | 309 |
| MILLING | 310 |
| THE MASHING OPERATION | 311 |
| Grain Weighing | 311 |
| Cereal Cooking | 313 |
| The Mashing Operation in Practice | 316 |
| Double Mashing | 316 |
| Decoction Mashing | 318 |
| Calculating the Resulting Temperature When Mash and Hot Water Are Mixed | 318 |
| LAUTERING | 319 |
| THE BREW KETTLE | 320 |
| The Kettle Control System and Logic | 322 |
| The Switching Logic | 323 |
| Wort Cooling | 325 |
| FERMENTATION | 326 |
| Specific Gravity Measurement | 328 |
| Carbon Dioxide Storage | 330 |
| FINISHING THE FERMENTED BEER | 331 |
| Secondary Fermentation | 331 |
| CLARIFICATION | 332 |
| PASTEURIZATION | 332 |
| SUMMARY | 333 |

CHAPTER 8

| | |
|---|------------|
| PROJECT MANAGEMENT AND ADMINISTRATION | 341 |
| THE TECHNOLOGIST VERSUS THE MANAGER (ADMINISTRATOR) | 341 |
| The Manager (Administrator) | 342 |
| The Technologist | 342 |
| THE REQUIREMENTS OF THE ADMINISTRATOR | 342 |
| STARTING OFF A PROJECT | 343 |
| PRE-PROJECT INVOLVEMENT FOR THE PRODUCT MANUFACTURER | 345 |
| The Manufacturing Site | 345 |
| Project Justifications | 346 |
| Process Aspects | 346 |
| Financial and Legal Aspects | 346 |
| Preparation of the Process Plant Specification | 346 |
| Selection of the Process Plant Constructor | 347 |
| CONSIDERATIONS GIVEN BY THE CONSTRUCTION COMPANY | 347 |
| Technical Aspects | 347 |
| Process Engineering Aspects | 347 |
| Commercial Aspects | 348 |
| The Project Bureaucracy | 348 |
| Legal and Financial Aspects | 348 |
| Legal Input | 348 |
| Financial Input | 349 |
| CONSTRUCTOR'S INVITATION TO BID—ISSUED TO SUBCONTRACTORS | 349 |
| The Construction Specification | 350 |
| RESPONSE OF THE INSTRUMENTATION AND CONTROL SYSTEM MANUFACTURERS | 351 |
| The Field Equipment | 352 |
| Installation and Commissioning | 352 |
| The Control System | 352 |
| Engineering Drawings | 353 |
| The Proposal | 353 |
| The Systems Content | 353 |
| The Instrumentation Content | 353 |
| The Commercial Content | 354 |
| OPENING OF THE TENDER DOCUMENTS FROM CONTRACTORS— BY THE END USER | 354 |
| Award of the Contract to the Successful Instrument and System Vendor—by the Contractor | 354 |
| Setting Up the Project Team | 355 |
| Processing the Manufacture of Project Equipment | 355 |
| Equipment Supplied by Other Manufacturers—Third-Party Suppliers | 355 |

| | |
|--|------------|
| THE PROJECT SCHEDULE AND ADMINISTRATION | 357 |
| The Role of the Project Engineer | 359 |
| The Role of the Technician | 361 |
| System Checkout and Final Acceptance Test | 362 |
| SYSTEM DOCUMENTATION | 362 |
| SYSTEM PACKAGING AND SHIPPING | 363 |
| CLOSE OUT REPORT | 363 |
| SOME TERMS FOUND IN CONTRACTUAL DOCUMENTS | 364 |
| SUMMARY | 365 |
| | |
| BIBLIOGRAPHY | 369 |
| INDEX | 371 |