


Edited by
H. U. Blaser and E. Schmidt

 WILEY-VCH

Asymmetric Catalysis on Industrial Scale

Challenges, Approaches and Solutions



Contents

List of Contributors XX1

Introduction 1

Hans-Ulrich Blaser and Elke Schmidt

- 1 Background and Motivation 1
- 2 Goals and Concept 1
- 3 Our (the Editors) Assessment of the Resulting Monograph 2
- 4 The Organization of the Book
(Types of Intermediates – Catalysts – Situations) 3
- 4.1 Category: New Processes for Existing Active Compounds 5
- 4.2 Category II: New Catalysts and/or Processes for Important Building Blocks 5
- 4.3 Category III: Adaptation of Existing Catalysts for Important Building Blocks 6
- 4.4 Category IV: Processes for New Chemical Entities (NCE) 6
- 5 Missing Processes 6
- 6 Some Important Messages 9
- 6.1 Transformations and Catalyst Types 10
- 6.2 Scale, Development Stage 13
- 6.3 Synthesis Planning and Time Lines 13
- 6.4 Major Technical Problems 14
- 6.5 Technology and Patents 14
- 7 Final Comments and Conclusions 15
- 8 Glossary 16
- 9 References 18

1	New Processes for Existing Active Compounds	21
1	Asymmetric Hydrogenations – The Monsanto L-Dopa Process	23
	<i>William S. Knowles</i>	
1.1	The Development of Chiral Phosphane Ligands	23
1.2	Synthesis and Properties of the Phosphanes	31
1.3	Mechanism of the Asymmetric Catalysis	35
1.4	Concluding Comments	37
1.5	Acknowledgements	38
1.6	References	38
2	The Other L-Dopa Process	39
	<i>Rüdiger Selke</i>	
2.1	Introduction	39
2.2	Choice of the Substrate	42
2.3	The Catalyst	44
2.4	Improving the Hydrogenation Reaction	45
2.5	Effect of Solvent and Anions	46
2.6	Immobilization of the Catalyst	49
2.7	Production Process	49
2.8	Acknowledgements	52
2.9	References	52
3	The Chiral Switch of Metolachlor: The Development of a Large-Scale Enantioselective Catalytic Process	55
	<i>Hans-Ulrich Blaser, Reinhard Hanreich, Hans-Dieter Schneider, Felix Spindler, and Beat Steinacher</i>	
3.1	Introduction and Problem Statement	55
3.2	Route Selection	56
3.2.1	Enamide Hydrogenation	56
3.2.2	Nucleophilic Substitution of an (R)-Methoxyisopropanol Derivative	57
3.2.3	Hydrogenation of MEA Imine	57
3.2.4	Catalytic Alkylation with Racemic Methoxyisopropanol	58
3.2.5	Assessment and Screening of the Proposed Routes	58
3.3	Imine Hydrogenation: Laboratory Process	59
3.3.1	Finding the Right Metal-Ligand Combination	59
3.3.1.1	Screening of Rh-Diphosphine Complexes	59
3.3.1.2	Screening of Ir-Diphosphine Complexes	60
3.3.1.3	Synthesis and Screening of a New Ligand Class	60
3.3.2	Optimization of Reaction Medium and Conditions	61
3.3.3	Ligand Fine Tuning	61
3.4	Imine Hydrogenation: Technical Process	62
3.4.1	Strategy for Process Development	62
3.4.2	The Production of the MEA Imine at the Required Quality	62
3.4.3	Scale-up of the Ligand Synthesis	63

3.4.4	Fine Optimization of the Ir-Catalyst Formulation	65
3.4.5	Choice of Reactor Technology	65
3.4.6	Scale-Up to the Production Autoclave	66
3.4.7	Work-up, Separation of the Catalyst from the Product	67
3.5	Summary and Conclusions	68
3.6	Acknowledgements	69
3.7	References	69
4	Enantioselective Hydrogenation:	
	Towards a Large-Scale Total Synthesis of (R,R,R)-α-Tocopherol	71
	<i>Thomas Netscher, Michelangelo Scalone, and Rudolf Schmid</i>	
4.1	Introduction: Vitamin E as the Target	71
4.2	Routes to (2R,4'-R,8'R)- α -Tocopherol by Total Synthesis	74
4.3	Synthesis of Prochiral Allylic Alcohols	76
4.4	Asymmetric Hydrogenation of Prochiral Allylic Alcohols	78
4.5	Synthesis of the Diphosphane Ligands	81
4.6	Procedures for Stereochemical Analysis	84
4.7	Concluding Remarks	86
4.8	Acknowledgements	87
4.9	References	87
5	Comparison of Four Technical Syntheses	
	of Ethyl (R)-2-Hydroxy-4-Phenylbutyrate	91
	<i>Hans-Ulrich Blaser, Marco Eissen, Pierre F. Fauquex, Konrad Hungerbühler, Elke Schmidt, Gottfried Sedelmeier, and Martin Studer</i>	
5.1	Introduction	91
5.2	Synthetic Pathways to HPB Ester	92
5.2.1	Route A: Synthesis and Enantioselective Reduction of Keto Acid 3 with Immobilized <i>Proteus vulgaris</i> Followed by Esterification	94
5.2.2	Route B: Enantioselective Reduction of 3 with D-LDH in a Membrane Reactor	94
5.2.3	Route C: Synthesis and Enantioselective Hydrogenation of Keto Ester 5	95
5.2.4	Route D: Synthesis and Enantioselective Hydrogenation of Diketo Ester 6, Followed by Hydrogenolysis	95
5.3	Comparison of Routes A-D with Respect to Mass Consumption, Environmental, Health and Safety Aspects	96
5.3.1	Definitions	96
5.3.2	Overall Material Masses Consumed and Produced for Routes A-D	97
5.3.3	Mass Consumption of the Reduction Systems A-D	98
5.3.4	Problematic Chemicals: Environmental, Health and Safety Aspects (EHS)	99
5.3.4.1	Safety Aspects	99
5.3.4.2	Health/Toxicology	100

5.3.4.3	Environment	100
5.4	Overall Comparison of Routes A–D and General Conclusions	100
5.4.1	Conclusions for the Reduction Steps	100
5.4.2	Conclusions for the Overall Syntheses	101
5.5	References	103
6	Biocatalytic Approaches for the Large-Scale Production of Asymmetric Synthons	105
	<i>Nicholas M. Shaw, Karen T. Robins, and Andreas Kiener</i>	
6.1	Introduction	105
6.2	Asymmetric Biocatalysis	106
6.2.1	L-Carnitine	106
6.2.2	Asymmetric Reduction: (R)-Ethyl-4,4,4-trifluorohydroxybutanoate	107
6.3	Resolution of Racemic Mixtures	108
6.3.1	(R)- and (S)-3,3,3-Trifluoro-2-hydroxy-2-methylpropionic Acid	108
6.3.2	(S)-2,2-Dimethylcyclopropane Carboxamide	111
6.3.3	CBZ-D-proline [(R)-N-CBZ-proline]	113
6.3.4	(1R,4S)-1-Amino-4-hydroxymethyl-cyclopent-2-ene	114
6.4	Summary	114
6.5	References	115
7	7-Aminocephalosporanic Acid – Chemical Versus Enzymatic Production Process	117
	<i>Thomas Bayer</i>	
7.1	Introduction	117
7.2	Synthesis of 7-ACA	119
7.2.1	The Chemical 7-ACA Route	120
7.2.2	Single Step Biocatalytic 7-ACA Synthesis	121
7.2.3	Two-step Biocatalytic 7-ACA Synthesis	122
7.2.4	Two-Step Biocatalytic Process	125
7.2.4.1	Oxidation	126
7.2.4.2	Deacylation	127
7.3	Comparison of Chemical and Two-Step Biocatalytic 7-ACA Process	127
7.4	Conclusion	129
7.4	References	130
8	Methods for the Enantioselective Biocatalytic Production of L-Amino Acids on an Industrial Scale	131
	<i>Harald Gröger and Karlheinz Drauz</i>	
8.1	Introduction	131
8.2	L-Amino Acids via Enzymatic Resolutions	133
8.2.1	Processes Using L-Amino Acylases	133
8.2.2	Processes Using L-Amidases	135
8.2.3	Processes Using L-Hydantoinases	137

8.2.4	Processes via Lactam Hydrolysis	139
8.3	L-Amino Acids via Asymmetric Biocatalysis	140
8.3.1	Processes via Reductive Amination	140
8.3.2	Processes via Transamination	142
8.3.3	Processes via Addition of Ammonia to α,β -Unsaturated Acids	143
8.4	Conclusion	145
8.5	References	145
II	New Catalysts for Existing Active Compounds	149
1	The Large-Scale Biocatalytic Synthesis of Enantiopure Cyanohydrins	151
	<i>Peter Poechlauer, Wolfgang Skranc, and Marcel Wubboltz</i>	
1.1	Introduction	151
1.2	Chiral Cyanohydrins as Building Blocks in the Synthesis of Fine Chemicals	151
1.3	Synthesis of Enantiopure Cyanohydrins	152
1.3.1	General Methods	152
1.3.1.1	Sources of HCN	152
1.3.1.2	The Sources of Chirality of Cyanohydrins	153
1.3.2	Syntheses via Chiral Metal Catalysts	154
1.3.3	Cyanohydrin Synthesis via Cyclic Dipeptides	154
1.3.4	The Cyanohydrin Synthesis via Lipases	156
1.3.5	Synthesis of Chiral Cyanohydrins Using Hydroxy Nitrile Lyases (HNLs)	157
1.4	Large-Scale Cyanohydrin Production	158
1.4.1	General Considerations	158
1.4.2	Scale-up of HNL-Catalyzed Cyanohydrin Formation	159
1.5	Examples of Large-Scale Production of Cyanohydrins	161
1.5.1	Production of (S)-3-Phenoxybenzaldehyde Cyanohydrin (SCMB)	162
1.5.2	Production of (R)- and (S)-Mandelic Acid Derivatives	163
1.6	Summary	163
1.7	References	163
2	Industrialization Studies of the Jacobsen Hydrolytic Kinetic Resolution of Epichlorohydrin	165
	<i>Larbi Aouni, Karl E. Hemberger, Serge Jasmin, Hocine Kabir, Jay F. Larrow, Isidore Le-Fur, Philippe Morel, and Thierry Schlama</i>	
2.1	Background	165
2.2	The HKR Catalyst	166
2.2.1	Preparation and Isolation of Active Catalyst	167
2.2.2	Activation Step Characterization	169
2.2.2.1	Quantitative Analysis of Co(II) and Co(III) Species	169
2.2.2.2	Kinetic Limitation of the Co(II) to Co(III) Oxidation Reaction	169
2.2.3	Scale-up Considerations for the (Salen)-Co(III)-OAc Process	174
2.3	Kinetic Modelling and Simulation of the HKR Reaction	176

2.3.1	Objectives and Approach	176
2.3.2	Development of a Global Reaction Scheme	177
2.3.3	Kinetic Modelling	179
2.3.3.1	Kinetic Rate Equations and Assumptions	179
2.3.3.2	Experimentation and Kinetic Model for a Fed-Batch Vessel	180
2.3.3.3	Parameter Deviation Study	188
2.4	HKR Process Optimization and Scale-up	190
2.4.1	Process Description	190
2.4.2	Process Optimization	190
2.4.2.1	HKR Stage Optimization	191
2.4.2.1.1	Shortcut Optimization Method	191
2.4.2.1.2	Process Temperature Control	193
2.4.2.2	Isolation of Resolved Epichlorohydrin	196
2.4.2.2.1	Reaction Medium Stabilization	196
2.4.2.2.2	Azeotropic Drying and Epichlorohydrin Isolation	197
2.5	Conclusions	198
2.6	References	199
3	Scale-up Studies in Asymmetric Transfer Hydrogenation	201
	<i>John Blacker and Juliette Martin</i>	
3.1	Background	201
3.2	The Catalytic System	202
3.2.1	Catalyst	202
3.2.2	Hydrogen Donor	206
3.2.3	Substrate	209
3.3	Process	210
3.3.1	Temperature	211
3.3.2	Reactant Concentration	211
3.3.3	Reaction Control	212
3.4	Case Studies	212
3.4.1	Example 1: (R)-1-Tetralol	212
3.4.2	Example 2: (S)-4-Fluorophenylethanol	213
3.4.3	Example 3: (R)-N-Diphenylphosphinyl-1-methylnaphthylamine	213
3.5	Conclusions	214
3.6	Acknowledgements	215
3.7	References	216
4	Practical Applications of Biocatalysis for the Manufacture of Chiral Alcohols such as (R)-1,3-Butanediol by Stereospecific Oxidoreduction	217
	<i>Akinobu Matsuyama and Hiroaki Yamamoto</i>	
4.1	Introduction	217
4.2	Screening of Microorganisms Producing Optically Active 1,3-BDO from 4-Hydroxy-2-butanone (4H2B) by Asymmetric Reduction	219
4.3	Screening of Microorganisms Producing Optically Active 1,3-BDO from the Racemate	221

4.4	Preparation of (R)- and (S)-1,3-BDO by the Same Strain or from the Same Material	222
4.5	Large-Scale Preparation of (R)-1,3-BDO from the Racemate Using <i>Candida parapsilosis</i> IFO 1396	223
4.6	Purification and Characterization of (S)-1,3-Butanediol Dehydrogenase from <i>Candida parapsilosis</i> IFO 1396	225
4.7	Cloning and Expression of a Gene Coding for a Secondary Alcohol Dehydrogenase from <i>Candida parapsilosis</i> IFO 1396 in <i>Escherichia coli</i>	226
4.8	Preparation of Ethyl (R)-4-Chloro-3-hydroxybutanoate (ECHB) by Recombinant <i>E. coli</i> Cells Expressing CpSADH	230
4.9	Conclusion and Outlook	231
4.10	References	231
5	Production of Chiral C3 and C4 Units via Microbial Resolution of 2,3-Dichloro-1-propanol, 3-Chloro-1,2-propanediol and Related Halohydrins	233
	<i>N. Kasai and T. Suzuki</i>	
5.1	Introduction	233
5.2	C3 Chiral Synthetic Units	235
5.2.1	(R)- and (S)-2,3-dichloro-1-propanol (DCP)	235
5.2.1.1	(R)-2,3-Dichloro-1-propanol (DCP) Assimilating Bacterium for (S)-2,3-Dichloro-1-propanol (DCP) and (R)-epichlorohydrin (EP) Production	235
5.2.1.2	(S)-Epichlorohydrin (EP) Production and Isolation of a DCP Assimilating Bacterium	236
5.2.2	Large-Scale Trials Using Immobilized Cells	236
5.2.2.1	Production on a 100 L Scale	236
5.2.2.2	Production on a 5000 L Scale	237
5.2.3	Production of (R)- and (S)-3-Chloro-1,2-propanediol (CPD) and (R)- and (S)-Glycidol (GLD)	238
5.2.3.1	Screening of (R)- and (S)-3-Chloro-1,2-propanediol (CPD) Assimilating Bacteria	238
5.2.4	Scale-up of the Production of C3 Chiral Synthetic Units	239
5.2.4.1	Fed-Batch Fermentation and Control	239
5.2.4.2	Control Logic System	240
5.3	Production of C4 Chiral Synthetic Units	245
5.3.1	Production of 4-Chloro-3-acetoxybutyronitrile (BNOAc) by Ester-Degrading Enzymes	246
5.3.2	Production of (R)-4-Chloro-3-hydroxy-butyrate (CHB) and (S)-3-hydroxy- γ -butyrolactone (HL) by <i>Enterobacter</i> sp.	247
5.3.2.1	Cultivation and Preparation of <i>Enterobacter</i> sp. Resting Cells with High Degradation Activity	248

5.3.2.2	Ton-Scale Production of (R)-4-Chloro-3-hydroxy-butyrate (CHB) and (S)-3-Hydroxy- γ -butyrolactone (HL) by the Resting Cells of <i>Enterobacter</i> sp. 251
5.3.2.3	Effect of Base on the Stereoselectivity of <i>Enterobacter</i> sp. 252
5.3.2.4	Intelligent Production of (R)-Methyl 4-chloro-3-hydroxybutyrate (CHBM) and (S)-3-Hydroxy- γ -butyrolactone (HL) with a Fed-Batch System of Substrate 253
5.4	Purification of Chiral Units 253
5.5	Racemization 255
5.6	References 256

III Adaptation of Existing Catalysts for Important Building Blocks 257

1	Synthesis of Unnatural Amino Acids 259 <i>David J. Ager and Scott A. Laneman</i>
1.1	Introduction 259
1.2	Scope of Enamide Substrates 260
1.3	Preparation of Enamides 263
1.4	Mechanism 264
1.5	Ligand Synthesis 265
1.6	Other Substrates 266
1.7	Summary 267
1.8	References 268
2	The Application of DuPHOS Rhodium(I) Catalysts for Commercial Scale Asymmetric Hydrogenation 269 <i>Christopher J. Copley, Nicholas B. Johnson, Ian C. Lennon, Raymond McCague, James A. Ramsden, and Antonio Zanolli-Gerosa</i>
2.1	Introduction 269
2.2	Large-Scale Manufacture of α -Amino Acids 271
2.2.1	N-Boc-(S)-3-Fluorophenylalanine 272
2.2.2	Experimental for N-t-Butoxycarbonyl-(S)-3-fluorophenylalanine 273
2.2.2.1	N-Acetyl Dehydro-3-fluorophenylalanine 8 via an Azlactone Intermediate 273
2.2.2.2	N-Acetyl-3-fluorophenylalanine 9 274
2.2.2.3	N-BOC-(S)-3-fluorophenylalanine 10 274
2.3	Practical and Economic Considerations for Manufacture 274
2.3.1	Manufacture and Choice of Precatalysts 275
2.3.2	Substrate Synthesis, Purity and Catalyst Loading 276
2.3.3	Catalyst Charging 278
2.3.4	Catalyst Removal 279
2.4	Conclusions 280
2.5	References 281

3	Liberties and Constraints in the Development of Asymmetric Hydrogenations on a Technical Scale 283
	<i>John F. McGarrity, Walter Brieden, Rudolf Fuchs, Hans-Peter Mettler, Beat Schmidt, and Oleg Werbitzky</i>
3.1	Introduction 283
3.2	Asymmetric Hydrogenation in the Lonza Biotin Process 284
3.2.1	Historical Development 284
3.2.2	Laboratory Screening Experiments 286
3.2.2.1	Ligand Screening 286
3.2.2.2	Substrate Screening 287
3.2.2.3	Parameter Screening and Optimization 290
3.2.3	Scale-up and Production 291
3.2.4	Preparation of Josiphos (R)-(S)-PPF-P(^t Bu) ₂ on a Technical Scale 291
3.2.5	Conclusions 292
3.3	The Lonza Dextrometorphan Process 293
3.3.1	Introduction 293
3.3.2	Imine Hydrogenation 294
3.3.2.1	Background 294
3.3.2.2	Screening Experiments 295
3.3.2.3	Optimization Phase: Development of an Economic Process 296
3.3.3	Scale-up 297
3.3.4	Conclusion 298
3.4	4-Boc-piperazine-2(S)-N ^t -butylcarboxamide 299
3.4.1	Introduction 299
3.4.2	Initial Studies 299
3.4.3	Scale-up 301
3.4.4	Further Improvements in Synthetic Strategy 302
3.4.5	Conclusions 303
3.5	Intermediates for SB-214857 (Lotrafiban) 303
3.5.1	Introduction 303
3.5.2	Initial Screening of Catalysts 304
3.5.3	Statistically Evaluated Screening of Experimental Conditions 306
3.6	References 308
4	Large-Scale Applications of Biocatalysis in the Asymmetric Synthesis of Laboratory Chemicals 309
	<i>Roland Wohlgemuth</i>
4.1	Introduction 309
4.2	History of Applied Biocatalysis at Fluka 310
4.2.1	Resolution of Racemic Mixtures 311
4.2.1.1	Resolution of Racemic Amino Acids 311
4.2.1.2	Resolution of Racemic Alcohols 311
4.2.2	Decomposition Reactions of Educts and Side Products 311
4.2.3	Introduction and Removal of Protecting Groups 311
4.2.4	Development and Production of Biocatalysts 312

4.2.5	Complex Reaction Paths to Natural Products	312
4.2.6	Regio- and Stereoselective Synthesis	313
4.3	Reasons for Large-Scale Application of Biocatalysts for the Synthesis of Laboratory Chemicals	314
4.4	Examples of Large-Scale Application of Biocatalysis	314
4.4.1	Matrix Approach: Product Groups Produced with Specific Enzyme Classes	314
4.4.2	(S)-2-Octanol	315
4.4.3	(R)-2-Octanol	316
4.4.4	Comparison of Classical Resolution with the Biocatalytic Procedure	316
4.4.5	2-Oxabicyclo[3.3.0]oct-6-en-3-one	316
4.4.6	3-Oxabicyclo[3.3.0]oct-6-en-2-one	317
4.4.7	Comparison of the Classical Procedure with the Biocatalytic Baeyer-Villiger Reaction	317
4.5	Discussion and Outlook	318
4.6	References	318
IV	Processes for New Chemical Entities (NCE)	321
1	Development of an Efficient Synthesis of Chiral 2-Hydroxy Acids	323
	<i>Junhua Tao and Kevin McGee</i>	
1.1	Introduction	323
1.2	Results and Discussion	326
1.3	Conclusion	330
1.4	Experimental Section	331
1.4.1	General Remarks	331
1.4.2	Sodium 3-(4-Fluorophenyl)-2-oxo-propionate (6)	331
1.4.3	(R)-3-(4-Fluorophenyl)-2-hydroxy propionic acid (1)	331
1.4.4	Reactor Set-up and Preparation	332
1.4.5	Enzyme Loading and Replenishment	333
1.5	Acknowledgment	333
1.6	References	333
2	Factors Influencing the Application of Literature Methods Toward the Preparation of a Chiral trans-Cyclopropane Carboxylic Acid Intermediate During Development of a Melatonin Agonist	335
	<i>Ambarish K. Singh, J. Siva Prasad, and Edward J. Delaney</i>	
2.1	Introduction	335
2.2	Chemical Approach Employed During Preclinical Research and Development (Route A)	336
2.3	Chemical Approaches Employed to Support Early Clinical Development (Route B)	338
2.4	Development of Process Technology to Support Phase II/III Clinical Studies and Future Commercialization (Routes C and D)	339

2.4.1	Enzymatic Approaches to Convert 5 into 19	341
2.4.2	Chemical Approaches to Convert 5 into 19	341
2.5	Definition of Process Technology for the Optimal Route (Route D)	343
2.6	Summary and Conclusions	345
2.7	Acknowledgement	347
2.8	References	347
3	Hetero Diels-Alder-Biocatalysis Approach for the Synthesis of (S)-3-[2-[(Methylsulfonyl)oxy]ethoxy]-4-(triphenylmethoxy)-1-butanol Methanesulfonate: Successful Application of an Enzyme Resolution Process	349
	<i>Jean-Claude Caille, Jim Lalonde, Yiming Yao, and C.K. Govindan</i>	
3.1	Introduction	349
3.2	The Hetero Diels-Alder-Biocatalysis Strategy	350
3.3	Hetero Diels-Alder Reaction: Synthesis of 2-Ethoxycarbonyl-3,6-dihydro-2H-pyran, (R,S)-4	352
3.4	Enzymatic Resolution of (R,S)-4	353
3.4.1	Secondary Screen and E Determination	353
3.4.2	Protease Screen	354
3.4.3	Optimization of the Resolution of (R,S)-4	355
3.4.3.1	Buffer pH and Concentration	355
3.4.3.2	Optimization of Enzyme Loading and Other Parameters	356
3.5	Pilot Plant Trials	358
3.6	Attempted Resolution of 3,6-Dihydro-2H-pyran-2-ylmethanol, (R,S)-5	358
3.7	Experimental	359
3.7.1	Hydrolase Library Screening – Hydrolysis of (R,S)-4	359
3.7.2	Gram Scale Runs	359
3.7.3	Butyl Ester	360
3.7.4	Determination of Enantiomeric Purity by Gas Chromatography	360
3.7.5	Resolution of (R,S)-4	360
3.7.6	Reduction of (S)-4	361
3.7.7	Tritylation of 5	361
3.7.8	Reductive Ozonolysis of (S)-2-Trityloxymethyl-3,6-dihydro-2H-pyran, 6	361
3.7.9	Preparation of 1	362
3.8	Summary	362
3.9	References	363

4	Multi-Kilo Resolution of XU305, a Key Intermediate to the Platelet Glycoprotein IIb/IIIa Receptor Antagonist Roxifiban via Kinetic and Dynamic Enzymatic Resolution 365 <i>Jaan A. Pesti and Luigi Anzalone</i>
4.1	Introduction 365
4.2	Scale-up of the Kinetic Enzymatic Resolution of 9 to 1 367
4.2.1	Development of the Resolution of (R,S)-9 368
4.2.2	Racemization of 9 369
4.2.2.1	Mechanism of Isoxazoline (9) Racemization 370
4.3	Process Development of the Dynamic Enzymatic Resolution of Thioester 10b 372
4.3.1	Identification of Efficient Reaction Conditions for Dynamic Enzymatic Resolution 373
4.3.2	Preparation of 1-Propyl Thioester (10b) 377
4.3.3	Scale-up of the Dynamic Enzymatic Resolution Chemistry into the Plant 379
4.4	Conclusions 380
4.5	Acknowledgements 381
4.6	References 381
5	Protease-Catalyzed Preparation of (S)-2-[(<i>tert</i>-Butylsulfonyl)methyl]-hydrocinnamic Acid for Renin Inhibitor RO0425892 385 <i>Beat Wirz, Stephan Doswald, Ernst Kupfer, Wolfgang Wostl, Thomas Weisbrod, and Heinrich Estermann</i>
5.1	Introduction 385
5.2	The Process Research Synthesis 387
5.2.1	The Synthetic Concept 387
5.2.2	Alternative Concepts 387
5.2.3	Enzymatic Approaches 388
5.2.3.1	Racemic Resolution of Ethyl Sulfopropionate 2 with α -Chymotrypsin 388
5.2.3.2	Aminolysis of Ethyl Sulfopropionate 2 with Histidine Methylester 4 388
5.3	Enzymatic Resolution of Ethyl Sulfopropionate 2 with Subtilisin Carlsberg 389
5.3.1	Process Research 389
5.3.1.1	Enzyme Screening 389
5.3.1.2	Parameter Optimization 390
5.3.1.3	Work-up 390
5.3.2	Process Development 391
5.3.2.1	Process Parameters 391
5.3.2.2	Improved Enzyme Preparation 392
5.3.2.3	Work-up 392
5.3.2.3.1	Equipment 393
5.3.2.3.2	Isolation of Sulfopropionic Acid (S)-3 393

5.3.3	Pilot Production	394
5.3.3.1	Equipment	394
5.3.3.2	Enzyme Reaction	395
5.3.3.3	Work-up	395
5.4	Discussion	395
5.5	Acknowledgements	396
5.6	References	397
6	Protease-Catalyzed Preparation of Chiral 2-Isobutyl Succinic Acid Derivatives for Collagenase Inhibitor RO0319790	399
	<i>Beat Wirz, Milan Soukup, Thomas Weisbrod, Florian Stabler, and Rolf Birk</i>	
6.1	Introduction	399
6.2	The Process Research Synthesis	401
6.2.1	The Synthetic Concept	401
6.2.2	Alternative Concepts	401
6.2.3	Enzymatic Approaches	401
6.2.3.1	Racemic Resolution of Nitrile Ester 10	401
6.2.3.2	Enantio- and Regioselective Monohydrolysis of Diester 9	402
6.2.3.3	Aminolysis in Organic Solvent Systems	403
6.2.3.4	Coupling of (R)-2a with Amine 13 in Aqueous Milieu	403
6.3	Enzymatic Resolution of Diethyl 2-Isobutyl Succinate 9	403
6.3.1	Process Research	403
6.3.1.1	Selection of the Enzyme	403
6.3.1.2	Parameter Optimization	404
6.3.1.3	Substrate Engineering	405
6.3.1.4	Work-up	406
6.3.1.5	Racemization of the Antipodal Diester (S)-9	406
6.3.2	Process Development	406
6.3.2.1	Process Parameters	406
6.3.2.2	Work-up	407
6.3.2.3	Racemization	408
6.3.3	Pilot Production	408
6.3.3.1	Equipment	408
6.3.3.2	Enzyme Reaction	408
6.3.3.3	Work-up	409
6.4	Discussion	409
6.5	Acknowledgments	410
6.6	References	410

7	An Innovative Asymmetric Sulfide Oxidation: The Process Development History Behind the New Antiulcer Agent Esomeprazole 413 <i>Hans-Jürgen Federsel and Magnus Larsson</i>
7.1	Major Events at a Glance: An Overview of Achievements from 1979–2000 414
7.2	Introduction: Omeprazole (Losec®) as the Starting Point for a Challenging Project 414
7.3	Early Attempts: Turning Unfavorable Odds into Success at Last 416
7.4	The Way Forward: Options and Development Strategies 420
7.5	The Breakthrough: What a Difference a Day Made! 423
7.5.1	The Base 423
7.5.2	The Solvent 424
7.5.3	The Chiral Auxiliary 424
7.5.4	The Amount of H ₂ O 424
7.5.5	The Effect of Oxidation Time 425
7.6	Going from a Bench-scale Synthesis to a Fully Fledged Process 425
7.6.1	Solvent 426
7.6.2	Base 426
7.6.3	Composition of Titanium Complex 426
7.6.4	Equilibration of Titanium Complex 427
7.6.5	Equivalents of Ti-Complex 427
7.6.6	Layout of Synthesis 428
7.7	The Big Test: Going to Plant Scale 428
7.8	Reaching the Final Target: A Robust Commercial Process 431
7.8.1	Water 431
7.8.2	Diethyl Tartrate 431
7.8.3	Hünigs Base 432
7.8.4	Cumene Hydroperoxide 432
7.8.5	Stability of the Catalytic Complex 432
7.8.6	Reaching the Goal – A Robust Process 433
7.9	Points to Learn and Conclusions 434
7.10	Acknowledgements 435
7.11	References 435
8	Development of a Biocatalytic Process for the Resolution of (R)- and (S)-Ethyl-3-amino-4-pentynoate Isomers Using Enzyme Penicillin G Amidohydrolase 437 <i>Ravindra S. Topgi</i>
8.1	Introduction 437
8.2	Enzymatic Approach 437
8.2.1	Deacylation 438
8.2.2	Acylation 440
8.3	Optimization of Reaction Conditions 441
8.3.1	The Enzyme Penicillin G Amidohydrolase 441
8.3.2	Reaction Monitoring 441

8.3.3	Acyl Group Specificities	442
8.3.4	Organic Co-solvent	442
8.3.5	Phosphate Buffer	443
8.3.6	pH of the Reaction Medium	443
8.3.7	Optimum Amount of Acylating Agent	443
8.3.8	Optimum Amount of Enzyme	444
8.3.9	Optimum Amount of Substrate	445
8.3.10	Optimum Reaction Volume	445
8.3.11	Enzyme Activity	446
8.3.12	Design of Experiment Study	446
8.4	Conclusion	447
8.5	Acknowledgments	448
8.6	References	448

Subject Index	451
----------------------	------------