



Edited by
Armin de Meijere, François Diederich

 WILEY-VCH

Metal-Catalyzed Cross-Coupling Reactions

Second, Completely Revised and Enlarged Edition

Volume 1



Contents

Volume 1

Preface V

List of Contributors XIX

- 1 Mechanistic Aspects of Metal-Catalyzed C,C- and C,X-Bond-Forming Reactions 1**
Antonio M. Echavarren and Diego J. Cárdenas
- 1.1 Mechanisms of Cross-Coupling Reactions 1
 - 1.1.1 The Earlier Mechanistic Proposal: The Stille Reaction 2
 - 1.1.2 The Oxidative Addition 3
 - 1.1.3 Transmetalation in the Stille Reaction 13
 - 1.1.4 Reductive Elimination 22
 - 1.2 Formation of C,C-Bonds in the Palladium-Catalyzed α -Arylation of Carbonyl Compounds and Nitriles 23
 - 1.3 Key Intermediates in the Formation of C-X (X = N, O, S) bonds in Metal-Catalyzed Reactions 25
 - 1.3.1 Reductive Elimination of C-N, C-O, and C-S Bonds From Organopalladium(II) Complexes 26
 - 1.3.2 Copper-Catalyzed Formation of C-X Bonds 29
 - 1.4 Summary and Outlook 30
 - Abbreviations 31
 - References 31
- 2 Metal-Catalyzed Cross-Coupling Reactions of Organoboron Compounds with Organic Halides 41**
Norio Miyaoura
- 2.1 Introduction 41
 - 2.2 Advances in the Synthesis of Organoboron Compounds 41
 - 2.2.1 Hydroboration 41
 - 2.2.2 Diboration, Silylboration, and Stannylboration 43
 - 2.2.3 Transmetalation 44
 - 2.2.4 Cross-Coupling Reactions 47
 - 2.2.5 Aromatic C-H Borylation 49
 - 2.2.6 Olefin Metathesis 51

2.2.7	Miscellaneous Methods	52
2.3	Reaction Mechanism	53
2.3.1	Catalytic Cycle	53
2.3.2	Transmetallation Processes	54
2.4	Reaction Conditions	59
2.4.1	Catalysts	59
2.4.2	Bases, Water, and Solvents	70
2.4.3	Coupling Reactions of $[\text{RBF}_3]\text{K}$	74
2.4.4	Microwave-Assisted Reactions	75
2.5	Side Reactions	76
2.5.1	Participation of Phosphine-Bound Aryls	77
2.5.2	Oxygen-Induced Homocoupling	79
2.5.3	Dehalogenation, Deamination, and Dehydrogenation	80
2.5.4	Hydrolytic B-C Bond Cleavage (Protodeboronation)	80
2.5.5	Heck-Type Coupling of B-Alkenyl Compounds (<i>ipso</i> -Coupling)	82
2.6	Reactions of B-Alkyl Compounds	83
2.7	Reactions of B-Alkenyl Compounds	87
2.8	Reactions of B-Aryl Compounds	91
2.8.1	Unsymmetric Biaryls	91
2.8.2	Chiral Biaryls	93
2.8.3	Biaryls for Functional Materials	96
2.8.4	Arylation of Miscellaneous Substrates	99
2.9	Reactions of B-Allyl and B-Alkynyl Compounds	102
2.10	Reactions Giving Ketones	103
2.11	Dimerization of Arylboronic Acids	104
2.12	N-, O-, and S-Arylation	105
	Abbreviations	107
	References	109
3	Organotin Reagents in Cross-Coupling Reactions	125
	<i>Terence N. Mitchell</i>	
3.1	Introduction	125
3.2	Mechanism and Methodology	126
3.2.1	Mechanism	126
3.2.2	Methodology	129
3.3	Natural Product Synthesis	135
3.3.1	Intramolecular Couplings	135
3.3.2	Intermolecular Couplings	137
3.4	Organic Synthesis	141
3.4.1	Vinyl-Vinyl Couplings	141
3.4.2	Other Couplings Involving Vinyltins	142
3.4.3	Couplings of Aryltins	143
3.4.4	Couplings of Heterocyclic Organotins	144
3.4.5	Couplings of Alkynyltins	145
3.4.6	Couplings of Miscellaneous Organotins	146

3.5	Polymer Chemistry	147
3.5.1	Materials Based Solely on Thiophene (or Selenophene) Units	147
3.5.2	Materials Based on Thiophene in Combination with Other Repeating Units	148
3.5.3	Materials Based on Pyrrole and Furan	149
3.5.4	Polyphenylenevinylene and Related Materials	149
3.5.5	Other Materials	150
3.6	Inorganic Synthesis	150
3.6.1	Couplings of Vinyltins	150
3.6.2	Couplings of Aryltins	151
3.6.3	Couplings of Heterocyclic Organotins	151
3.6.4	Couplings of Alkynyltins	151
3.7	Conclusions	153
3.8	Experimental Procedures	153
3.8.1	Spirocycle A	153
3.8.2	<i>tert</i> -Butyl 3-[1-Methyl-4-(3-methyl-3 <i>H</i> -imidazol-4-yl)-2,5-dioxo-2,5-dihydro-1 <i>H</i> -pyrrol-3-yl]indole-1-carboxylate	153
3.8.3	4,4'-Bis[5-ethynyl(5'-methyl-2,2'-bipyridyl)]1,1'-biphenyl	154
3.8.4	Pentacarbonyl[1-dimethylamino-7-trimethylsilyl-2,4,6-heptatrienyli- <i>idene</i>]-tungsten	154
	Abbreviations	154
	References	155
4	Organosilicon Compounds in Cross-Coupling Reactions	163
	<i>Scott E. Denmark and Ramzi F. Sweis</i>	
4.1	Introduction	163
4.1.1	Background of Silicon-Cross-Coupling	163
4.1.2	Discovery and Early Development Work	164
4.2	Modern Organosilicon-Cross-Coupling	166
4.2.1	Organosiletanes	167
4.2.2	Organosilanols	170
4.2.3	Organosiloxanes	180
4.2.4	Organosilyl Ethers	184
4.2.5	Organopyridyl- and Organothiophenylsilanes	192
4.2.6	Organosilyl Hydrides	197
4.3	Mechanistic Studies in Silicon-Cross-Coupling	198
4.3.1	The Pentacoordinate Silicon	198
4.3.2	Substituent Steric Effects	200
4.3.3	Convergence of Mechanistic Pathways	202
4.3.4	Kinetic Analysis and Mechanistic Implications	204
4.4	Applications to Total Synthesis	208
4.5	Summary and Outlook	209
4.6	Experimental Procedures	210

- 4.6.1 TBAF-Promoted Palladium-Catalyzed Cross-Coupling Reaction of Alkenylsilanes with Aryl or Alkenyl Halides. (1*E*)-1-Heptenylbenzene (*E*)-14 210
 - 4.6.2 Palladium-Catalyzed Cross-Coupling of (4-Methoxyphenyl)dimethylsilanol with 4-Substituted Aryl Iodides. 4-Carboxy-4'-methoxybiphenyl 210
 - 4.6.3 One-Pot Sequential Hydrosilylation/Cross-Coupling Reaction. (*E*)-5-(4-Methoxyphenyl)-4-penten-1-ol 211
 - 4.6.4 Palladium-Catalyzed Cross-Coupling of Phenyltrimethoxysilane with Aryl Iodides. 4-Acetylbiphenyl 211
 - 4.6.5 One-Pot Sequential Mizoroki-Heck/Cross-Coupling Reaction. (*E*)-4-[2-(4-Acetylphenyl)-1-butylethenyl]benzoic Acid Ethyl Ester 212
 - Abbreviations 212
 - References 213
- 5 Cross-Coupling of Organyl Halides with Alkenes: the Heck Reaction 217**
Stefan Bräse and Armin de Meijere
- 5.1 Introduction 217
 - 5.2 Principles 218
 - 5.2.1 The Mechanism 218
 - 5.2.2 The Catalysts 219
 - 5.2.3 The Alkenes 224
 - 5.2.4 Effects of Bases, Ligands, and Additives 227
 - 5.2.5 The Leaving Groups 232
 - 5.2.6 Structural Requirements in Intramolecular Cyclizations 236
 - 5.3 Cascade Reactions and Multiple Couplings 237
 - 5.3.1 Heck Cascades Involving C_{sp²} Centers 237
 - 5.3.2 Heck-Reaction Cascades Involving C_{sp²} and C_{sp} Centers 240
 - 5.3.3 Cascades Consisting of Heck and Subsequent Cycloaddition or Electrocyclization Reactions 241
 - 5.3.4 Heck Reactions Combined with other Cross-Coupling Processes 244
 - 5.3.5 Palladium-Catalyzed Reactions Involving Nucleophilic Substrates 246
 - 5.3.6 Heck-Aldol and Heck-Michael Cascades 252
 - 5.3.7 C-H Activation in Heck-Type Processes 253
 - 5.3.8 Heck Reactions with Subsequent Incorporation of Carbon Monoxide 257
 - 5.3.9 The Heck Coupling in Combination with Other Reactions 258
 - 5.3.10 Multiple Heck Couplings 259
 - 5.4 Related Palladium-Catalyzed Reactions 262
 - 5.5 Enantioselective Heck-Type Reactions 265
 - 5.6 Syntheses of Heterocycles, Natural Products and Other Biologically Active Compounds Applying Heck Reactions 272
 - 5.7 Carbopalladation Reactions in Solid-Phase Syntheses 279
 - 5.8 The Heck Reaction in Fine Chemicals Syntheses 286
 - 5.9 Conclusions 288
 - 5.10 Experimental Procedures 288

- 5.10.1 Dipotassium (*E*)-4,4'-Diphenylstilbene-4'',4'''-disulfonate (Stilbene I) 288
- 5.10.2 *trans*-4-Acetylstilbene 289
- 5.10.3 Methyl 3-(*E*)-{2-[2-(*E*)-methoxycarbonylethenyl]cyclopent-1-enyl}acrylate 290
- 5.10.4 Diethyl 4'-Chloro-4'-methoxycarbonylspiro[cyclopropane-1,3'-bicyclo[4.3.0]non-1'(6')-ene]-8',8'-dicarboxylate 291
- 5.10.5 (*R*)-2-Cyclohexenyl-2,5-dihydrofuran 291
- 5.10.6 6-Methoxy-1-(*S*)-ethenyl-1,2,3,4-tetrahydronaphthalene (26) 292
- 5.10.7 10,11-Benzo-13-oxatricyclo[7.4.1.0^{1,6}]tetradeca-3,7-diene-6-carbonitrile 292
- Acknowledgments 293
- Abbreviations and Acronyms 294
- References 296

6 Cross-Coupling Reactions to *sp* Carbon Atoms 317

Jeremiah A. Marsden and Michael M. Haley

- 6.1 Introduction 317
- 6.2 Alkynylcopper Reagents 318
- 6.2.1 Stephens-Castro Reaction 318
- 6.2.2 Sonogashira Reaction 319
- 6.2.3 Cadiot-Chodkiewicz Reaction 346
- 6.3 Alkynyltin Reagents 350
- 6.3.1 Stille Reaction 350
- 6.3.2 Organotriflates in the Stille Reaction 355
- 6.3.3 Applications of the Stille Reaction 358
- 6.4 Alkynylzinc Reagents 359
- 6.4.1 The Negishi Protocol 359
- 6.4.2 Alternative 1,3-Butadiyne Synthesis 364
- 6.5 Alkynylboron Reagents 365
- 6.5.1 The Suzuki Reaction 365
- 6.5.2 9-Alkynyl-9-BBN Cross-Couplings 365
- 6.5.3 Alkynyl(trialkoxy)borate Cross-Couplings 368
- 6.5.4 Alkynyltrifluoroborate Cross-Couplings 369
- 6.6 Alkynylsilicon Reagents 369
- 6.6.1 Alkynylsilane Cross-Couplings 369
- 6.6.2 One-Pot Two-Fold Cross-Couplings 372
- 6.7 Alkynylmagnesium Reagents 373
- 6.8 Other Alkynylmetals 375
- 6.9 Concluding Remarks 379
- 6.10 Experimental Procedures 380
- 6.10.1 *N,N*-Dibutyl-3-[(triisopropylsilyl)ethynyl]-4-[4-(trimethylsilyl)-1,3-butadiynyl]aniline 380
- 6.10.2 Sonogashira Cross-Coupling of a Terminal Alkyne with a Bromoarene 380
- 6.10.3 4-Methoxytolane 381
- 6.10.4 5-Triethylsilylpenta-2,4-diyne-1-ol 382

- 6.10.5 1-Methoxy-3-(methoxymethyl)-2-(phenylethynyl)benzene 382
- 6.10.6 2-Ethynyl-*p*-xylene 383
- 6.10.7 4-(1-Hexyn-1-yl)benzyl alcohol 383
- 6.10.8 4,4'-Bis(trifluoromethyl)tolane 384
- 6.10.9 2-Bromo-6-(phenylethynyl)naphthalene 384
- Acknowledgments 385
- Abbreviations and Acronyms 385
- References 386
- 7 Carbometallation Reactions 395**
Ilan Marek, Nicka Chinkov, and Daniella Banon-Tenne
- 7.1 Introduction 395
- 7.2 Carbometallation Reactions of Alkynes 396
- 7.2.1 Intermolecular Carbometallation Reactions 396
- 7.2.2 Intramolecular Carbometallation Reactions 416
- 7.3 Carbometallation Reactions of Alkenes 424
- 7.3.1 Intramolecular Carbometallation Reactions 424
- 7.3.2 Intermolecular Carbometallation Reactions 443
- 7.4 Zinc-Enolate Carbometallation Reactions 457
- 7.5 Carbometallation Reactions of Dienes and Enynes 465
- 7.6 Carbometallation Reactions of Allenes 469
- 7.7 Conclusions 470
- 7.8 Experimental Procedures 470
- 7.8.1 (*E*)-2-Allyl-1-bromo-3-(*tert*-butoxy)-1-chlorohex-1-ene 470
- 7.8.2 (*E*)-4-Methyl-3-deuterio-3-octenyl benzyl ether 471
- 7.8.3 Carbocyclization of 3,7-dimethyl-6-phenylthio-1,7-octadien-3-ol to a trisubstituted cyclopentanol 471
- 7.8.4 (–)-(1*R*,2*R*)-2-[(1*S*)-1-Phenyl-1-(trimethylsilyl)methyl]cyclopentyl-2,2,4,4-tetramethyl-1,3-oxazolidine-3-carboxylate 472
- 7.8.5 (2*S**,3*R**)-1,3-Dimethyl-2-methoxycarbonyl-*N*-methylpyrrolidine 472
- 7.8.6 Methyl-(3*R**,4*S**)-1,3-dibenzyl-4-methylpyrrolidine-3-carboxylate 472
- Acknowledgments 473
- References 473

Volume 2

- 8 Palladium-Catalyzed 1,4-Additions to Conjugated Dienes 479**
Jan-E. Bäckvall
- 8.1 Introduction 479
- 8.2 Palladium(0)-Catalyzed Reactions 480
- 8.2.1 Addition of H-Nu 480
- 8.2.2 1,4-Coupling with a Carbanion Equivalent and Another Nucleophile 486
- 8.3 Palladium(II)-Catalyzed Reactions 494
- 8.3.1 1,4-Addition of Two Nucleophiles 494
- References 525

- 9 Cross-Coupling Reactions via π -Allylmetal Intermediates** 531
Uli Kazmaier and Matthias Pohlman
- 9.1 Introduction 531
 - 9.2 Palladium-Catalyzed Allylic Alkylations 532
 - 9.2.1 Mechanistic Aspects 532
 - 9.2.2 Stereochemical Aspects 535
 - 9.2.3 Substrates for Allylic Alkylations 549
 - 9.2.4 Nucleophiles Used in Allylic Alkylations 553
 - 9.3 Allylic Alkylations with Other Transition Metals 563
 - 9.3.1 Iridium 563
 - 9.3.2 Iron 565
 - 9.3.3 Molybdenum 566
 - 9.3.4 Nickel 567
 - 9.3.5 Platinum 568
 - 9.3.6 Rhodium 569
 - 9.3.7 Ruthenium 569
 - 9.3.8 Tungsten 570
 - 9.4 Experimental Procedures 571
 - 9.4.1 *tert*-Butyl (2*S*,3*S*)-(*E*)-3-methyl-5-phenyl-2-(trifluoroacetyl)amino-4-pentenoate 571
 - 9.4.2 2-Acetyl-2-methyl-1,3-cyclopentanedione 571
 - 9.4.3 *tert*-Butyl (2*S*)-(*E*)-2-[(diphenylmethylene)amino]-5-phenyl-4-pentenoate 572
 - 9.4.4 (5*E*)-PGE₂ Methyl Ester 572
 - 9.4.5 Methyl (2*R*,3*S*)-2-Benzoylamino-2-methyl-3-phenyl-4-pentenoate 573
 - 9.4.6 4-Ethoxycarbonyl-5-methyl-3-methylene-2-phenyl-2,3-dihydrofuran 573
 - Abbreviations 574
 - References 575
- 10 Palladium-Catalyzed Coupling Reactions of Propargyl Compounds** 585
Jiro Tsuji and Tadakatsu Mandai
- 10.1 Introduction 585
 - 10.2 Classification of Pd-Catalyzed Coupling Reactions of Propargyl Compounds 585
 - 10.3 Reactions with Insertion into the sp^2 Carbon Bond of Allenylpalladium Intermediates (Type I) 588
 - 10.3.1 Reactions of Alkenes: Formation of 1,2,4-Alkatrienes 588
 - 10.3.2 Carbonylations 591
 - 10.4 Transformations via Transmetalation of Allenylpalladium Intermediates and Related Reactions (Type II) 602
 - 10.4.1 Reactions with Hard Carbon Nucleophiles 602
 - 10.4.2 Reactions of Terminal Alkynes: Formation of 1,2-Alkadien-4-ynes 606
 - 10.5 Reactions with Attack of Soft Carbon and Oxo Nucleophiles on the sp -Carbon of Allenylpalladium Intermediates (Type III) 608
 - 10.5.1 Reactions with Soft Carbon Nucleophiles 608

- 10.5.2 Reactions with Oxo Nucleophiles 611
- 10.6 Experimental Procedures 615
 - 10.6.1 Reaction of Carbonate with Alkenes 615
 - 10.6.2 Domino Carbonylation-Diels Alder Reaction 615
 - 10.6.3 Reaction of a Propargyl Carbonate with an Alkyne 615
 - 10.6.4 Furan Formation by the Reaction of a Propargyl Carbonate with Methyl Acetoacetate 616
- Abbreviations 616
- References 616

- 11 Carbon-Carbon Bond-Forming Reactions Mediated by Organozinc Reagents 619**
Paul Knochel, M. Isabel Calaza, and Eike Hupe
- 11.1 Introduction 619
- 11.2 Methods of Preparation of Zinc Organometallics 620
- 11.3 Uncatalyzed Cross-Coupling Reactions 629
- 11.4 Copper-Catalyzed Cross-Coupling Reactions 631
 - 11.4.1 Cross-Coupling Reactions with Allylic and Related Reactive Halides 631
 - 11.4.2 Cross-Coupling Reactions with Alkynyl, Alkenyl, and Aryl Halides 636
 - 11.4.3 Cross-Coupling Reactions with Alkyl Halides 638
 - 11.4.4 Acylation Reactions 638
- 11.5 Transition Metal-Catalyzed Cross-Coupling Reactions 639
 - 11.5.1 Palladium- and Nickel-Catalyzed C-C Bond-Forming Reactions 639
 - 11.5.2 Cobalt-, Manganese- and Iron-Catalyzed Cross-Coupling Reactions 651
- 11.6 Conclusions 653
- 11.7 Experimental Procedures 654
 - 11.7.1 $\{[(1R^*,2S^*)-2-(1,3\text{-Dioxolan-2-yl)cyclohexyl}]\text{ethynyl}\}$ (trimethyl)silane 654
 - 11.7.2 1- $\{(1S^*,4aS^*,8S^*,8aS^*)-8\text{-(Ethoxymethoxy)decahydro-1-naphthalenyl}\}$ -1-propanone 654
 - 11.7.3 *N*-Benzyl-*N*-(1-isobutyl-2-methyl-5-hexenyl)-4-methylbenzene-sulfonamide 655
 - 11.7.4 $\{[2-(3\text{-Butenyl)cyclohexyl]oxy\}$ (*tert*-butyl)dimethylsilane 655
 - 11.7.5 1-(4-Iodophenyl)-1-propanone 656
 - 11.7.6 (*E*)-6-Chloro-2-hexenenitrile 656
 - 11.7.7 (3-Myrtanyl)cyclopentanone 657
 - 11.7.8 Quinidine Derivative 657
 - 11.7.9 (*S*)-4-(2-Iodo-2-cyclohexen-1-yl) ethylbutanoate 658
 - 11.7.10 (5*E*,7*R*)-7-Methyl-5-dodecene 658
 - 11.7.11 $[(1R)-1\text{-Neopentyl-2-propenyl}]$ benzene 659
 - 11.7.12 6-Chloro-1-cyclohexenyl-1-hexyne 659
 - 11.7.13 3-(4-Pentynyl)-2-cyclohexen-1-one 659
 - 11.7.14 (*E*)-10-Pivaloyloxy-5-decenenitrile 660
 - 11.7.15 10-Nitro-9-phenyldecyl Acetate 660
 - 11.7.16 2,5-Dibenzoylthiophene 660
 - 11.7.17 1-Butyl-1-(3-nitro-2-phenylpropyl)cyclopentane 661
 - 11.7.18 Ethyl 12-Acetoxy-2-decanoate 661

- 11.7.19 Ethyl 3-(4-cyanophenyl)propionate 662
- 11.7.20 3'-Methylbiphenyl-2-carbonitrile 662
- 11.7.21 (E)-4-(5-Chloro-1-pentenyl)benzotrile 663
- 11.7.22 4-Chlorobiphenyl 663
- 11.7.23 (4'-Chloro-3-trifluoromethanesulfonyloxy)biphenyl 663
- 11.7.24 4''-Cyano-4-methoxy-1,1',2',1''-terphenyl 664
- 11.7.25 β -Carotene 664
- 11.7.26 5-Phenyltetrazole 664
- 11.7.27 Di(4-chlorobutyl) ketone 665
- 11.7.28 5-Oxododecyl Pivaloate 665
- 11.7.29 *cis*-Bicyclo[4.3.0]nonan-1-ol 666
- Abbreviations 666
- References 667
- 12 Carbon-Carbon Bond-Forming Reactions Mediated by Organomagnesium Reagents 671**
- Paul Knochel, Ioannis Sapountzis, and Nina Gommermann*
- 12.1 Introduction 671
- 12.2 Preparation of Polyfunctionalized Organomagnesium Reagents via a Halogen-Magnesium Exchange 671
- 12.2.1 Preparation of Functionalized Arylmagnesium Reagents 672
- 12.2.2 Reactions of Nitroarene Derivatives with Organomagnesium Reagents. A Procedure for the *N*-Arylation of Aryl and Heteroaryl Magnesium Reagents 677
- 12.2.3 Preparation of Functionalized Heteroarylmagnesium Reagents 680
- 12.2.4 Preparation of Functionalized Alkenylmagnesium Reagents 683
- 12.2.5 Preparation of Functionalized Alkylmagnesium Reagents 686
- 12.2.6 Application of Functionalized Magnesium Reagents in Cross-Coupling Reactions 686
- 12.3 Conclusions 690
- 12.4 Experimental Procedures 690
- 12.4.1 Ethyl 8-allyl-4-methyl-2-(((trifluoromethyl)sulfonyl)oxy)-6-quinolinecarboxylate 690
- 12.4.2 Ethyl 4'-cyano-2'-nitro[1,1'-biphenyl]-4-carboxylate 690
- 12.4.3 Preparation of *N*-(4-iodophenyl)-1,3-benzothiazol-5-amine 691
- 12.4.4 6-Bromo-2-formylpyridine 691
- 12.4.5 2,2-Dimethyl-5-(2-methyl-3-oxocyclohex-1-enyl)-6-phenyl-[1,3]dioxin-4-one 692
- 12.4.6 5-[2,5-bis{[(E)-phenylmethylidene]amino}phenyl]-2-furanecarboxylic acid Ethyl Ester 692
- 12.4.7 Ethyl-6-(4-cyanophenyl)nicotinate 692
- 12.4.8 Phenyl 6-phenylpyridine-2-sulfone 693
- 12.4.9 Ethyl 3-[(2-methyl-1,3-dithiolan-2-yl)ethyl]benzoate 693
- 12.4.10 Methyl 4-(4-pivaloyloxybutyl)benzoate 694

- 12.4.11 4-[(1*E*)-5-[(phenylmethyl)[(trifluoromethyl)sulfonyl]amino]-1-pentenyl] benzoic acid ethyl ester 694
References 695
- 13 Palladium-Catalyzed Aromatic Carbon-Nitrogen Bond Formation 699**
Lei Jiang and Stephen L. Buchwald
- 13.1 Introduction 699
- 13.2 Mechanistic Studies 700
- 13.3 General Features 703
- 13.3.1 Precatalyst 704
- 13.3.2 Ligand 704
- 13.3.3 Nature of the Base 707
- 13.3.4 Solvent 708
- 13.3.5 Reaction Temperature 708
- 13.3.6 Use of a Glovebox 708
- 13.4 Palladium-Catalyzed C-N Bond Formation 709
- 13.4.1 Arylation with Amines 709
- 13.4.2 Arylation with Amides 737
- 13.4.3 Arylation with Carbamates 739
- 13.4.4 Arylation with Sulfonamides and Sulfoximines 741
- 13.4.5 Arylation with Ureas 742
- 13.4.6 Arylation with Heterocycles 743
- 13.4.7 Intramolecular Processes 749
- 13.5 Vinylation 752
- 13.6 Amination On Solid Support 753
- 13.7 Conclusion 754
- 13.8 Representative Experimental Procedures 754
- 13.8.1 Amination Employing BINAP as a Ligand:
Preparation of *N*-methyl-*N*-(2,5-xyllyl)piperazine 754
- 13.8.2 Amination of a Functionalized Aryl Halide with a Weak Base Employing **21a** as a Ligand: Preparation of 4-Methoxy-4'-nitrodiphenylamine 755
- 13.8.3 Amination Reaction Employing **20** as a Ligand:
Preparation of *N*-(2-Tolyl)diphenylamine 755
- 13.8.4 Amination Reaction Employing Imidazolium Salt **8a** as a Ligand:
Preparation of 4-Methoxyphenylaniline 755
References 756
- 14 The Directed *ortho*-Metallation (DoM) Cross-Coupling Nexus. Synthetic Methodology for the Formation of Aryl-Aryl and Aryl-Heteroatom-Aryl Bonds 761**
Eric J.-G. Anctil and Victor Snieckus
- 14.1 Introduction 761
- 14.2 The Aim of this Chapter 764
- 14.3 Synthetic Methodology derived from the DoM-Cross-Coupling Nexus 764
- 14.3.1 DoM-C-C Cross-coupling Methodology for Biaryls and Heterobiaryls 764

- 14.3.2 Comparison of Named C-C Cross-Coupling Reactions in the DoM Context 785
- 14.4 Applications of DoM in Synthesis 789
 - 14.4.1 Synthesis of Bioactive Molecules 789
 - 14.4.2 Synthesis of Natural Products 794
 - 14.4.3 Synthesis of Organic Materials 801
- 14.5 Conclusions and Prognosis 803
 - 14.5.1 Synthetic Methodology 803
 - 14.5.2 Synthetic Application 804
 - 14.5.3 Prognosis 804
- 14.6 Selected Experimental Procedures 805
 - 14.6.1 DoM-Suzuki-Miyaura Cross-Coupling for the Preparation of Benzo[*c*][2,7]naphthyridinone 805
 - 14.6.2 DoM-Kumada-Corriu-Tamao Cross-Coupling for the Preparation of *N,N*-Diethyl-2-trimethylsilyl-3-phenylbenzamide 805
 - 14.6.3 DoM-Migita-Stille Cross-Coupling for the Preparation of oligothiophene 805
 - 14.6.4 DoM-Negishi Cross-Coupling in the Preparation of 5,5'-Diallyl-2,2'-bis(methoxymethoxy)biphenyl 806
 - 14.6.5 DoM-Ullmann Cross-Coupling. Synthesis of Ar-X-Ar' (X = O, N, S) under Modified Ullmann Reaction Conditions 806
 - 14.6.6 Typical Buchwald-Hartwig Cross-Coupling Procedure. Synthesis of *N,N*-Diethyl-*N*-phenylanthranilamide 807
 - Abbreviations 807
 - References and Notes 808
- 15 **Palladium- or Nickel-Catalyzed Cross-Coupling with Organometals Containing Zinc, Aluminium, and Zirconium: The Negishi Coupling** 815
 - Ei-ichi Negishi, Xingzhong Zeng, Ze Tan, Mingxing Qian, Qian Hu, and Zhihong Huang*
 - 15.1 Introduction and General Discussion of Changeable Parameters 815
 - 15.1.1 Genesis and Early Developments of Pd-Catalyzed Cross-Coupling 816
 - 15.1.2 An Overview of Recent Developments, and the Current Scope 818
 - 15.2 Recent Developments in the Negishi Coupling and Related Pd- or Ni-Catalyzed Cross-Coupling Reactions 832
 - 15.2.1 Aryl-Aryl Coupling 832
 - 15.2.2 Aryl-Alkenyl, Alkenyl-Aryl, and Alkenyl-Alkenyl Coupling Reactions 838
 - 15.2.3 Pd-Catalyzed Alkynylation 849
 - 15.2.4 Pd- or Ni-Catalyzed Alkylation 859
 - 15.2.5 Pd-Catalyzed Cross-Coupling using Benzyl, Allyl, and Propargyl Derivatives 869
 - 15.3 Summary and Conclusions 877
 - 15.4 Representative Experimental Procedures 879
 - 15.4.1 (3*E*,5*Z*,7*R*)-8-(*tert*-Butyldiphenylsilyloxy)-5,7-dimethyl-1-trimethylsilyl-3,5-octadien-1-yne 879

XVIII | Contents

- 15.4.2 (3*E*,5*E*,7*R*)-8-(*tert*-Butyldiphenylsilyloxy)-5,7-dimethyl-1-trimethylsilyl-3,5-octadien-1-yne 880
- 15.4.3 Ethyl (*E,E*)-2-Methyl-2,4-heptadien-6-ynoate 880
- 15.4.4 Ethyl (2*E*,4*E*,8*E*,10*E*,12*R*,13*R*,14*E*,16*S*)-13-(*tert*-Butyldimethylsilyloxy)-2,10,12,14,16-pentamethyl-18-phenyloctadeca-2,4,8,10,14-pentaen-6-ynoate 881
- 15.4.5 Menaquinone-3 882
- 15.4.6 (*E*)-4-Methyl-3-decen-2-one 882
- References 882

Index 891