

An abstract graphic of a protein structure, possibly an antibody, rendered in blue and green ribbons. The structure is complex, with multiple loops and folds, and is positioned on the left side of the cover, extending vertically.

SHORT PROTOCOLS IN IMMUNOLOGY

A COMPENDIUM OF METHODS FROM
CURRENT PROTOCOLS IN
IMMUNOLOGY

EDITED BY:

JOHN E. COLIGAN
BARBARA E. BIERER
DAVID H. MARGULIES
ETHAN M. SHEVACH
WARREN STROBER

 WILEY

CONTENTS

Preface
Contributors

xxi
xxv

1 Induction of Immune Responses

1.1	Enzyme-Linked Immunosorbent Assays	1-2
	Basic Protocol: Indirect ELISA to Detect Specific Antibodies	1-2
	Alternate Protocol 1: Direct Competitive ELISA to Detect Soluble Antigens	1-4
	Alternate Protocol 2: Antibody-Sandwich ELISA to Detect Soluble Antigens	1-6
	Alternate Protocol 3: Double Antibody-Sandwich ELISA to Detect Specific Antibodies	1-7
	Alternate Protocol 4: Sandwich ELISA for Isotype Detection	1-9
	Alternate Protocol 5: Direct Cellular ELISA to Detect Cell-Surface Antigens	1-10
	Alternate Protocol 6: Indirect Cellular ELISA to Detect Antibodies Specific for Surface Antigens	1-11
	Support Protocol: Criss-Cross Serial-Dilution Analysis to Determine Optimal Reagent Concentrations	1-13
1.2	Production of Polyclonal Antisera	1-16
	Strategic Planning	1-16
	Basic Protocol: Immunization to Produce Polyclonal Antibodies Using Freund's Adjuvant	1-16
	Alternate Protocol: Immunization to Produce Polyclonal Antiserum Using Other Adjuvants	1-18
	Support Protocol: Preparation of Serum from Blood	1-19
1.3	Production of Monoclonal Antibodies	1-20
	Basic Protocol 1: Immunization to Produce Monoclonal Antibodies	1-20
	Basic Protocol 2: Cell Fusion and Selection of Hybridomas	1-22
	Support Protocol 1: Screening Primary Hybridoma Supernatants	1-25
	Support Protocol 2: Establishment of Hybridoma Lines	1-26
	Support Protocol 3: Cloning by Limiting Dilution	1-26
	Support Protocol 4: Preparation of Cloning and Expansion Medium	1-27
1.4	Monoclonal Antibody Supernatant and Ascites Fluid Production	1-28
	Basic Protocol 1: Production of a Monoclonal Antibody Supernatant	1-28
	Alternate Protocol 1: Large-Scale Production of Monoclonal Antibody Supernatant	1-29
	Alternate Protocol 2: Large-Scale Production of Hybridomas or Cell Lines	1-30
	Basic Protocol 2: Production of Ascites Fluid Containing Monoclonal Antibody	1-30
1.5	Purification of Immunoglobulin G	1-32
	Basic Protocol 1: Ammonium Sulfate Precipitation and Size-Exclusion Chromatography	1-32
	Basic Protocol 2: Affinity Chromatography Using Protein A-Sepharose	1-33
	Alternate Protocol 1: Affinity Chromatography Using Protein G-Sepharose	1-34
	Alternate Protocol 2: Affinity Chromatography Using Anti-Rat κ Chain Monoclonal Antibody Coupled to Sepharose	1-35
1.6	Fragmentation of Immunoglobulin G	1-36
	Basic Protocol 1: Pilot Fragmentation of IgG to Fab Using Papain	1-36
	Basic Protocol 2: Large-Scale Fragmentation of IgG to Fab Using Papain	1-38
	Basic Protocol 3: Pilot Fragmentation of IgG to F(ab') ₂ Using Pepsin	1-39
	Basic Protocol 4: Large-Scale Fragmentation of IgG to F(ab') ₂ Using Pepsin	1-40
	Alternate Protocol: Fragmentation of IgG Using Preactivated Papain	1-41

1.7	Purification of Immunoglobulin M and Immunoglobulin D	1-42
	Basic Protocol 1: Purification of IgM by Dialysis and Size-Exclusion Chromatography	1-42
	Alternate Protocol 1: Purification of IgM by Ammonium Sulfate Precipitation	1-42
	Alternate Protocol 2: Affinity Purification of IgM with Marman-Binding Protein	1-43
	Alternate Protocol 3: Using Kits for Purification of IgM	1-44
	Basic Protocol 2: Purification of Murine IgD by Lectin Affinity Chromatography	1-44
1.8	Cloning, Expression, and Modification of Antibody V Regions	1-46
	Basic Protocol 1: Cloning and Expression of Immunoglobulin Variable Regions Using PCR with Redundant Primers	1-47
	Support Protocol: Production of TA Vector	1-52
	Basic Protocol 2: ELISA to Identify Transfectomas that Secrete Antibody Molecules	1-53
	Basic Protocol 3: Characterization of Antibody Molecules Produced by Transfectomas	1-54
1.9	Nucleic Acid Immunizations	1-55
	Strategic Planning	1-55
	Basic Protocol 1: Saline Inoculation of DNA in Mice	1-57
	Basic Protocol 2: Gene Gun Inoculation of DNA in Mice	1-59
	Support Protocol 1: Preparation of DNA-Coated Gold Beads	1-60
	Support Protocol 2: Preparation of Cartridges Containing DNA-Coated Gold Beads	1-61
	Support Protocol 3: Optimization of Helium Pressure and Bead Size to be Used for Gene Gun Delivery	1-63

2 In Vitro and In Vivo Assays for Mouse Lymphocyte Function

	Isolation and Fractionation of Lymphocytes	2-1
	Studies of B Cell Function	2-1
	Studies of T Cell Function	2-2
	Related Isolation Procedures and Functional Assays	2-2
2.1	Isolation of Mouse Mononuclear Cells	2-3
	Basic Protocol: Preparation of Cell Suspensions from Spleen, Thymus, and Lymph Node	2-3
	Support Protocol 1: Removal of Red Blood Cells from Spleen Cell Suspensions	2-4
	Support Protocol 2: Removal of Dead Cells Using the One-Step Gradient Method	2-4
2.2	Fractionation of T and B Cells Using Magnetic Beads	2-5
	Basic Protocol 1: Automated Isolation of Total T Cells, CD4 ⁺ T Cells, or CD8 ⁺ T Cells Using the AutoMACS System	2-5
	Basic Protocol 2: Automated Isolation of B Cells Using the AutoMACS System	2-6
	Basic Protocol 3: Automated Isolation of Accessory Cells Using the AutoMACS System	2-6
	Alternate Protocol 1: Manual Isolation of Lymphocytes Using Magnetic Columns	2-7
	Basic Protocol 4: Automated Isolation of CD4 ⁺ CD25 ⁺ Suppressor Cells Using the AutoMACS System	2-8
	Alternate Protocol 2: Manual Isolation of CD4 ⁺ CD25 ⁺ Suppressor Cells Using Magnetic Columns	2-9
2.3	Isolation of Dendritic Cells	2-10
	Basic Protocol 1: Enrichment of Dendritic Cells by Plastic Adherence and EA Rosetting	2-10
	Support Protocol: Preparation of Collagenase-Digested Splenocyte Suspension	2-13
	Basic Protocol 2: Generation of Dendritic Cells from Proliferating Mouse Bone Marrow Progenitors	2-14
2.4	Isolation of Murine Natural Killer Cells from Mouse Spleen	2-16
	Basic Protocol	2-16

2.5	Assays for B Lymphocyte Function	2-18
	Basic Protocol 1: Antigen-Specific Antibody Production	2-18
	Plaque-Forming Cell Assays	2-22
	Basic Protocol 2: Jerne-Nordin PFC Assay	2-23
	Basic Protocol 3: Cunningham-Szenberg PFC Assay	2-25
	Alternate Protocol 1: Modifying the Jerne-Nordin PFC Assay for Isotype-Specific Responses	2-25
	Alternate Protocol 2: Modifying the Jerne-Nordin PFC Assay to Measure Polyclonal Antibody Responses	2-27
	Support Protocol 1: Preparation of Agarose-Coated Slides	2-27
	Support Protocol 2: Preparation of Cunningham-Szenberg Chambers	2-28
	Support Protocol 3: Coupling Trinitrophenyl (TNP) Hapten to SRBCs	2-28
	Support Protocol 4: Protein A-Coupled SRBC	2-29
	Support Protocol 5: Preparation of TNP-Ovalbumin	2-30
	Support Protocol 6: Purification of Resting B Cells by Percoll Gradient Centrifugation	2-30
2.6	Early Events in B Lymphocyte Activation	2-32
	Basic Protocol 1: B Cell Receptor-Induced Changes in Intracellular Calcium in B Cells	2-32
	Basic Protocol 2: Analysis of Protein Tyrosine Phosphorylation	2-33
	Basic Protocol 3: Analysis of Cell Size and Expression of Molecules Indicative of B Cell Activation	2-34
2.7	Proliferative Assays For B Cell Function	2-35
	Basic Protocol: Anti-IgM- and LPS-Stimulated B Cell Proliferation	2-35
	Alternate Protocol 1: Polyclonal Activation of B Cells with 8-Mercaptoguanosine (8-MG)	2-37
	Alternate Protocol 2: Polyclonal Activation of B Cells with Protein Kinase C Activators and Calcium Ionophores	2-37
	Alternate Protocol 3: Polyclonal Activation of B Cells with Dextran Sulfate and Poly(ic)	2-38
	Alternate Protocol 4: Quantitation of Cell Number Increase	2-38
2.8	Measurement of T and B Cell Turnover with Bromodeoxyuridine	2-39
	Basic Protocol	2-39
2.9	Use of the Intracellular Fluorescent Dye CFSE to Monitor Lymphocyte Migration and Proliferation	2-40
	Basic Protocol: CFSE-Labeling of Lymphocytes	2-40
	Support Protocol: Analysis of CFSE-Labeled Cells by Flow Cytometry	2-42
2.10	Induction and Measurement of Cytotoxic T Lymphocyte Activity	2-44
	Basic Protocol 1: Induction of Cytolytic Activity in CTL Precursors	2-44
	Basic Protocol 2: Chromium-Release Assay for Measuring CTL Activity	2-46
	In Vivo Priming To Generate CTL Precursors	2-48
	Support Protocol 1: In Vivo Priming of Mice with Minor Histocompatibility Antigens	2-48
	Support Protocol 2: In Vivo Priming of Mice with Viral Antigens	2-49
	Modification of Stimulator and Target Cells with Antigens	2-49
	Support Protocol 3: TNP Modification of Target/Stimulator Cells	2-49
	Support Protocol 4: Viral Infection of Target/Stimulator Cells	2-49
	Assessment of All CTL Activity Regardless of Specificity	2-50
	Alternate Protocol 1: Polyclonal Induction of CTL Activity	2-50
	Alternate Protocol 2: Redirection of CTL Lysis	2-50
2.11	Proliferative Assays for T Cell Function	2-51
	Basic Protocol 1: Activation of Unprimed T Cells	2-51
	Alternate Protocol 1: Activation of Unprimed T Cells with Plate-Bound Antibodies	2-53
	Alternate Protocol 2: T Cell Proliferation in Mixed Lymphocyte Cultures	2-54
	Support Protocol 1: Depletion of T Cells from Antigen-Presenting/Stimulator Cell Suspensions	2-54

	Support Protocol 2: Blocking Cellular Division of Accessory/Stimulator Cells	2-55
	Basic Protocol 2: Activation of Primed T Cells	2-56
	Basic Protocol 3: Activation of CD4 ⁺ CD25 ⁺ T Cells and Analysis of Their Suppressive Function	2-57
	Alternate Protocol 3: The Two-Step Suppression Assay: Short-Term Activation and Expansion of CD4 ⁺ CD25 ⁺ T Cells and Analysis of Their Suppressive Function	2-58
2.12	Production of T Cell Clones	2-59
	Basic Protocol 1: Derivation and Maintenance of Alloreactive T _H and CTL Clones	2-59
	Basic Protocol 2: Derivation and Maintenance of T _H Clones Reactive with Soluble Protein Antigens	2-60
	Preparation of Conditioned Media as a Source of Growth Factors	2-62
	Support Protocol 1: Preparing Concanavalin A-Activated Supernatant (Con A-sup)	2-62
	Support Protocol 2: Preparing Mixed Leukocyte Culture Supernatant (MLC-sup)	2-63
	Support Protocol 3: Preparing PMA-Activated EL-4 Lymphoma Cell Supernatant (EL-4-sup)	2-63
	Support Protocol 4: Cloning by Micromanipulation	2-64
2.13	Production of Mouse T Cell Hybridomas	2-65
	Basic Protocol: Cell Fusion and Selection of T Cell Hybridomas	2-65
	Support Protocol 1: Screening Primary Hybridomas for CD3-TCR Expression	2-68
	Support Protocol 2: Screening Hybridomas for Antigen Specificity	2-69
2.14	Measurement of Apoptosis and Other Forms of Cell Death	2-70
	Basic Protocol 1: Microscopic Quantitation of Cell Viability Using Vital and Fluorescent Dyes	2-70
	Basic Protocol 2: Quantitation of DNA Fragmentation and Lysis	2-71
	Alternate Protocol: Quantitation of DNA Fragmentation in Cells Containing Radiolabeled DNA	2-73
	Support Protocol 1: Nuclear Radiolabeling with [¹²⁵ I]UdR and ⁵¹ Cr	2-73
	Support Protocol 2: Nuclear Radiolabeling with [³ H]TdR	2-74

3 Biochemistry of Cell Activation

3.1	Analysis of Inositol Phospholipid Turnover During Lymphocyte Activation	3-2
	Basic Protocol 1: Resolution of [³ H]inositol Phosphates by Dowex Anio-Exchange Chromatography	3-2
	Alternate Protocol: Resolution of [³ H]inositol Phosphates by HPLC	3-3
	Basic Protocol 2: Resolution of Inositol Phospholipids by Thin-Layer Chromatography	3-4
3.2	Antiphosphotyrosine Blotting	3-5
	Basic Protocol: Preparation and Analysis of the Antiphosphotyrosine Blot	3-5
	Alternate Protocol: Detection Using ¹²⁵ I-Labeled Protein A	3-7
3.3	Immune-Complex Assays for Tyrosine Protein Kinases	3-8
	Basic Protocol: Immunoprecipitation and Autophosphorylation of Tyrosine Protein Kinases	3-8
	Alternate Protocol 1: Phosphorylation of an Exogenous Protein Substrate	3-10
	Alternate Protocol 2: Phosphorylation of an Exogenous Peptide Substrate	3-10
3.4	Production of Antibodies that Recognize Specific Tyrosine-Phosphorylated Peptides	3-11
	Basic Protocol 1: Production of Polyclonal Anti-Phosphopeptide Antibodies	3-11
	Basic Protocol 2: Production of Monoclonal Anti-Phosphopeptide Antibodies	3-14
	Support Protocol 1: Synthesis of Peptides	3-17
	Support Protocol 2: Coupling of Peptides to Affi-Gel 10 Affinity Matrix	3-17
	Support Protocol 3: Coupling of Phosphotyrosine to Affi-Gel 10 Affinity Matrix	3-19

3.5	Analyzing Mitogen-Activated Protein Kinase (MAPK) Activities in T Cells	3-20
	Basic Protocol 1: Immune Complex Protein Kinase Assay	3-20
	Basic Protocol 2: Solid-Phase Protein Kinase Assay for JNK Activity	3-21
	Basic Protocol 3: In Situ Detection of JNK Protein Kinase Activity Following SDS-Page ("In-Gel" Kinase Assay)	3-22
	Basic Protocol 4: Measuring MAPK Activation Using Phosphorylation Site-Specific Antibodies	3-24
	Support Protocol: Preparation of GST-MAPK Substrate Fusion Proteins	3-25
3.6	Isolation and Use of Rafts	3-27
	Basic Protocol: Preparation of Detergent-Resistant Membranes by Sucrose Gradient Flotation and Analysis of Proteins by Immunoblotting	3-27
	Alternate Protocol: Preparation of Detergent-Resistant Membranes by Centrifugation	3-30
	Support Protocol 1: Pulse-Chase Analysis of Detergent-Resistant Membrane Proteins	3-31
	Support Protocol 2: Detecting the Total Profile of Detergent-Resistant Membrane Proteins by Radioactive Labeling	3-31
	Support Protocol 3: Analysis of DRM Lipids by Quantitative High-Performance Thin-Layer Chromatography (HP-TLC)	3-32
	Support Protocol 4: Preparation of DEAE Sephadex	3-35
	Support Protocol 5: Preparation of the C18 Reversed-Phase Column	3-36
	Support Protocol 6: Disruption of Rafts by Cholesterol Removal with Methyl- β -Cyclodextrins	3-37
	Support Protocol 7: Determination of Kinetics of Cholesterol Removal Following Methyl- β -Cyclodextrin (MBCD) Treatment	3-38
	Support Protocol 8: Cholesterol Repletion of Cells Using MBCD-Cholesterol Complexes	3-39

4 Immunofluorescence and Cell Sorting

4.1	Preparation of Cells and Reagents for Flow Cytometry	4-1
	Basic Protocol 1: Immunofluorescence Staining of Single-Cell Suspensions for Detection of Surface Antigens	4-2
	Basic Protocol 2: Immunofluorescence Staining of Fixed and Permeabilized Single-Cell Suspensions for Detection of Intracellular Antigens	4-3
	Support Protocol 1: Labeling Antibody with Fluorescein Isothiocyanate (FITC)	4-5
	Support Protocol 2: Labeling Antibody Using Long-Armed Biotin	4-6
	Alternate Protocol 1: Immunofluorescence Staining of Unfixed Cells for Detection of Intracellular Antigens	4-6
	Alternate Protocol 2: Staining of Nonviable Cells with 7-Aminoactinomycin D for Dead-Cell Discrimination	4-7
4.2	Flow Cytometry Analysis Using the Becton Dickinson FACS Calibur	4-8
	Description of the FACS Calibur/CELLQuest System	4-8
	Basic Protocol: Single-Color Analysis Using FITC-Conjugated Antibodies	4-9
	Support Protocol 1: Instrument Checkout Using Calibrite Beads and FACSCOMP Software	4-12
	Support Protocol 2: Discrimination of Live/Dead Cells in Single-Color Analysis	4-12
	Alternate Protocol 1: Two-Color Analysis Using FITC- and PE-Conjugated Antibodies	4-13
	Support Protocol 3: Discrimination of Live/Dead Cells in Two-Color Analysis	4-14
	Alternate Protocol 2: Three-Color Analysis	4-14
	Alternate Protocol 3: Four-Color Analysis	4-15

5 Cytokines and Their Cellular Receptors

5.1	Measurement of Interleukin 2 and Interleukin 4	5-4
	Basic Protocol: Detection of Murine IL-2 and IL-4 Using CTLL-2 Cells	5-4
	Alternate Protocol 1: Detection of Human IL-2 Using CTLL-2 Cells	5-6
	Alternate Protocol 2: Detection of Murine IL-4 Using CT.4S Cells	5-6

	Alternate Protocol 3: Detection of Human IL-4 Using CT.h4S Cells	5-7
	Support Protocol 1: Calculation of Interleukin or T Cell Growth Factor (TCGF) Units	5-7
	Support Protocol 2: Maintenance of Murine CTLL-2 Cells	5-8
	Support Protocol 3: Maintenance of Murine CT.4S Cells	5-9
	Support Protocol 4: Maintenance of Murine CTh.4S Cells	5-9
5.2	Measurement of Interleukin 10	5-10
	Basic Protocol	5-10
5.3	Measurement of Interleukin 12	5-12
	Basic Protocol: ELISA for Human and Mouse IL-12 p75 Heterodimer	5-12
	Alternate Protocol: ELISA for Human and Mouse IL-12 p40 Subunit	5-13
5.4	Measurement of Interleukin 13	5-14
	Basic Protocol	5-14
5.5	Measurement of Interleukin 15	5-15
	Basic Protocol	5-15
5.6	Measurement of Interleukin 18	5-16
	Basic Protocol	5-16
5.7	Measurement of Interferon γ	5-18
	Basic Protocol	5-18
5.8	Detection of Intracellular Cytokines by Flow Cytometry	5-20
	Basic Protocol: Intracellular Staining for Cytokines	5-20
	Support Protocol 1: PMA and Ionomycin Activation of T Cells	5-21
	Support Protocol 2: Antigen Activation of T Cells	5-22
	Support Protocol 3: Fixation and Freezing of PBMC	5-23
	Support Protocol 4: Cell-Surface Staining of PBMC	5-23
	Support Protocol 5: Demonstrating Specificity of Cytokine Staining	5-24
5.9	Detection of Cytokine Receptors by Flow Cytometry	5-25
	Basic Protocol: Detection of Human and Murine Cytokine Receptors with Monoclonal Anti-Receptor Antibodies	5-25
	Alternate Protocol 1: Detection of Cytokine Receptors with Labeled Cytokines	5-28
	Alternate Protocol 2: Use of Multiparameter Analysis to Detect Cytokine Receptor Expression by Lymphocyte Subpopulations	5-29
	Support Protocol 1: Titration of Monoclonal Antibodies and Cytokines	5-31
	Support Protocol 2: Evaluation of Detection Reagents	5-31
5.10	Detection and Isolation of Cytokine Secreting Cells Using the Cytometric Cytokine Secretion Assay	5-32
	Basic Protocol: Cytokine Secretion Assay	5-32
	Alternate Protocol 1: Rapid Cytokine Secretion Assay Using PBMCs	5-35
	Alternate Protocol 2: Rapid Cytokine Secretion Assay Using Whole Blood Detection	5-35
5.11	ELISPOT Assay to Detect Cytokine-Secreting Cells	5-36
	Basic Protocol	5-36
5.12	Measurement of Antiviral Activity Induced by Interferons α, β, and γ	5-40
	Basic Protocol: Assay for Murine IFN-Induced Antiviral Activity	5-40
	Support Protocol 1: Preparation of VSV Cultures	5-42
	Support Protocol 2: Antibody Neutralization Assay	5-43
	Alternate Protocol: Assay of Human IFN-Induced Antiviral Activity	5-43
5.13	Biological Responses to Chemokine Superfamily Members	5-44
	Basic Protocol 1: Measurement of Granulocyte Chemotaxis by Chemokines Using Microchemotaxis Assays	5-44
	Alternate Protocol 1: Measurement of Monocyte Chemotaxis by Chemokines Using Microchemotaxis Assays	5-49
	Alternate Protocol 2: Measurement of Lymphocyte Chemotaxis by Chemokines Using Microchemotaxis Assays	5-50

Support Protocol: Coating Polycarbonate Filters with Extracellular Matrix Proteins	5-51
Basic Protocol 2: Measurement of Chemokine-Induced Intracellular Free Calcium in Leukocytes	5-51

6 Innate Immunity

6.1 Isolation of Murine Macrophages	6-2
Basic Protocol 1: Isolation of Murine Peritoneal Macrophages	6-2
Basic Protocol 2: Isolation of Murine Bone Marrow-Derived Macrophages	6-4
6.2 Characterization of Murine Macrophages	6-5
Basic Protocol: Characterization of Murine Macrophages with Directly Conjugated Antibodies	6-5
Alternate Protocol: Characterization of Macrophages with Unconjugated Antibodies	6-7
6.3 Characterization of Human Monocytes/Macrophages	6-8
Basic Protocol	6-8
6.4 Activation of Murine Macrophages	6-10
Basic Protocol: Activation of Resident Macrophages	6-10
Alternate Protocol: Activation of Inflammatory Macrophages	6-11
6.5 Oxidative Metabolism of Murine Macrophages	6-12
Basic Protocol	6-12
6.6 Measurement of Bacterial Ingestion and Killing by Macrophages	6-14
Basic Protocol 1: Measurement of Bacterial Phagocytosis by Macrophages	6-14
Alternate Protocol: Discrimination Between Extracellular and Intracellular Bacteria Using FITC Labeling	6-15
Basic Protocol 2: Measurement of Macrophage Killing of Bacteria	6-16
Support Protocol: Preparation of <i>Listeria monocytogenes</i>	6-17
6.7 Assay for Macrophage-Mediated Anti-Tumor Cytotoxicity	6-17
Basic Protocol: ¹¹¹ In-Release Assay for Measuring Macrophage-Mediated Lysis of Tumor Cells	6-18
Support Protocol: Radiolabeling Tumor Target Cells with [¹¹¹ In]Oxine	6-21
6.8 Measurement of Fcγ Receptor-Mediated Binding and Phagocytosis	6-22
Basic Protocol: Measurement of FcγR-Mediated Phagocytosis	6-23
Alternate Protocol: Measurement of FcγR-Mediated Binding	6-25
6.9 Measurement of Interferon-Mediated Antiviral Activity of Macrophages	6-26
Basic Protocol	6-26
6.10 Isolation and Functional Use of Human NK T Cells	6-27
Basic Protocol 1: Identification and Quantitation of Invariant NK T Cells by Flow Cytometry Using Anti-Vα24 and Anti-Vβ11	6-27
Basic Protocol 2: Isolation of Vα24 ⁺ or 6B11 ⁺ T Cells by Immunomagnetic Beads Followed by Selective Expansion with α-GalCer	6-29
Alternate Protocol 1: Isolation of Vα24 ⁺ or 6B11 ⁺ T Cells by FACS Followed by Selective Expansion with α-GalCer	6-30
Alternate Protocol 2: Generation of Invariant NK T Cell Clones	6-31
Support Protocol: Secondary Stimulation of Invariant NK T Cell Lines and Clones	6-32

7 Antigen Processing and Presentation

7.1 Choosing and Preparing Antigen-Presenting Cells	7-2
Basic Protocol: Eliciting Peritoneal Macrophages with <i>Listeria monocytogenes</i>	7-2
Alternate Protocol 1: Eliciting Peritoneal Macrophages by Sequential Injection of <i>Listeria monocytogenes</i> and Proteose Peptone	7-3
Support Protocol 1: Preparing <i>Listeria monocytogenes</i> Stocks for Injection into Mice	7-3

	Alternate Protocol 2: Eliciting Peritoneal Macrophages with Concanavalin A	7-5
	Alternate Protocol 3: Preparing Bone Marrow Macrophages for Use as Antigen-Presenting Cells	7-5
	Support Protocol 2: Preparing L929 Conditioned Medium	7-6
	Alternate Protocol 4: Preparing Lipopolysaccharide-Stimulated B Lymphoblasts for Use as Antigen-Presenting Cells	7-7
7.2	Presenting Exogenous Antigen to T Cells	7-7
	Basic Protocol: Antigen Processing and Presentation: A Simple Add-Together System for Continuous Processing	7-8
	Alternate Protocol 1: Antigen Presentation by Fixed Adherent Antigen-Presenting Cells to Detect Preprocessed Peptide	7-9
	Alternate Protocol 2: Antigen Presentation by Fixed Nonadherent Antigen-Presenting Cells to Detect Preprocessed Peptide	7-10
	Alternate Protocol 3: Antigen Processing with Fixation After Incubation with Protein Antigen	7-11

8 Immunologic Studies in Humans

8.1	Isolation of Whole Mononuclear Cells from Peripheral and Cord Blood	8-2
	Basic Protocol: Isolation of Mononuclear Cells by Ficoll-Hypaque Gradient Centrifugation	8-2
	Support Protocol: Depletion of Monocytes and Macrophages from Mononuclear Cells Using Adherence Method	8-3
8.2	Purification of T Cell Subpopulations	8-3
	Basic Protocol: Isolation of T Cell Populations by Indirect Panning	8-3
	Alternate Protocol: Isolation of T Cell Populations by Antibody- and Complement-Mediated Cytotoxicity	8-5
	Support Protocol 1: Isolating T Cells by Rosetting with Neuraminidase-Treated Sheep Red Blood Cells	8-6
	Support Protocol 2: Isolating T Cells by Rosetting with AET-Treated Sheep Red Blood Cells	8-7
8.3	Immunomagnetic Purification of T Cell Subpopulations	8-7
	Basic Protocol	8-7
8.4	Immunomagnetic Isolation of B Cell Populations	8-9
	Basic Protocol	8-9
8.5	Isolation of Monocyte/Macrophage Populations	8-11
	Basic Protocol 1: Isolation of Monocytes by Adherence	8-11
	Basic Protocol 2: Isolation of Monocytes by Size Sedimentation	8-11
	Basic Protocol 3: Isolation of Monocytes by Counterflow Centrifugal Elutriation	8-12
8.6	Isolation of Human NK Cells	8-15
	Basic Protocol: Preparation of Purified Human NK Cells from PBMC	8-15
	Support Protocol: Titration of Monoclonal Antibodies for Isolating NK Cells by Negative Selection	8-17
8.7	Detection of Unseparated Human Lymphocytes by Flow Cytometry	8-17
	Basic Protocol	8-17
8.8	Measurement of Proliferative Responses of Cultured Lymphocytes	8-20
	Basic Protocol: Culture for Mitogen-Induced Proliferation of Peripheral Blood Mononuclear Cells	8-21
	Alternate Protocol 1: Culture for One-Way Mixed Lymphocyte Reaction	8-22
	Alternate Protocol 2: Culture for Antigen-Induced T Cell Proliferation	8-23
	Support Protocol: [³ H]thymidine Pulse and Harvest of Cell Cultures	8-24
8.9	Induction of Polyclonal Immunoglobulin Synthesis	8-25
	Basic Protocol	8-25
8.10	Measurement of Polyclonal Immunoglobulin Synthesis Using ELISA	8-26
	Basic Protocol	8-26

8.11	Measurement of Immunoglobulin Synthesis Using the ELISPOT Assay	8-28
	Basic Protocol: ELISPOT Assay of Antibody-Secreting Cells in a Petri Dish or Microtiter Plate	8-28
	Alternate Protocol: ELISPOT Assay for Polyclonal or Antigen-Specific Antibody in Manifold Apparatus	8-30
8.12	Induction and Measurement of In Vivo Antibody Responses	8-32
	Basic Protocol 1: Induction of In Vivo Antibody Responses to Protein or Polysaccharide Antigens	8-32
	Basic Protocol 2: Measurement of In Vivo Antibody Response Using ELISA	8-33
	Support Protocol: Coupling of Polysaccharide to Protein	8-34
8.13	Measurement of Polyclonal and Antigen-Specific Cytotoxic T Cell Function	8-35
	Basic Protocol 1: Measurement of Anti-CD3-Mediated Cytotoxicity	8-35
	Basic Protocol 2: Measurement of Antigen-Mediated T Cell Cytotoxicity	8-36
8.14	Measurement of Cytotoxic Activity of NK/LAK Cells	8-37
	Basic Protocol: ⁵¹ Cr-Release Assay for Cytolysis by NK/LAK Cells	8-37
	Support Protocol: Preparation and Labeling of Nonadherent Tumor Target Cells	8-40
8.15	Generation and Maintenance of Cloned Human T Cell Lines	8-41
	Basic Protocol 1: Generation of (Allo-)Antigen-Specific T Cell Lines	8-41
	Basic Protocol 2: Generation of CD4 ⁺ T Cell Lines with a TH1 or TH2 Cytokine Production Profile	8-43
	Support Protocol 1: Establishment of Clones from T Cell Lines	8-45
	Support Protocol 2: Maintenance of Cloned T Cell Lines	8-46
	Support Protocol 3: Cryopreservation of T Cell Clones	8-46
8.16	Generation of EBV-Immortalized B Cell Lines	8-47
	Basic Protocol	8-47
8.17	Isolation of Human Intestinal Mucosal Mononuclear Cells	8-48
	Basic Protocol: Isolation of Human Intestinal Mucosal Mononuclear Cells	8-49
	Support Protocol: Removal of Dead Cells by Nylon Wool Filtration	8-51
8.18	Isolation and Generation of Human Dendritic Cells	8-52
	Basic Protocol 1: Isolation of Dendritic Cells from Human Blood Mononuclear Cells	8-52
	Alternate Protocol: Immunomagnetic Isolation of Dendritic Cells	8-54
	Basic Protocol 2: Generation of Human Dendritic Cells from Monocytes	8-55
8.19	Isolation and Characterization of Human Natural Killer Cell Subsets	8-56
	Basic Protocol: Isolation of Human NK Cells from PBMC	8-57
	Support Protocol: Phenotypic and Functional Analysis of Human NK Cell Subsets	8-58

9 Detection and Analysis of HIV

9.1	Isolation and Quantitation of HIV in Peripheral Blood	9-2
	Basic Protocol 1: Culture of HIV in Peripheral Blood and Measurement of Titer by TCID Quantitation	9-2
	Basic Protocol 2: Primary Isolation of HIV from PBMC by Infection of Allogeneic T Cell Blasts	9-4
	Support Protocol: Evaluation of the Cytopathic Effects of HIV on CD4 ⁺ Target Cells: HIV-Mediated Single-Cell Death	9-5
9.2	Infection of CD4⁺ Primary Cell Lines and Induction of HIV	9-6
	Basic Protocol 1: Acute In Vitro Infection of CD4 ⁺ Primary Cells and Cell Lines with HIV	9-6
	Basic Protocol 2: Generation of Chronically Infected Cell Lines	9-7
	Basic Protocol 3: HIV Induction in Chronically Infected Cell Lines	9-9

9.3	Culture of HIV in Monocytes and Macrophages	9-10
	Basic Protocol: HIV Infection of Cultured Monocyte-Derived Macrophages Adherent to Plastic	9-10
	Alternate Protocol: HIV Infection of Cultured Monocyte-Derived Macrophages in Suspension	9-11
	Support Protocol 1: Expansion of Laboratory-Adapted Macrophage-Tropic HIV Strains	9-12
	Support Protocol 2: Expansion of Macrophage-Tropic Primary Isolates	9-13
9.4	Detection Assays for HIV Proteins	9-14
	Basic Protocol 1: Immunoblotting Assay for Detection of HIV Proteins	9-15
	Basic Protocol 2: Immunofluorescence Assay for HIV Proteins	9-16
	Alternate Protocol: Intracellular Flow Cytometric Analysis for HIV Proteins	9-18
	Basic Protocol 3: Assay for HIV Reverse Transcriptase Activity	9-19
9.5	Detection of HIV DNA and RNA Using PCR	9-21
	Basic Protocol 1: Amplification and Detection of HIV DNA Using PCR	9-21
	Basic Protocol 2: Detection of HIV RNA by Reverse Transcriptase-PCR	9-24
9.6	In Vitro Evaluation of Experimental Agents for Anti-HIV Activity	9-27
	Basic Protocol 1: Protection of Target T Cells Against the Cytopathic Effect of HIV	9-28
	Basic Protocol 2: Inhibition of Syncytial Focus (Plaque) Formation in CD4-Expressing HeLa Cells	8-29
	Basic Protocol 3: Inhibition of HIV p24 Antigen as Assessed by Production in Peripheral Blood Mononuclear Cells by ELISA	9-31
	Support Protocol: Calculation of 50% Inhibitory Concentration (IC ₅₀)	9-34
9.7	Vaccinia-Based Reporter Gene Cell-Fusion Assays to Quantitate Functional Interactions of HIV Envelope Glycoprotein with Receptors	9-35
	Basic Protocol: Fusion Assay Using Plasmids to Express Env and Receptors	9-35
	Alternate Protocol 1: Fusion Assay Using Recombinant Viruses for All Components	9-38
	Alternate Protocol 2: sCD4-Activated Fusion Assay	9-39
	Support Protocol 1: Colorimetric Measurement of Fusion-Dependent Reporter Gene Activation	9-39
	Support Protocol 2: In Situ Staining to Measure Activation	9-40

10 Animal Models for Autoimmune and Inflammatory Disease

10.1	Experimental Autoimmune Encephalomyelitis in the Mouse	10-2
	Basic Protocol: Active Induction of EAE with PLP and MBP Protein or Peptide	10-2
	Alternate Protocol: Adoptive Induction of EAE with PLP- or MBP-Specific Lymphocytes	10-5
	Support Protocol 1: Purification of Proteolipid Protein	10-6
	Support Protocol 2: Purification of Myelin Basic Protein	10-7
10.2	Adjuvant Arthritis in the Rat	10-8
	Basic Protocol: Induction of Adjuvant Arthritis	10-8
	Support Protocol: Preparation of Mycobacteria Suspension	10-9
10.3	Collagen-Induced Arthritis	10-10
	Basic Protocol: Induction of Collagen-Induced Arthritis in the Mouse	10-10
	Support Protocol 1: Purification of Type II Collagen	10-11
	Support Protocol 2: Purification of Collagen α 1(II) Chains	10-13
	Support Protocol 3: Purification of Cyanogen Bromide Fragments from Collagen α 1(II) Chains	10-14
	Support Protocol 4: Assessment of Arthritis in the Mouse	10-17
	Determining Arthritis Severity by Hg Displacement Manometry	10-17
	Determining Arthritic Severity by Caliper Measurement of Paw Swelling	10-19
	Support Protocol 5: Measurement of T Cell Responses to CII in CIA	10-19

10.4	Experimental Autoimmune Thyroiditis in the Mouse	10-20
	Basic Protocol 1: Induction and Evaluation of Experimental Autoimmune Thyroiditis	10-20
	Support Protocol: Preparation of Mouse Thyroglobulin	10-22
	Basic Protocol 2: Induction of Tolerance to Experimental Autoimmune Thyroiditis	10-23
10.5	Experimental Autoimmune Myasthenia Gravis in the Mouse	10-24
	Basic Protocol: Inducing and Evaluating EAMG	10-24
	Support Protocol 1: Extraction and Affinity Purification of AChR	10-27
	Support Protocol 2: Preparation of Neurotoxin 3-Agarose	10-29
	Support Protocol 3: Evaluating EAMG Using Electromyography	10-30
	Support Protocol 4: Evaluating EAMG by Assaying for Anti-AChR Antibodies	10-30
	Support Protocol 5: Preparation of Mouse Muscle AChR	10-32
10.6	The NOD Mouse: A Model For Insulin-Dependent Diabetes Mellitus	10-33
	Basic Protocol 1: Maintenance of Specific-Pathogen-Free (SPF) NOD Mice	10-33
	Basic Protocol 2: Diagnosis of Insulin-Dependent Diabetes Mellitus (IDDM)	10-36
	Alternate Protocol: Semiquantitation of Insulinitis as a Subclinical Phenotype of Progression to IDDM	10-36
	Support Protocol: Isolation of Pancreatic Islet Cells	10-39
10.7	Induction of Autoimmune Disease by Depletion of Regulatory T Cells	10-41
	Basic Protocol: Induction of Diabetes in Young Adult Rats by Thymectomy	10-42
	Alternate Protocol: Induction of Diabetes in Three-Week-Old Rats by Thymectomy	10-43
10.8	Induction of Inflammatory Bowel Disease in Immunodeficient Mice by Depletion of Regulatory T Cells	10-43
	Basic Protocol: Induction of IBD in SCID Mice by the Transfer of CD45RB ^{high} CD4 ⁺ T Cells	10-44
	Support Protocol: Monitoring Development of IBD	10-46
10.9	Animal Models of Airway Sensitization	10-47
	Basic Protocol: Induction of Airway Hyperresponsiveness by Systemic Sensitization and Airway Challenge with Ovalbumin	10-48
	Support Protocol 1: Noninvasive Measurement of Airway Responsiveness by Barometric Whole-Body Plethysmography	10-48
	Alternate Protocol: Induction of Airway Hyperresponsiveness by Airway Sensitization with Ovalbumin	10-50
	Support Protocol 2: Measurement of In Vitro Airway Responsiveness to Electrical Field Stimulation	10-51
	Support Protocol 3: Assessment of T Cell Function and Airway Inflammation	10-53
10.10	Induction of TNBS Colitis in Mice	10-53
	Basic Protocol: Induction and Evaluation of TNBS Colitis in Mice	10-53
	Support Protocol 1: Isolation of Mouse Mesenteric Lymph Node Cells	10-55
	Support Protocol 2: Isolation of Lamina Propria Mononuclear Cells from Mouse Colons	10-56
10.11	Animal Models for Systemic Lupus Erythematosus	10-57
	Basic Protocol 1: ELISA of Mouse Sera for Detection of Anti-Chromatin Antibodies	10-58
	Basic Protocol 2: Detection of Antibodies to Single- and Double-Stranded DNA	10-59
	Basic Protocol 3: ELISA for Rheumatoid Factor	10-60
	Basic Protocol 4: Preparation of Standard Curves for Detection of Allotype-Specific Antibodies by ELISA	10-60
	Alternate Protocol: ELISPOT Assay for Detection of Anti-Chromatin Antibody Forming Cells	10-63
	Support Protocol 1: Preparation of Chicken Chromatin by Hypotonic Lysis of Chicken Erythrocyte Nuclei	10-64
	Support Protocol 2: Preparation of dsDNA	10-65
	Support Protocol 3: PCR-Based Genotyping of the <i>fas</i> ^{lpr} and <i>fas</i> ^{L⁸ld} Mutations	10-66

11 Animal Models for Infectious Diseases

11.1	Mouse Models for the Analysis of Immune Responses to Leishmaniasis	11-1
	Basic Protocol: Mouse Models of Cutaneous Leishmaniasis	11-2
	Support Protocol 1: Preparation of Metacyclic Promastigotes Using Peanut Agglutinin	11-4
	Support Protocol 2: Purification of Tissue Amastigotes from Footpad	11-5
	Support Protocol 3: Cryopreservation and Thawing of Promastigotes and Amastigotes	11-6
	Support Protocol 4: Preparation of Blood Agar Plates	11-6
11.2	Animal Models for <i>Toxoplasma gondii</i> Infection	11-7
	Basic Protocol 1: Induction of Acute <i>Toxoplasma Gondii</i> Infection in Mice	11-7
	Basic Protocol 2: Model of Toxoplasmic Encephalitis in Chronically Infected Mice	11-8
	Basic Protocol 3: <i>T. gondii</i> Infection in <i>scid/scid</i> Mice	11-9
	Basic Protocol 4: Infection with the Temperature-Sensitive TS-4 Strain of <i>T. gondii</i>	11-9
	Support Protocol 1: Assessment of Progression of Infection and Immune Response to <i>T. gondii</i>	11-10
	Assessment by Histopathology and Immunochemistry	11-10
	Measurement of <i>SAG-1</i> and <i>SAG-2</i> Gene mRNA by RT-PCR	11-11
	Support Protocol 2: Maintenance of a Bank of ME49 <i>T. gondii</i> Cysts	11-12
	Support Protocol 3: Maintenance of <i>T. gondii</i> Tachyzoites Using Human Foreskin Fibroblasts	11-13
	Support Protocol 4: Maintenance of <i>T. gondii</i> Tachyzoites in Mice	11-14
	Support Protocol 5: Preparation of <i>T. gondii</i> Lysate Antigens	11-15
11.3	A Mouse Model for Cytomegalovirus Infection	11-15
	Basic Protocol: Infection of Mice with Cytomegalovirus	11-16
	Support Protocol 1: Preparation of mCMV Stocks	11-17
	Support Protocol 2: Preparation of Salivary Gland Virus	11-18
	Support Protocol 3: Determination of CMV Titer Using Plaque-Forming Cell Assay	11-19
	Support Protocol 4: Preparation of Primary Murine Embryonic Fibroblasts	11-19
11.4	Animal Model for Infection with <i>Listeria monocytogenes</i>	11-20
	Basic Protocol: Infection of Mice with <i>L. monocytogenes</i>	11-21
	Support Protocol 1: Evaluation of Specific and Innate Immune Responses to <i>L. monocytogenes</i> in Mice	11-22
	Support Protocol 2: Generation of <i>Listeria</i> -Specific T Cells	11-23
11.5	Animal Models Using Lymphocytic Choriomeningitis Virus	11-25
	Basic Protocol 1: Systemic Infection of Mice with LCMV	11-25
	Basic Protocol 2: Persistent Infection of Mice with LCMV	11-28
	Basic Protocol 3: Measurement of T Cell Responses to LCMV	11-28
	Basic Protocol 4: In Vivo Measurement of LCMV Vaccine Efficacy	11-30
	Support Protocol 1: Preparation of LCMV Stocks	11-31
	Support Protocol 2: Plaque Assay to Measure LCMV Titers	11-32
	Support Protocol 3: Detection of Anti-LCMV Antibodies by ELISA	11-33
11.6	Influenza Virus	11-33
	Basic Protocol 1: Intranasal Infection of Anesthetized Mice with Influenza Virus	11-34
	Alternate Protocol: Intranasal Infection of Unanesthetized Mice with Influenza Virus	11-34
	Support Protocol 1: Propagation of Influenza Virus in Hen Eggs	11-35
	Support Protocol 2: Quantitation of Influenza Virus Titer in Egg Allantoic Fluid	11-36
	Support Protocol 3: Long-Term Culture of MDCK Cells	11-37
	Support Protocol 4: Measurement of Tissue Culture Influenza Virus Infectious Dose (TCID ₅₀)	11-38
	Support Protocol 5: Determination of 50% Mouse Lethal Dose (MLD ₅₀) and 50% Mouse Infectious Dose (MID ₅₀)	11-39

Support Protocol 6: Preparation of Mouse Lungs for Measurement of Influenza Virus Titers	11-41
Support Protocol 7: Determination of the Number of Hemagglutination Units (HAU) in an Influenza Virus Stock	11-42
Support Protocol 8: Hemagglutination Inhibition (HAI) Assay Using Mouse Serum	11-43
Support Protocol 9: Serial Dilution of an Influenza Stock Virus	11-44
Basic Protocol 2: Generation of Anti-Influenza Cytotoxic T-Lymphocytes (CTL) from Splenic Precursors	11-45
Basic Protocol 3: Harvesting Pulmonary Cells Containing Anti-Influenza CTL Activity	11-46
Support Protocol 10: Influenza Virus Neutralization Assay	11-47

12 Isolation and Analysis of Proteins

12.1 Immunoaffinity Chromatography	12-1
Basic Protocol 1: Isolation of Soluble or Membrane-Bound Antigens	12-1
Alternate Protocol 1: Low-pH Elution of Antigens	12-4
Alternate Protocol 2: Elution in Octyl β -D-Glucoside	12-5
12.2 Immunoprecipitation	12-5
Basic Protocol 1: Immunoprecipitation Using Cells in Suspension Lysed with a Nondenaturing Detergent Solution	12-5
Alternate Protocol 1: Immunoprecipitation Using Adherent Cells Lysed with a Nondenaturing Detergent Solution	12-9
Alternate Protocol 2: Immunoprecipitation Using Cells Lysed with Detergent Under Denaturing Conditions	12-9
Alternate Protocol 3: Immunoprecipitation Using Cells Lysed without Detergent	12-10
Alternate Protocol 4: Immunoprecipitation with Antibody-Sepharose	12-10
Support Protocol: Preparation of Antibody-Sepharose	12-12
Alternate Protocol 5: Immunoprecipitation of Radiolabeled Antigen with Anti-Ig Serum	12-13
Basic Protocol 2: Immunoprecipitation-Recapture	12-14
12.3 One-Dimensional Gel Electrophoresis of Proteins	12-17
Basic Protocol: Denaturing (SDS) Discontinuous Gel Electrophoresis: Laemmli Gel Method	12-17
12.4 Staining Proteins in Gels	12-20
Basic Protocol 1: Coomassie Blue Staining	12-20
Basic Protocol 2: Silver Staining	12-21
Basic Protocol 3: Fluorescent Staining Using SYPRO Orange or Red	12-22
Basic Protocol 4: Fluorescent Protein Stain Using SYPRO Ruby	12-22
Alternate Protocol 1: Selective Fluorescent Staining of Phosphoproteins in Polyacrylamide Gels	12-23
Support Protocol: Selective Detection of Phosphotyrosine Residues	12-25
Alternate Protocol 2: Differential Fluorescent Staining of Glycosylated and Nonglycosylated Proteins in the Same Gel	12-26
12.5 Immunoblotting and Immunodetection	12-27
Basic Protocol 1: Protein Blotting with Tank Transfer Systems	12-27
Alternate Protocol 1: Protein Blotting with Semidry Systems	12-29
Support Protocol 1: Reversible Staining of Transferred Proteins	12-30
Basic Protocol 2: Immunoprobng with Directly Conjugated Secondary Antibody	12-31
Alternate Protocol 2: Immunoprobng with Avidin-Biotin Coupling to Secondary Antibody	12-32
Basic Protocol 3: Visualization with Chromogenic Substrates	12-33
Alternate Protocol 3: Visualization with Luminescent Substrates	12-34
Support Protocol 2: Stripping and Reusing Membranes	12-34

13 Peptides

13.1	Synthetic Peptides for Production of Antibodies that Recognize Intact Proteins	13-2
	Basic Protocol 1: Computer-Assisted Selection of Appropriate Antigenic Peptide Sequences	13-2
	Alternate Protocol 1: Manual Inspection to Select Appropriate Peptide Sequences	13-2
	Basic Protocol 2: Designing a Synthetic Peptide for Coupling to a Carrier Protein	13-3
	Alternate Protocol 2: Designing a Synthetic Multiple Antigenic Peptide	13-4
	Basic Protocol 3: Coupling Synthetic Peptides to a Carrier Protein Using a Heterobifunctional Reagent	13-5
	Alternate Protocol 3: Coupling Synthetic Peptides to a Carrier Protein Using a Homobifunctional Reagent	13-7
	Support Protocol: Calculation of the Molar Ratio of Peptide to Carrier Protein	13-7
13.2	Production of Anti-Peptide Antisera	13-9
	Basic Protocol 1: Immunization Schedule for Producing Anti-Peptide Sera in Rabbits	13-9
	Basic Protocol 2: Indirect ELISA to Determine Anti-Peptide Antibody Titer	13-10
	Basic Protocol 3: Using an Affinity Column with Acidic, Basic, or Chaotropic Elution	13-11
	Support Protocol 1: Preparation of Peptide Immunoaffinity Column Using Preswollen NHS- or CNBr-Activated Resins	13-12
	Support Protocol 2: Preparation of Peptide Affinity Column Using a Thiol Resin	13-13
13.3	Identification of B Cell and T Cell Epitopes Using Synthetic Peptide Combinatorial Libraries	13-14
	Basic Protocol 1: Screening PS-SCL for Antibody Inhibition	13-14
	Basic Protocol 2: Screening a PS-SCL to Identify CD4 ⁺ or CD8 ⁺ T Cell Ligands	13-16
	Support Protocol: Optimizing Antigen and Antibody Concentrations for Screening Assay	13-18

14 Molecular Biology

14.1	Rapid Production of Retroviruses for Efficient Gene Delivery to Mammalian Cells Using 293T Cell-Based Systems	14-2
	Basic Protocol 1: Transient Transfection of the Phoenix Retroviral Packaging Line by Calcium Phosphate/DNA Precipitation	14-2
	Alternate Protocol 1: Pseudotyping Retroviral Virions with Vesicular Stomatitis Virus G Protein	14-5
	Support Protocol 1: Concentration and Cryopreservation of VSV-G-Pseudotyped Retrovirus	14-5
	Support Protocol 2: Culture of Phoenix Cell Lines	14-6
	Basic Protocol 2: Infection of Adherent Cells	14-7
	Alternate Protocol 2: Spin Infection of Adherent Cells	14-8
	Alternate Protocol 3: Spin Infection of Suspension of Cells	14-8
14.2	Construction of Immunoglobulin Fusion Proteins	14-9
	Strategic Planning	14-9
	Basic Protocol 1: Construction of the Immunoglobulin Fusion Gene	14-9
	Basic Protocol 2: Analysis of the Immunoglobulin Fusion Gene	14-11
14.3	Phage Display of Single-Chain Antibody Constructs	14-14
	Strategic Planning	14-14
	Basic Protocol 1: Construction of an scFv Repertoire in a Phagemid Vector	14-15
	Basic Protocol 2: Affinity Selection of scFv-Displaying Phage on Plastic-Immobilized Antigen	14-22
	Alternate Protocol: Affinity Selection of scFv-Displaying Phage on Biotinylated Antigen Using Streptavidin-Coated Magnetic Beads	14-25
	Basic Protocol 3: Identification of Antigen-Binding scFv-Displaying Phage in ELISA	14-26

	Support Protocol 1: Preparation of Helper Phage Stocks	14-29
	Support Protocol 2: Analysis of Clonal Integrity and Diversity by PCR and Fingerprinting	14-30
	Support Protocol 3: Biotinylation of Proteins with NHS-SS-Biotin	14-31
	Support Protocol 4: Biotinylation of Proteins with Biotin-Protein Ligase	14-32
14.4	Detection of Isotype Switch Rearrangement in Bulk Culture by PCR	13-35
	Basic Protocol 1: Direct PCR Across Switch Junctions	14-35
	Support Protocol: Preparation of 5' S _μ Probe by PCR and Random Primer Labeling	14-39
	Basic Protocol 2: Digestion-Circularization PCR	14-39
14.5	Detection of Cytokine mRNA Expression by PCR	14-42
	Basic Protocol: Quantitation of IL-2 mRNA Expression	14-42
14.6	Evaluating Human T Cell Receptor Gene Expression by PCR	14-46
	Basic Protocol: PCR Analysis of T Cell Receptor Gene Expression	14-46
	Alternate Protocol: Quantitation of TCR Variable Sequence Transcripts by PCR	14-48
	Support Protocol 1: Sequence Analysis of Rearranged V-D-J Regions	14-50
	Support Protocol 2: Synthesis of cDNA	14-52
14.7	Molecular Analysis of Mouse T Cell Receptor Expression Using PCR	14-53
	Basic Protocol 1: PCR Analysis of Mouse TCR Gene Expression	14-53
	Basic Protocol 2: Estimation of the Frequency of Mouse TCR Variable Region by PCR	14-56
	Basic Protocol 3: Quantitation of Mouse TCR Variable Region Transcripts by PCR	14-57
	Basic Protocol 4: Sequence Analysis of the Junctional Diversity of V(D)J Regions	14-60
	Support Protocol: Synthesis of cDNA for PCR Analysis of Mouse T Cell Receptor Gene Expression	14-62
14.8	Spectratype/Immunoscope Analysis of the Expressed TCR Repertoire	14-63
	Basic Protocol 1: Spectratype Analysis of Human and Mouse TCR Repertoire Diversity	14-63
	Alternate Protocol: Spectratype Analysis Using [³² P]dCTP	14-71
	Basic Protocol 2: Fine-Specificity Spectratype Analysis Using Junctional Region Primers	14-72
	Basic Protocol 3: Rapid High-Throughput Sequencing of Amplified TCR Gene Products	14-73
14.9	Multiprobe Ribonuclease Protection Assay for Simultaneous Measurement of mRNA Expression	14-78
	Basic Protocol: Multiprobe Ribonuclease Protection Assay	14-78
	Support Protocol 1: Constructing a Riboprobe Template Set	14-81
	Support Protocol 2: Gel Electrophoresis and Visualization of Results	14-83
14.10	Analysis of Telomere Length and Telomerase Activity	14-86
	Basic Protocol 1: Measurement of Telomere Length by Southern Hybridization of Terminal Telomeric DNA Restriction Fragments (TRF) Using Conventional Gel Electrophoresis	14-86
	Alternate Protocol 1: Southern Hybridization on a Nylon Membrane	14-88
	Support Protocol 1: End Labeling of Telomere or Other Oligonucleotide	14-88
	Basic Protocol 2: Measurement of Telomeres Using Pulsed-Field Gel Electrophoresis	14-89
	Basic Protocol 3: Flow-Fish	14-91
	Basic Protocol 4: Q Fish	14-93
	Support Protocol 2: Preparation of Metaphase Chromosomes from Proliferating Lymphocytes	14-94
	Basic Protocol 5: Measurement of Telomerase Activity	14-95
	Alternate Protocol 2: Nonradioactive Trap Assay 1: Fluorescent Dye (SYBR I) Staining	14-98
	Alternate Protocol 3: Nonradioactive Trap Assay 2: Fluorescent Dye Labeling (TAMRA-TS)	14-98

15 Engineering Immune Molecules and Receptors

15.1	Monitoring Antigen-Specific T Cells Using MHC-Ig Dimers	15-2
	Strategic Planning	15-2
	Basic Protocol: Construction of MHC Class I-Ig Dimers	15-2
	Support Protocol 1: Quantification of MHC-Ig Fusion Protein Concentration	15-5
	Support Protocol 2: Large-Scale Cultures of J558L Transfectants and Concentration of Supernatants	15-6
	Support Protocol 3: Purification of MHC Class I-Ig Dimer by 5-Iodo-4-Hydroxy-3-Nitrophenylacetyl-Sepharose Chromatography	15-7
	Support Protocol 4: Preparation of 5-Iodo-4-Hydroxy-3-Nitrophenylacetyl-Sepharose	15-8
	Support Protocol 5: Peptide Loading of MHC-Ig Chimeric Protein by Passive Exchange	15-9
	Support Protocol 6: Peptide Loading by Alkaline Stripping	15-9
	Support Protocol 7: Peptide Loading Under Mild Acidic Conditions	15-10
	Support Protocol 8: Flow Cytometric Analysis of Antigen-Specific T Cells	15-10
15.2	MHC-Peptide Tetramers to Visualize Antigen-Specific T Cells	15-11
	Strategic Planning	15-11
	Basic Protocol 1: Preparation of Inclusion Bodies of MHC Class I Subunits with a BirA Substrate Peptide Tag	15-14
	Basic Protocol 2: Refolding of MHC Class I Peptide Complexes	15-17
	Support Protocol 1: MHC Determination by ELISA	15-18
	Support Protocol 2: Concentration of Folded Protein by Ultrafiltration and Purification by Size-Exclusion Chromatography	15-19
	Basic Protocol 3: Enzymatic Biotinylation, Purification, and Analysis of Efficiency of Biotinylation	15-21
	Basic Protocol 4: Multimerization of Biotinylated Monomers with Streptavidin	15-23
	Basic Protocol 5: Use of Labeled MHC Class I Tetramers for Flow Cytometric Enumeration of Specific T Cell Receptor-Bearing Cells	15-25

Appendices

A1	Reagents and Solutions	A1-1
	Culture Media	A1-1
	Recipes	A1-2
A2	Use of Laboratory Mice, Rats, and Hamsters	A2-1
	2A Commonly Used Mouse and Rat Strains	A2-1
	Mouse	A2-1
	Rat	A2-1
	2B Housing	A2-4
	2C Handling and Restraint	A2-6
	Basic Protocol 1: Mouse Handling and Manual Restraint	A2-6
	Basic Protocol 2: Rat Handling and Manual Restraint	A2-7
	Basic Protocol 3: Hamster Handling and Manual Restraint	A2-8
	Alternate Protocol: Rodent Restraint	A2-8
	2D Anesthesia	A2-9
	Basic Protocol 1: Injectable Anesthesia for Mouse, Rat, and Hamster	A2-10
	Basic Protocol 2: Inhalant Anesthesia Using Methoxyflurane for Mouse, Rat, and Hamster	A2-10
	2E Parenteral Injections	A2-12
	Basic Protocol 1: Intramuscular Injection of Mouse, Rat, and Hamster	A2-13
	Basic Protocol 2: Intradermal Injection of Mouse, Rat, and Hamster	A2-14
	Basic Protocol 3: Subcutaneous Injection of Mouse, Rat, and Hamster	A2-14
	Basic Protocol 4: Intravenous Injection of the Mouse	A2-14
	Basic Protocol 5: Intraperitoneal Injection of Mouse, Rat, and Hamster	A2-15
	Basic Protocol 6: Footpad Injection of the Mouse	A2-16
	Basic Protocol 7: Intrathymic Injection of the Mouse	A2-17

2F	Blood Collection	A2-18
	Basic Protocol 1: Blood Collection from Orbital Sinus or Plexus of Mouse and Rat	A2-18
	Basic Protocol 2: Blood Collection from Tail Vein of Mouse and Rat Using Microhematocrit Tube	A2-19
	Alternate Protocol: Blood Collection from Tail Vein of Mouse and Rat Using Centrifuge Tube	A2-19
	Basic Protocol 3: Blood Collection from Axillary Plexus of Mouse	A2-20
2G	Euthanasia	A2-21
	Basic Protocol 1: Carbon Dioxide Asphyxiation	A2-21
	Basic Protocol 2: Pentobarbital Overdose	A2-21
	Alternate Protocol 1: Anesthesia with Exsanguination	A2-22
	Alternate Protocol 2: Cervical Dislocation of Mouse	A2-22
2H	Removal of Lymphoid Organs and Thymus	A2-22
	Basic Protocol 1: Removal of Mouse Lymphoid Organs	A2-23
	Basic Protocol 2: Splenectomy	A2-25
	Alternate Protocol: Hemisplenectomy	A2-26
	Basic Protocol 3: Neonatal Thymectomy	A2-26
	Basic Protocol 4: Adult Thymectomy	A2-28
	Support Protocol: Construction of Cannula for Suction Thymectomy	A2-31
A3	Common Cell Techniques for Immunology	A3-1
3A	Monitoring Cell Growth	A3-1
	Basic Protocol 1: Counting Cells Using a Hemacytometer	A3-1
	Basic Protocol 2: Counting Cells Using a Coulter Counter	A3-2
3B	Cryopreservation of Cells	A3-2
	Basic Protocol 1: Freezing Cell Lines or Hybridomas	A3-2
	Basic Protocol 2: Thawing Cell Lines or Hybridomas	A3-3
3C	Trypan Blue Exclusion Test of Cell Viability	A3-4
	Basic Protocol: Trypan Blue Exclusion Test of Cell Viability	A3-4
3D	Wright-Giemsa and Nonspecific Esterase Staining of Cells	A3-5
	Basic Protocol 1: Wright-Giemsa Staining	A3-5
	Basic Protocol 2: Nonspecific Esterase Staining	A3-6
3E	Labeling Cells in Microtiter Plates for Determination of [³ H]thymidine Uptake	A3-6
	Basic Protocol	A3-6
3F	Diagnosis and Treatment of Mycoplasma-Contaminated Cell Cultures	A3-7
	Basic Protocol 1: Testing for Mycoplasma Infection	A3-7
	Basic Protocol 2: Treatment of Mycoplasma-Contaminated Cell Cultures with BM-Cycline	A3-8
	Alternate Protocol: Treatment of Mycoplasma-Contaminated Cell Cultures with Ciprofloxacin	A3-9
3G	Obtaining Human Peripheral Blood Cells	A3-9
	Basic Protocol: Blood Collection by Venipuncture	A3-9
	Alternate Protocol: Blood Collection by Lymphapheresis	A3-10
A4	Selected Suppliers of Reagents and Equipment	A4-1
	References	

Index