


The Design of Modern Microwave Oscillators for Wireless Applications

OSC-2R

Theory and Optimization

Ulrich L. Rohde, Ajay K. Poddar, and Georg Böck



CONTENTS

Foreword	ix
Preface	xiii
Biographies	xv
1 Introduction	1
1.1 Organization	5
2 General Comments on Oscillators	9
2.1 Sinusoidal Oscillators	10
2.2 Phase Noise Effects	11
2.3 Specifications of Oscillators and VCOs	13
2.4 History of Microwave Oscillators	17
2.5 Three Approaches to Designing Microwave Oscillators	18
2.6 Colpitts Oscillator, Grounded Base Oscillator, and Meissen Oscillator	21
2.7 Three-Reactance Oscillators Using <i>Y</i> -Parameters: An Introduction	28
2.8 Voltage-Controlled Oscillators (VCOs)	32
3 Transistor Models	37
3.1 Introduction	37
3.2 Bipolar Transistors	40
3.3 Field-Effect Transistors (FETs)	47
3.4 Tuning Diodes	56
4 Large-Signal <i>S</i>-Parameters	61
4.1 Definition	61
4.2 Large-Signal <i>S</i> -Parameter Measurements	63
5 Resonator Choices	71
5.1 LC Resonators	71

5.2	Microstrip Resonators	72
5.3	Ceramic Resonators	79
5.4	Dielectric Resonators	81
5.5	YIG-Based Resonators	83
6	General Theory of Oscillators	87
6.1	Oscillator Equations	87
6.2	Large-Signal Oscillator Design	94
7	Noise in Oscillators	123
7.1	Linear Approach to the Calculation of Oscillator Phase Noise	123
7.2	The Lee and Hajimiri Noise Model	137
7.3	Nonlinear Approach to the Calculation of Oscillator Phase Noise	139
7.4	Phase Noise Measurements	148
7.5	Support Circuits	153
8	Calculation and Optimization of Phase Noise in Oscillators	159
8.1	Introduction	159
8.2	Oscillator Configurations	159
8.3	Oscillator Phase Noise Model for the Synthesis Procedure	159
8.4	Phase Noise Analysis Based on the Negative Resistance Model	162
8.5	Phase Noise Analysis Based on the Feedback Model	185
8.6	2400 MHz MOSFET-Based Push–Pull Oscillator	199
8.7	Phase Noise, Biasing, and Temperature Effects	210
9	Validation Circuits	233
9.1	1000 MHz CRO	233
9.2	4100 MHz Oscillator with Transmission Line Resonators	237
9.3	2000 MHz GaAs FET-Based Oscillator	241
9.4	77 GHz SiGe Oscillator	242
9.5	900–1800 MHz Half-Butterfly Resonator-Based Oscillator	245
10	Systems of Coupled Oscillators	247
10.1	Mutually Coupled Oscillators Using the Classical Pendulum Analogy	247
10.2	Phase Condition for Mutually Locked (Synchronized) Coupled Oscillators	254

10.3	Dynamics of Coupled Oscillators	257
10.4	Dynamics of N-Coupled (Synchronized) Oscillators	263
10.5	Oscillator Noise	266
10.6	Noise Analysis of the Uncoupled Oscillator	271
10.7	Noise Analysis of Mutually Coupled (Synchronized) Oscillators	276
10.8	Noise Analysis of N-Coupled (Synchronized) Oscillators	282
10.9	N-Push Coupled Mode (Synchronized) Oscillators	300
10.10	Ultra-Low-Noise Wideband Oscillators	315
11	Validation Circuits for Wideband Coupled Resonator VCOs	341
11.1	300–1100 MHz Coupled Resonator Oscillator	341
11.2	1000–2000/2000–4000 MHz Push–Push Oscillator	346
11.3	1500–3000/3000–6000 MHz Dual Coupled Resonator Oscillator	355
11.4	1000–2000/2000–4000 MHz Hybrid Tuned VCO	361
	References	367
Appendix A	Design of an Oscillator Using Large-Signal S-Parameters	381
Appendix B	Example of a Large-Signal Design Based on Bessel Functions	389
Appendix C	Design Example of Best Phase Noise and Good Output Power	397
Appendix D	A Complete Analytical Approach for Designing Efficient Microwave FET and Bipolar Oscillators	407
Appendix E	CAD Solution for Calculating Phase Noise in Oscillators	437
Appendix F	General Noise Presentation	457
Appendix G	Calculation of Noise Properties of Bipolar Transistors and FETs	471
Appendix H	Noise Analysis of the N-Coupled Oscillator Coupled Through Different Coupling Topologies	509
	Index	517

We believe that the abbreviations used in this book are common knowledge for the intended audience, and therefore require no explanation.