



SENSING, INTELLIGENCE, MOTION

How Robots
and Humans
Move in an
Unstructured
World

Vladimir J. Lumelsky

CONTENTS

Preface	xiii
Acknowledgments	xxiii
1 Motion Planning—Introduction	1
1.1 Introduction	1
1.2 Basic Concepts	13
1.2.1 Robot? What Robot?	13
1.2.2 Space, Objects	15
1.2.3 Input Information, Sensing	15
1.2.4 Degrees of Freedom, Coordinate Systems	18
1.2.5 Motion Control	20
1.2.6 Robot Programming	21
1.2.7 Motion Planning	24
2 A Quick Sketch of Major Issues in Robotics	27
2.1 Kinematics	29
2.2 Statics	33
2.3 Dynamics	33
2.4 Feedback Control	37
2.5 Compliant Motion	40
2.6 Trajectory Modification	44
2.7 Collision Avoidance	48
2.8 Motion Planning with Complete Information	51
2.9 Motion Planning with Incomplete Information	55
2.9.1 The Beginnings	59
2.9.2 Maze-to-Graph Transition	66

2.9.3	Sensor-Based Motion Planning	66
2.10	Exercises	71
3	Motion Planning for a Mobile Robot	73
3.1	The Model	78
3.2	Universal Lower Bound for the Path Planning Problem	80
3.3	Basic Algorithms	84
3.3.1	First Basic Algorithm: Bug1	84
3.3.2	Second Basic Algorithm: Bug2	90
3.4	Combining Good Features of Basic Algorithms	100
3.5	Going After Tighter Bounds	103
3.6	Vision and Motion Planning	104
3.6.1	The Model	106
3.6.2	Algorithm VisBug-21	110
3.6.3	Algorithm VisBug-22	120
3.7	From a Point Robot to a Physical Robot	123
3.8	Other Approaches	124
3.9	Which Algorithm to Choose?	127
3.10	Discussion	130
3.11	Exercises	135
4	Accounting for Body Dynamics: The Jogger's Problem	139
4.1	Problem Statement	139
4.2	Maximum Turn Strategy	144
4.2.1	The Model	144
4.2.2	Sketching the Approach	146
4.2.3	Velocity Constraints, Minimum Time Braking	148
4.2.4	Optimal Straight-Line Motion	149
4.2.5	Dynamics and Collision Avoidance	152
4.2.6	The Algorithm	154
4.2.7	Examples	157
4.3	Minimum Time Strategy	159
4.3.1	The Model	160
4.3.2	Sketching the Approach	161
4.3.3	Dynamics and Collision Avoidance	164

4.3.4	Canonical Solution	166
4.3.5	Near-Canonical Solution	169
4.3.6	The Algorithm	170
4.3.7	Convergence. Computational Complexity	172
4.3.8	Examples	175
5	Motion Planning for Two-Dimensional Arm Manipulators	177
5.1	Introduction	177
5.1.1	Model and Definitions	183
5.2	Planar Revolute–Revolute (RR) Arm	187
5.2.1	Analysis	189
5.2.2	Algorithm	210
5.2.3	Step Planning	211
5.2.4	Example	212
5.2.5	Motion Planning with Vision and Proximity Sensing	213
5.2.6	Concluding Remarks	218
5.3	Distinct Kinematic Configurations of RR Arm	220
5.4	Prismatic–Prismatic (PP, or Cartesian) Arm	226
5.5	Revolute–Prismatic (RP) Arm with Parallel Links	229
5.6	Revolute–Prismatic (RP) Arm with Perpendicular Links	234
5.7	Prismatic–Revolute (PR) Arm	234
5.8	Topology of Arm’s Free Configuration Space	245
5.8.1	Workspace; Configuration Space	249
5.8.2	Interaction Between the Robot and Obstacles	252
5.8.3	Uniform Local Connectedness	255
5.8.4	The General Case of 2-DOF Arm Manipulators	256
5.9	Appendix	258
5.10	Exercises	267
6	Motion Planning for Three-Dimensional Arm Manipulators	271
6.1	Introduction	271
6.2	The Case of the PPP (Cartesian) Arm	276
6.2.1	Model, Definitions, and Terminology	276
6.2.2	The Approach	283
6.2.3	Topology of W -Obstacles and C -Obstacles	285
6.2.4	Connectivity of $\mathcal{C}$	295

6.2.5	Algorithm	301
6.2.6	Examples	304
6.3	Three-Link <i>XXP</i> Arm Manipulators	305
6.3.1	Robot Arm Representation Spaces	307
6.3.2	Monotonicity of Joint Space	312
6.3.3	Connectivity of $\mathcal{J}_f$	313
6.3.4	Retraction of $\mathcal{J}_f$	317
6.3.5	Configuration Space and Its Retract	318
6.3.6	Connectivity Graph	321
6.3.7	Lifting 2D Algorithms into 3D	325
6.3.8	Step Planning	326
6.3.9	Discussion	327
6.4	Other <i>XXX</i> Arms	327
7	Human Performance in Motion Planning	329
7.1	Introduction	329
7.2	Preliminary Observations	332
7.2.1	Moving in a Maze	332
7.2.2	Moving an Arm Manipulator	339
7.2.3	Conclusions and Plan for Experiment Design	345
7.3	Experiment Design	349
7.3.1	The Setup	349
7.3.2	Test Protocol	352
7.4	Results—Experiment One	353
7.4.1	Principal Components Analysis	355
7.4.2	Nonparametric Statistics	358
7.4.3	Univariate Analysis of Variance	362
7.4.4	Two-Way Analysis of Variance	365
7.4.5	Implementation: Two-Way Analysis for Path Length	367
7.4.6	Implementation: Two-Way Analysis for Completion Time	369
7.5	Results—Experiment Two	371
7.5.1	The Technique	372
7.5.2	Implementation Scheme	375
7.5.3	Results and Interpretation	377
7.6	Discussion	381

8	Sensitive Skin—Designing an All-Sensitive Robot Arm Manipulator	389
8.1	Introduction	389
8.2	Salient Characteristics of a Sensitive Skin	392
8.3	Skin Design	403
8.4	Examples	407
9	Suggested Course Projects	417
	References	421
	Index	429